

[7]

(Chlorinating Solution)

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9%
INERT INGREDIENTS 91%

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start up, superchlorinate with one (1) pint (16 fl. oz.) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE

- A) Adjust pool water pH to 7.6 - 8.2 range and maintain.
- B) Add manually or by a feeder device 1/8 to 1/4 cup sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 fl. oz.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine. Use well frequency of additions to maintain 0.6 to 1.0 ppm available chlorine and depending on temperature and number of swimmers, use test strips to make certain the pre- and chlorine residual are in the proper range.

NOTE: This product degrades with age. Check date on the first bottle. Increase dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, contain with absorbant material. Water down empty containers thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or residue that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ACCEPTED
45637-1
JUN 18 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No.

SAYLORCHLOR

1101 S.W. 117 STREET
MIAMI, FLORIDA 33144
226-4450

EPA REG. NO. 46637 EPA EST. NO. 41644 EPC-1

NET CONTENT: 1 GALLON