

BENDIOCARB 1% HOMEOWNER DUST

Kills these household pests:
Cockroaches, Ants, Fleas,
Brown Dog Ticks, Spiders, Wasps,
Crickets, Silverfish and More.

ACTIVE INGREDIENT:	Percent by Weight
Bendiocarb: (2,2-dimethyl-1,3-benzodioxol-4-yl methylcarbamate)	1%
INERT INGREDIENTS:	99%
Total	100%

†Protected by U.S. Patent No. 3,736,338

EPA REGISTRATION NO. 45839-10

KEEP OUT REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY INFORMATION
AND FIRST AID.



BFC Chemicals, Inc.
4311 Lancaster Pike, P.O. Box 2867
Wilmington, DE 19805

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT BREATHE DUST. DO NOT ALLOW TO CONTACT SKIN, EYES OR CLOTHING. WASH HANDS AND EXPOSED SKIN BEFORE EATING, DRINKING OR SMOKING AND AFTER HANDLING. WASH ALL CONTAMINATED CLOTHING THOROUGHLY BEFORE REUSE.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — DRINK 1 OR 2 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING BACK OF THROAT WITH FINGER. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

IF INHALED — KEEP PATIENT STRICTLY AT REST AND TRANSFER TO HOSPITAL IMMEDIATELY TO GET MEDICAL ATTENTION.

IF ON SKIN — WASH WITH SOAP AND WARM WATER.

IF IN EYES — RINSE THOROUGHLY WITH CLEAN WATER.

NOTE TO PHYSICIAN: CONTACT AN ANTI-CHLINESTERASE CARBAMATE INSECTICIDE. IN CASES OF OVEREXPOSURE ATROPINE SULFATE — 2 MG. (EQUivalent TO 1/300 G ADULT DOSE) SHOULD BE GIVEN AND REPEATED AS NECESSARY UNTIL FULLY ATROPINIZED.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish exposed to direct treatment or to residues on plants.

Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of sites.

PRECAUTIONS

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils, food containers.

IMPORTANT: Read the entire Directions for Use and Directions for Use and Directions for Use and Directions for Use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Bendiocarb 1% Homeowner Dust is for residual pest control in and around buildings. Permitted areas of use include, but are not limited to: houses, trailers, campers, storage sheds, houses, industrial buildings, schools, nursing homes, hospitals, restaurants and hotels.

INDIRECT USE

Bendiocarb 1% Homeowner Dust is intended for application in areas where pests are found. The amount to be applied will vary with the type of pest and the area to be treated. Apply 3 to 2.3 ounces of dust per square yard.

Cockroaches, Ants, Crickets, Silverfish and Firebrats: Thoroughly dust all areas where these pests live and hide, especially under and around baseboards, doors and cabinets.

boards around doors and windows and in attics, basements and crawl spaces. For ants, apply to ant trails and around doors and windows where they may enter premises.

Carpenter Ants: Dust around doors and windows and other places where these pests enter premises. When possible, locate and dust nests and surrounding areas.

Brown Dog Ticks and Fleas in Buildings: Dust infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other places where these pests may hide. Old bedding of pets should be removed after treatment of pet area and replaced with clean fresh bedding. Additionally, ensure that pets are treated with an EPA approved product registered for pet use. **DO NOT TREAT ANIMALS OR THEIR BEDDING WITH THIS PRODUCT.**

Spiders: Dust along and behind baseboards, window and door frames, corners, pipes, storage localities, attics, basements, crawl spaces and other areas where spiders may hide.

Wasps: It is best to treat wasp nests at night when insects are less active and have returned to the nest. Do not wear loose fitting clothing — take necessary precautions to avoid stings. For best results, carefully dust near nest and check one or two days after treatment to ensure complete kill, and retreat if necessary. If possible, remove and destroy nest to prevent hatching of new insects. For ground nests, carefully dust entrance and surrounding areas. Retreat in one or two days if wasp activity is still present. Do not use this product to treat nests overhead.

Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions: Apply around doors, windows and other places where these pests may enter. Treat baseboards, storage areas, and cracks and crevices, especially in dark, musty areas where these pests may hide.

OUTDOOR USE

Perimeter Treatment: Use Bendiocarb 1% Homeowner Dust as a residual treatment for control of ants, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and wasp nests in the band area. Wasp nests in trees and shrubs may be treated as noted above.

Fire Ants: Stir 7 oz. of Bendiocarb 1% Homeowner Dust into 2 gallons of water. Pour a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate insect galleries, using 2 gallons of mixture on mounds 6 inches or larger in diameter. Less mixture can be used on smaller mounds, however, thorough penetration of the insect galleries must be achieved. A second treatment may be necessary if complete control is not obtained.

Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. Applications may not be as effective during hot, dry periods. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not store near food or food products. Do not reuse empty container. Wrap and dispose of empty container in trash collection.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of BFC Chemicals, Inc. is authorized to make any warranties beyond those contained herein or modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL BFC CHEMICALS, INC. BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

5-MD-0-825

BEST DOCUMENT AVAILABLE

45639-10
JUN 10 1982

4639-10

(2)