

**For Use Only by Professional
Applicators on Ornamental Trees,
Shrubs and Turf**

*Protected by U.S. Patent No. 3,736,338

EPA REGISTRATION NO. 45639-59
EPA EST. NO. 45639-MI-1

NOTICE TO PHYSICIAN—Contains anticholinesterase carbamate insecticide in cases of overexposure, atropine sulfate 2 mg (equivalent to 1.30 grain adult dose) should be given and repeated as necessary until fully atropinized.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY INFORMATION


*Trademark of F&C Ltd

8-01 1287 114DS

B. 15 1981

US ...
 ...
 ...

457-39-59



GENERAL INFORMATION 1. M-19 is a wettable powder containing 10% by weight of the active ingredient. It is used for control of these pests in cotton.

TURCAM does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage.

Do not use this product in a manner inconsistent with its labeling.

LANDSCAPE PLANT RECOMMENDATIONS

Use TURCAM to control pests on ornamental plants in indoor and outdoor situations where ornamental plants are a problem.

[illegible]

CAUTION: Marginal toxicity may occur on Carotenes and Eucalyptus at rates of 25% a.i. (2.3-4 lbs. of TURCAM) per gallon of water and above. TURCAM has demonstrated excellent plant safety, however, a species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full-scale application.

Spray TURCAM to runoff at the recommended rates in the table

[illegible]

ORNAMENTAL TURF RECOMMENDATIONS

Apply TURCAM to a coarse sand or gravelly soil. Do not apply to clay or silt soils.

[illegible]

STORAGE AND

STORAGE: Stable at normal temperature.
PROHIBITIONS: Do not contaminate water or dispose. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticides, as such, are not to be used according to label instructions according to federal, state or local pest conservation and recovery act.
CONTAINER DISPOSAL: Triple rinse for recycling or reconditioning, or dispose by incineration if permitted by state and local.
GENERAL: Consult federal, state or local alternative procedures such as limited.

PRECAUTIONARY STATEMENTS
HAZARDS TO
AND DOMESTIC
WARN
USE PRECAUTIONARY

Harmful or fatal if swallowed. May be absorbed through skin if contact occurs with open and clothing with clean water.

Avoid breathing and wearing in spray mist or dust.

Wash hands and exposed skin before eating or drinking.

Wash all contaminated clothing in laundry before reuse.

Do not permit children or pets near treated surface.

Do not use on or contaminate fruit, vegetables or other food.

Do not store near food or food products.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Birds fed: do not apply directly to water. terminate water by cleaning of equipment. This product is highly toxic to bees exposed to plants.

DISCLAIMER OF WARRANTIES:
 NO IMPLIED WARRANTY OF MERCHANTABILITY OR OF
 FITNESS FOR ANY PARTICULAR PURPOSE OR OTHERWISE WHICH EXTENDS BEYOND
 THE LIMITED WARRANTIES SET FORTH HEREIN.
 NO AGENT OF BFC CHEMICALS, INC. IS AUTHORIZED
 TO ALTER, ADD TO, OR MODIFY THE WARRANTIES
 CONTAINED HEREIN OR TO MODIFY THE WARRANTIES
 SET FORTH HEREIN.
 BFC CHEMICALS, INC. SHALL NOT BE
 RESPONSIBLE FOR ANY DAMAGES, INCLUDING
 CONSEQUENTIAL DAMAGES, RESULTING FROM
 THE USE OF ANY OF ITS PRODUCTS IN
 ACCORDANCE WITH LABEL DIRECTIONS.

CAM TICIDE

by Professional
Ornamental Trees,
and Turf

	Percent by Weight
1000-4-01	76%
	24%
Total	100%

38

45639-59

RACH OF CHILDREN INING L OR FATAL ALLOWED OF PRACTICAL TMENT

es of water and induce vomiting by
per. Do not induce vomiting or give
us person. Get medical attention
noon animated area. Keep patient
apital immediately to get medical

war in water
n ear water

ains: anticholinesterase carbamate
ure: atropine sulfate—2 mg (equiv
ould be given and repeated as nec

L FOR ADDITIONAL
R INFORMATION

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

GENERAL INFORMATION: TURCAM is a wettable powder containing 76% by weight of active ingredient which has given effective knockdown and residual control of those insects listed below.

TURCAM does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TURCAM is intended for dilution with water for application with hand or power operated sprayers. Do not use strainers finer than 50 mesh size. Fill spray tank with 3/4 of desired volume of water, add appropriate amount of product and then add the remaining quantity of water. Shake and agitate before use to insure proper suspension of the wettable powder. Resprays before use if spraying is interrupted. Do not allow to stand overnight.

ORNAMENTAL PLANT RECOMMENDATIONS

Use TURCAM to control pests on ornamental plants in indoor and outdoor situations where ornamental pests are a problem.

TURCAM can be used to control specified pests on non-edible ornamental plants including, but not limited to: Ageratum, Asarum, Azalea, Baby's breath, Begonia, Bluewood, Calceolaria, Cedar, Clematis, Chrysanthemum, Coleus, Daffodil, Dahlia, Dianthus, Eucalyptus, Ferns, Ficus, Flowering Almonds, Flowering Crab Apples, Four o'clocks, Fuchsia, Gazania, Geranium, Hibiscus, Hydrangea, Hyposiphys, Impatiens, Iris, Japanese yew, Juniper, Kalmia, Ligustrum, Lily of the Valley, Marigold, Mimosa, Nasturtium, Nicotiana, Oleander, Pachysandra, Pansy, Petunia, Pine, Portulaca, Pyracantha, Rhododendron, Rose, Salvia, Schefflera, Shasta Daisy, Snapdragon, Spirea, Taxus, Verbena, Vinca and Zinnia.

CAUTION: Marginal tip burn may occur on Camellia and Coleus at rates of 1/2 to 1/4 lb. of TURCAM per 100 gallons of water and above. TURCAM has demonstrated excellent plant safety, however, as species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full scale application.

Spray TURCAM to runoff at the recommended rates in the table.

PEST	AMOUNT OF TURCAM PER 100 GALLONS OF WATER
Chrysanthemum aphid, Eastern tent caterpillar, Gypsy moth, Green apple aphid, Hemispherical scale, Florida wax scale	1 oz.
Brown soft scale, Spirea aphid, Tea scale, Citrus mealybug, Hawthorn lacebug, Fall webworm, Euonymus scale	4 oz.
Japanese beetle, Thrips, Azalea lacebug, Azalea caterpillar, Taxus mealybug, adults, Elm leaf beetle, Elm saw beetle, larvae, Poplar tent maker, Tree borer, caterpillar, Spring cankerworm, Bagworm, Spruce sawfly	1/2 lb.
Mimosa webworm, Obscure root weevil, adults	1 lb.
Greenhouse whitefly, Citrus blackfly, variegated, Black vine weevil, Pine spitbug	1 lb.
Hamamelis pine tip moth	1 lb.
Palm pine weevil, Northern pine weevil, Azalea gallmaker, Oleander aphid	1 lb.

When measuring small amounts of product use the scales in the table. Use the scales in the table.

2. Spray at the time of moth flight to each generation. Use the scales in the table. Use the scales in the table.

ORNAMENTAL TURF RECOMMENDATIONS

Apply TURCAM as a coarse, low pressure spray in sufficient water to obtain complete and uniform coverage of pest infested areas.

PEST	DOSAGE	APPLICATION PROCEDURE
White grubs of Japanese beetle, Black turfgrass, Ageratum, Euonymus, Chamaecyparis, Northern green, Red pine, Green pine beetle, Red pine beetle, White grub	1/2 ounce per 1000 sq. ft.	Apply when the pest is present in the soil. Apply in adequate water to insure coverage. Apply thoroughly with 1/2 inch of water.

Bees, Brown dog ticks, Centipedes, Chiggers, Cockroaches, Crickets, Earwigs, Fleas, Ground beetles, Leatherjackets, Millipedes, Pillbugs, Spiders, Silverfish, Sowbugs, Spiders, Spiders, Wasps	1/2 ounce per 1000 sq. ft.	Apply when the pest is present in the soil. Apply in adequate water to insure coverage. Apply thoroughly with 1/2 inch of water.
---	----------------------------	--

FIRE ANTS

Use TURCAM as recommended in the table below. Two gallons of mixture are recommended for 100 sq. ft. of area. Less mixture can be used on smaller mounds. However, thorough penetration of the galleries must be achieved. Apply a small amount of mixture around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate in several places. A second treatment may be necessary if complete control is not obtained.

Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. Applications may not be as effective during hot, dry periods. If possible, treat all colonies in the vicinity. Also treat colonies which have not yet constructed a mound.

AMOUNT OF TURCAM	AMOUNT OF WATER
2-3 teaspoons	2 gallons
1 scoop	20 gallons

STORAGE AND DISPOSAL

STORAGE: Stable at normal temperatures. Store in a dry place.
PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not re-use empty container.

PESTICIDE DISPOSAL: Pesticide, spray mixture or residue that cannot be used according to label instructions must be disposed of according to federal, state or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by state and local authorities.

GENERAL: Consult federal, state or local authorities for approved alternative procedures such as limited open burning.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

USE PRECAUTIONS

Harmful if swallowed. May be absorbed through the skin. Avoid contact with eyes, skin and clothing. In contact with skin, wash skin and clothing immediately with soap and warm water. And eyes with clear water.

Avoid breathing and working in spray mist or dust.

Wash hands and exposed skin before eating, drinking or smoking and after spraying or handling. Wash and launder clothing thoroughly before use.

Do not apply to surfaces near treated surfaces until spray has dried completely.

Do not use on or near edible plants, vegetables or other food or food crops.

Do not use on or near aquatic life.

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds. Birds feeding on treated area may be killed. Do not apply directly to water.

Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or to residues on plants.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of BFC Chemicals, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL BFC CHEMICALS, INC. BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.