



TURCAM INSECTICIDE

**For Use Only by Professional Applicators
on Ornamental Trees, Shrubs and Turf**

ACTIVE INGREDIENT:	Percent by Weight
Bendiocarb: (2,2-dimethyl-1, 3-benzodioxol-4-ol methylcarbamate*)	76%
INERT INGREDIENTS:	24%
	Total 100%

*Protected by U.S. Patent No. 3,736,338

EPA REGISTRATION NO. 45639-59

EPA EST. NO. 45639-MI-1

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya
sido explicaca ampliamente. 1/8 63/59

KEEP OUT OF REACH OF CHILDREN

WARNING

HARMFUL OR FATAL IF SWALLOWED

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — DRINK 1 OR 2 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING BACK OF THROAT WITH FINGER. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

IF INHALED — REMOVE PATIENT TO UNCONTAMINATED AREA. KEEP PATIENT STRICTLY AT REST AND TRANSFER TO HOSPITAL IMMEDIATELY TO GET MEDICAL ATTENTION.

IF ON SKIN — WASH WITH SOAP AND WARM WATER.

IF IN EYES — RINSE THOROUGHLY WITH CLEAN WATER.

NOTICE TO PHYSICIAN — CONTAINS ANTICHOLINESTERASE CARBAMATE INSECTICIDE. IN CASES OF OVEREXPOSURE, ATROPINE SULFATE — 2 MG. (EQUIVALENT TO 1/30 GRAIN ADULT DOSE) SHOULD BE GIVEN AND REPEATED AS NECESSARY UNTIL FULL ATROPINIZED.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION.

BEST DOCUMENT AVAILABLE



BFC Chemicals, Inc.

4311 Lancaster Pike, P.O. Box 2867, Wilmington, DE 19805

CANNgraphics August 13, 1982

CANNgraphics August 17, 1982