Please reed instructions on reverse before completing form	Form Ap	proved. OMB No. 2070	-0060. Approval expires11-30-93			
(A) SEPA United States Environment Office of Pesticide Pro Washington, D Application for		Registration	OPP Identifier Number			
Office of Pesticide Pro		Amendme				
Washington, D	•		nt 190106			
Application for	or Pesticide:	Other				
Section I						
فأنت في المساور	2. EPA Product M	NASOST T	3. Proposed Classification			
1. Company/Product Number 45639-64		- I '				
		Dennis Edwards PM# None Restricted				
4. Company/Product (Name)	PM#	SWE LASTICISO				
n 11 - 00-						
5. Name and Address of Applicant (Include ZIP Code)	6 Evnedited R	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)				
		(b)(i), my product is similar or identical in composition and labeling				
NOR-AM Chemical Company		to:				
Little Falls Centre One] "				
2711 Centerville Road	EPA Reg. No	EPA Reg. No				
Wilmington, DE 19808	Chook if this is a new address		•			
CHOCK II THE IS IS A NOW BOOTESS	Product Name_	Product Name				
Sect	ion I I					
	Final original	labels in response to				
Amendment - Explain below	Agency lette					
Resubmission in response to Agency letter dated	H					
	"Me Too" Ap	plication.				
Notification - Explain below.	Other - expl	io holow				
Explanation: Use additional page(s) if necessary. (For section I and Section II.)						
ANDTHEATION						
NOTIFICATION: Compliance with PR-Notice 93-3 LAGE NOT REVIEWED						
PER PRINCIPLE AND THE PRINCIPL						
DATE 7/1/93						
BEST AVAILABLE COPY						
Section III						
1. Material This Product Will Be Packaged in:						
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Con	tainer			
Yes* Yes	Yes	Yes Metal				
l H. (H.,			stic			
L No L No ·	No No		iss per			
If "Yes," No. per			per ner (Specify)			
* Certification must be Unit Package wgt. container	Package wgt. con	tainer				
submitted.	<u> </u>					
3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions						
Label Container		On Label	eccompanying aliquot			
6. Manner In Which Label Is Affixed To Product Lithog	raph		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Paper	glued L	м (
Stenci			••			
Section IV						
		1 H	1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
1. Contact Point (Complete items directly below for identification	n of individual to be contacted					
1. Contact Point (Complete items directly below for identification	n of individual to be contacted. Title	Tek	phone No. (Include Area Code).			
Contact Point (Complete items directly below for identification Name	n of individual to be contacted Title Registratio	on Tek	phone No. (Include Area Code).			
Contact Point (Complete items directly below for identification Name Richard R. Stevens	n of individual to be contacted little Registration Project Man	on Tek	ophone No. (Include Area Cree). 02-872-3034.			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification	n of individual to be contacted. Title Registratic Project Man	on nager 3	ophone No. (Include Area Cries). 02-872-3034. 6. Date Application			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a	r of individual to be contacted. Registratic Project Man Interpretation of the contacted	nager 30	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statem	r of individual to be contacted. Registratic Project Man Interpretation of the contacted	nager 30	ophone No. (Include Area Cries). 92-872-3034. 6. Date Application			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statem both under applicable law.	r of individual to be contacted. Registratic Project Man It interests thereto are true, tent may be punishable by fi	nager 30	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statem both under applicable law.	r of individual to be contacted. Registratic Project Man Interpretation of the contacted	nager 30	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statem both under applicable law.	red individual to be contacted. Registratic Project Man Interchments thereto are true, sent may be punishable by file. Title	nager 30 accurate and complete. ne or imprisonment or	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statem both under applicable law.	Registration Project Man Interpolation Registration Project Man Interpolation Registration Registration	nager 30 accurate and complete. ne or imprisonment or	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statements both under applicable law. 2. Signature 3. Acknowledge That any knowingly false or misleading statements to the statement of	red individual to be contacted. Registratic Project Man Interchments thereto are true, sent may be punishable by file. Title	nager 30 accurate and complete. ne or imprisonment or	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statements both under applicable law. 2. Signature 3. Acknowledge That any knowingly false or misleading statements to the statement of	Registration Project Man Registration Project Man Registration Registration Registration Registration Registration Manager Date	nager 30 accurate and complete. ne or imprisonment or	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			
1. Contact Point (Complete items directly below for identification Name Richard R. Stevens Certification I certify that the statements I have made on this form and all a I acknowledge that any knowingly false or misleading statem both under applicable law. 2. Signature 3. Typed Name	Registration Project Man Registration Project Man Registration Registration Registration	nager 30 accurate and complete. ne or imprisonment or	ophone No. (Include Area Cree). 92-872-3034. 6. Drite Application Flerkiyed			

BENDIOCARB 20% HOMEOWNER WETTAPLE POWDER

FOR USE ON HOME LAWNS ONLY Kills Many Outdoor Pests

ACTIVE INGREDIENT:

Percent by Weight

Bendiocarb: (2,2-dimethyl-1,3

benzodioxol-4-yl methylcarbamate)*

20%

INERT INGREDIENTS:

808

*Protected by U.S. Patent No. 3,736,338

100%

EPA Reg. No. 45639-64

EPA Est. No.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que el etiqueta hay sido explicado ampliamente.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED - Keep patient strictly at rest and transfer to hospital immediately to get medical attention.

IF ON SKIN - Wash with soap and warm water.

IF IN EYES - Rinse thoroughly with clean water.

NOTE TO PHYSICIAN: Contains anticholinesterase carbanate insecticide. In cases of over-exposure, atropine sulfate-2 mg. (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

NOR-AM Chemical Company 3509 Silverside Road P.O. Box 7495 Wilmington, DE 19803

ACCEPTED wet Contents :

JUN 2 5 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended, for the pesticide repistered under EPA Rug. No. 45639-64

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Harmful or fatal if swallowed. May be absorbed through the skin. Avoid contact with eyes, skin and clothing. contact occurs, wash skin and clothing immediately with soap and warm water, or eyes with clean water. Avoid breathing and warm water, or eyes with clean water. and working in spray mist or dust. Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

Do not apply to humans, their clothing or bedding.

Do not permit children or pets near treated surface until spray has dried completely.

Do not spray where electrical short circuits might result.

Do not use on or contaminate fruit, vegetable or other feed

or food crops.

not store near feed or food products and do contaminate these or food preparations surfaces, dishes, kitchen utensils and food containers with either concentrate or spray.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply within 320 feet of any permanent body of water. "For terrestrial uses, do not apply directly to water, or togareas where surface water is present or to intertidal areas below the mean high water mark." Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Bendiocarb 20% Homeowner Wettable Powder is for outdoor residual pest control on buildings and structures and for control of turf pests.

DO NOT USE THIS PRODUCT ON EDIBLE PLANTS.

DO NOT APPLY TO SURFACES WHICH COME INTO CONTACT WITH FOOD. " Bendiocarb 20% Homeowner Wettable Powder is intended for dilution with water for application with hand-held sprayers' or watering cans.

Do not use strainers finer than 100 mesh size.

When using hand sprayers, fill with the desire volume of water, add Bendiocarb 20% Homeowner Wettable Powder, close and shake before use to insure proper suspension of the wettable powder. Shake or re-agitate sprayer before use if spraying is interrupted. BEST AVAILABLE COPY

BEST AVAILABLE

<u>Perimeter Treatment</u>: To help prevent infestation of buildings by ants, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders, and wasps:

Mix 2 oz. of product per gallon of water and apply as a residual spray where pests congregate or can gain entry. Treat the building foundation to a height of 2-3 feet.

<u>Cinch Bugs. Sod Webworms and Leafhoppers</u>: Apply 2-4 oz. of product in sufficient water to cover 1000 sq. ft. of turf.

White Grubs: In localized areas of grub infestation, Bendiocarb 20% Homeowner Wettable Powder may be applied by watering can. Add 8 oz. of product to 1-2 gallons of water, thoroughly agitate and then apply over 1000 sq. ft. of turf. Follow this chemical treatment with thorough irrigation (1/2-3/4 inch of water).

Fire Ants: Mix 0.4 oz. or 3 level tablespoons of Bendiocarb 20% Homeowner Wettable Powder in two gallons of water. Two gallons of mixture are recommended for mounds 8 inches or larger in diameter. Less mixture can be used on smaller mounds; however, thorough penetration of insect galleries must be achieved. Apply a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate insect galleries. A second treatment may be necessary if complete control is not obtained.

Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. For best results apply in cool weather, 65-80½F, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container in a dry, locked storage area. DO NOT reuse empty container.

CONTAINER DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash...

PESTICIDE DISPOSAL: Do not contaminate water, food for feed..... by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

IMPORTANT: READ BEFORE USE

By using this product, user accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

<u>conditions</u>: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

LIMITATION OF LIABILITY: In no event shall NOR-AM Chemical Company's liability for damages arising out of the use of this product exceed the purchase price of the product used.

NOR-AM Chemical Company, 1985

