

Reg # 45639-66

PM-19

194

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A)


 United States Environmental Protection Agency
 Office of Pesticide Programs (H7505C)
 Washington, DC 20460

Application for Pesticide:

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

161194

Section I

1. Company/Product Number 45639-66	2. EPA Product Manager Dennis Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) FIDAM PLUS	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) NOR-AM Chemical Company Little Falls Centre One 2711 Centerville Road Wilmington, DE 19808 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: Compliance with PR-Notice 93-3

BEST AVAILABLE COPY
 NOTIFICATION
 LABEL NOT NEEDED
 PER PR NOTICE 93-3

DATE 7/1/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted.	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container	<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other (_____)		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Richard R. Stevens		Title Registration Project Manager		Telephone No. (Include Area Code) 302-892-3034	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature <i>Richard R. Stevens</i>		3. Title Registration Project Manager			
4. Typed Name Richard R. Stevens		5. Date June 3, 1993			

SPECIMEN LABEL

Ficam®

PLUS+

NOTIFICATION
LABEL NOT REVEALED
PER PR NOTICE 88-4
DATE 7/1/93

294

SYNERGIZED

PYRETHRINS

WETTABLE POWDER INSECTICIDE

RECOMMENDED FOR USE ONLY BY PEST CONTROL OPERATORS

ACTIVE INGREDIENTS:

†Bendiocarb 2,2 dimethyl-1,3 benzodioxo-4-yl-methylcarbamate

Pyrethrins

*Piperonyl Butoxide Technical

INERT INGREDIENTS:

Percent by Weight

29.45

3.20

7.00

50.99

TOTAL

100.00

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

EPA Reg. No. 45639-66

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED

IF INHALED

IF ON SKIN

IF IN EYES

NOTE TO PHYSICIAN

NOR-AM

NET CONTENTS

BEST AVAILABLE COPY

Carpenter Ants: Mix one packet of FICAM PLUS per gallon of water and apply to ant trails, around doors and windows and other places where ants enter premises. Where possible, apply FICAM PLUS directly to ant nest or infested wood.

Termites: Mix one packet of FICAM PLUS per gallon of water and apply to voids or channels in damaged wooden members of a structure, or to cracks, spaces or bearing joints between wooden members of a structure or between such members and the foundations, in locations vulnerable to termite attack such as crawl spaces. Drilling may be necessary prior to applying FICAM PLUS to voids, cracks or joint spaces in vulnerable locations and to channeled sections of wood but it must be recognized that such drilling and treating of a timber in place may not result in complete coverage of infested and vulnerable voids or galleries. All treatment holes drilled in construction elements in commonly occupied areas of structures must be securely plugged.

The purpose of such applications of FICAM PLUS is to kill workers or winged reproductive forms which may be present in the treated channels and spaces at the time of treatment and to impart a temporary resistance at these places to termite attack which may aid, in some part in the prevention of immediate reinfestation by termites. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement, particularly where use of other insecticides may pose an odor problem.

Do not apply solution until location of heat or air conditioning ducts, vents, water, and sewer lines and electrical conduits are known and identified.

When located, applications may be made around these structures. However, caution must be taken to avoid contamination of these structural elements and airways.

Brown Dog Ticks and Fleas in Buildings: Mix one packet of FICAM PLUS per gallon of water and thoroughly apply spray to infested areas. These include pet beds (after the bedding has been removed) and resting quarters, nearby cracks and crevices, rugs and floor coverings, and under their edges, between and under cushions of upholstered furniture, and other areas where these pests may be present. Entire rugs may be treated. Apply the spray evenly (approx. 1 gal/800 ft.²) to rugs and furniture. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Additionally, insure that pets are treated with an EPA approved product registered for such use. Do not treat pets or their bedding with this product. Do not permit children or pets to contact treated surfaces until spray has dried completely.

Spiders (Including Black Widow Spiders): Mix one packet of FICAM PLUS per gallon of water and apply to infested baseboards, window and door frames, corners, pipes, storage localities, attics, and under eaves. Make spot applications to other areas over which these pests may crawl.

Wasps and Bees: Mix one packet of FICAM PLUS per gallon of water and thoroughly spray nest and entrance and surrounding areas where insects alight. It is generally advisable to spray the nests in the evening when the insects are less active and have returned to the nest. For best results, check nest carefully one or two days after spraying to insure complete kill, then remove and destroy nest to prevent emergence of newly hatched insects.

Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions: Mix one packet of FICAM PLUS per gallon of water and apply around doors and windows, and other places where these pests may enter premises. Spray baseboards, storage areas, and other locations where these pests are found.

Pantry Pests—Grain Beetles (Rusty, Merchant and Sawtoothed), Flour Beetles (Red and Confused), Drugstore Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Mix one packet of FICAM PLUS per gallon of water. Remove all foodstuffs, shelving paper and utensils from area to be treated. Apply FICAM PLUS to cupboards and shelves and allow to dry. Cover with shelving paper prior to replacement of food and utensils. Infested foodstuffs should be destroyed.

Carpet Beetles (Black, Furniture and Varied): Mix one packet of FICAM PLUS per gallon of water. Apply as spot applications on and under edges of floor coverings, under rugs and furniture, and in closets or other localities where these insects are found. Entire rugs may be treated.

Note: Where it is desired to obtain a longer period of control of all of the above pests in areas where access is difficult or where deposits will not be quickly removed by cleaning, apply FICAM PLUS at a rate of two packets per gallon of water. This rate may also be used to quickly reduce heavy infestations of cockroaches.

Webbing Clothes Moths: Mix two packets of FICAM PLUS per gallon of water and apply spray as spot application in closets and other storage areas where webbing clothes moths are found. This treatment is an adjunct treatment and will not control moth larvae already on the clothes. Do not apply FICAM PLUS to clothing.

Food Handling Establishments

Places other than private residences in which food is held, processed, prepared or served.

Food Areas

Application limited to spot or crack and crevice treatment only. For spot treatments, no individual spot will exceed two (2) square feet.

Includes areas for receiving, storage, packing, (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation are also considered a food area.

BEST AVAILABLE COPY

Prepare a spray solution as directed above and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pinstream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where cockroaches, ants, silverfish, firebrats, spiders, and crickets hide. Spot treatment using coarse spray may also be made to areas where any of the above pests hide or inhabit such as baseboards, storage areas, closets, around water pipes, doors, and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers, and similar areas.

Make applications using low pressure to avoid possible atomization or splashing of the spray. Avoid contamination of food or food processing surfaces.

Non-Food Areas

FICAM PLUS may be used as a crack and crevice treatment or as a spot application in non-food areas. All areas where insects hide or through which insects may enter should be treated.

This product is authorized for use in non-food areas of Federally Inspected Meat and Poultry Plants.

OUTDOOR USE

Perimeter Treatment: Residual spray for control of ants, bees, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders (including Black Widow spiders), and wasps. Mix one packet of FICAM PLUS per gallon of water and apply as a residual spray or with a paint brush to surfaces of buildings, porches, screens, window frames, eaves, patios, garages, and other areas where these pests congregate.

To help prevent infestations of buildings by the above pests, treat a band of soil 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Mix one packet of FICAM PLUS per gallon of water and apply as a coarse spray to thoroughly and uniformly wet the band area.

Yard Treatment: For the control of nuisance pest populations of ants, crickets, spiders, ground beetles, ticks, sowbugs, and pillbugs, mix one packet of FICAM PLUS in five gallons of water and apply as a coarse spray to thoroughly wet the treated areas.

IN CASE OF FIRE, LEAKY, OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL-FREE TELEPHONE TO: 800-424-9300.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES, OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT NOR-AM'S ELECTION, THE REPLACEMENT OF PRODUCT.

© NOR-AM Chemical Company, 1991

BEST AVAILABLE COPY