

Reg # 45639-88

PM-21

File

19 6

United States Environmental Protection Agency
Washington, D.C. 20460

1993

Office of
Prevention, Pesticides and
Toxic Substances

Richard R Stevens
NOR-AM CHEMICAL COMPANY
3509 SILVERSIDE ROAD
WILMINGTON DE 19803

Subject: Label Amendment Submission of 05/03/93
in Compliance with WPS Labeling Requirements
EPA Reg No. 45639-88
BANOL

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)

296
Office of Pesticide Programs (H-7504C)
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460-0001


Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL)
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,



James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

SPECIMEN LABEL

396

ACCEPTED
with COMMENTS
In EPA Letter Dated

BEST AVAILABLE COPY

4 10
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

45639-88

Banol®

TURF AND ORNAMENTAL FUNGICIDE

For Control of Pythium and Phytophthora

NOT FOR SALE OR USE IN CALIFORNIA.

NOT FOR USE ON SOD FARMS IN ARIZONA.

ACTIVE INGREDIENT:

Propiconazole, 15.0% w/v

INERT INGREDIENTS:

Propiconazole, 15.0% w/v

TOTAL

EPA Reg. No. 45639-88

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

IF INHALED:

IF IN EYES:

IF ON SKIN:

NOTE TO PHYSICIAN:

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NOR-AM

NET CONTENTS:

BEST AVAILABLE COPY

4 5 6

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and Other handlers must wear:

- > Long-sleeved shirt and long pants
- > Waterproof gloves
- > Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, closed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

USE PRECAUTIONS: Do not graze or feed clippings from treated areas to livestock.

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container and keep tightly closed. Store in a cool dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DO NOT REUSE ORIGINAL CONTAINER.

IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL-FREE TELEPHONE TO: 800-424-8300.

GENERAL INFORMATION

BANOL® is a completely water miscible fungicide concentrate. BANOL is intended for use on turf-grass which is subject to Pythium Blight (Cottony Blight, Grease Spot). It may be used after germination to control Pythium damping-off in turf, or on established turf to prevent or control Pythium Blight. BANOL does not afford broad spectrum disease control for *Rhizoctonia* sp. (brown patch), *Sclerotinia* sp. (dollarspot), or *Helminthosporium* sp. (leaf-spot). Use a broad spectrum fungicide if these diseases coexist with Pythium Blight.

BANOL is also recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

COMPATIBILITY: BANOL is compatible with benomyl, iprodione, ethazol, chloroneb, PROXOL® 80SP (trichlorfon), triadimefon, chlorothalonil, diazinon, chlorpyrifos, and thiram.

For control of other soil borne diseases such as *Rhizoctonia* sp. or *Fusarium* sp. BANOL can be tank-mixed with benomyl or thiophanate-methyl. Use the full rate of each fungicide and follow all directions and restrictions appearing on the labels of these products.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your State responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- > Coveralls
- > Waterproof gloves
- > Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas until spray deposit has dried completely.

TURFGRASS	AREA	Fluid Ounces BANOL	REMARKS
For Control of Pythium Blight and Pythium Damping-Off on Established Turf and Overseeded Areas	1000 ft ²	Preventative Treatment: 1½–2 fluid oz. in 2–5 gallons of water.	ESTABLISHED TURF: Apply as a preventive treatment during periods of high temperature and humidity favorable to the development of Pythium Blight.
		Curative Treatment: 3–4 fluid oz. in 2–5 gallons of water.	OVERSEEDDED AREAS: Apply after germination to control Pythium Damping-Off.
			RETREATMENT: Retreat at 7–21 day intervals if conditions remain favorable for disease development. Use the lower rate for the shorter interval and the higher rate for the longer interval within the application rate range. Under severe disease pressure conditions, use the highest recommended rate and shortest interval.

BANOL is recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

ORNAMENTALS	Fluid Ounces BANOL	REMARKS
For Control of Pythium and Phytophthora on Ornamental Plants:		BANOL requires no agitation after initial mixing. Stock solutions of BANOL should be used within one week of mixing. BANOL does not cause phytotoxic symptoms on the listed plants when used as directed. Trials on other ornamental species should be conducted before extensive use.
African Violet, Ageratum, Alyssum, Aster, Azalea, Browallia, Carnation, Celosia, Chrysanthemum, Coleus, Dahlia, Dusty Miller, Easter Lily, Ferns, Geranium, Gloxinia, Impatiens, Lobelia, Marigold, Pansy, Petunia, Poinsettia, Portulaca, Salvia, Snapdragon, Verbena, Violet, and Vinca.	3 fl. oz. per 10 gallons of water	Seeding: Apply to the seeding area using 3 quarts of solution/10 square feet. Treat before sowing of seeds requiring light and after covering of seeds requiring dark for germination.
	3 fl. oz. per 10 gallons of water	Transplanting (Seedlings): Apply to the transplanting area using 3 quarts of solution/10 square feet before transplanting.
	2 fl. oz. per 10 gallons of water	Transplanting (Cuttings): Drench the cutting bed using 2 gallons of solution/10 square feet before setting.
	2 fl. oz. per 10 gallons of water	Potting: Dip bare root plants in the solution before potting. After potting drench each pot at the rate of 3.5 fl oz of solution/4 inch pot. Repeat the drench treatment at 3 to 6 week intervals.
Woody Ornamentals	2.5 fl. oz. per 10 gallons of water	For control of <i>Phytophthora</i> sp. on woody ornamentals such as azalea, drench each container at the rate of 5 quarts of solution/10 square feet of surface. Repeat the drench treatment at 3 to 4 month intervals.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES, OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT NOR-AM'S ELECTION, THE REPLACEMENT OF PRODUCT.

© NOR-AM Chemical Company, 1991

BEST AVAILABLE COPY

United States Environmental Protection Agency
Washington, D.C. 20460

Office of
Prevention, Pesticides and
Toxic Substances

*please file
in jacket*

1002

Richard R Stevens
NOR-AM CHEMICAL COMPANY
3509 SILVERSIDE ROAD
WILMINGTON DE 19803

Subject: Label Amendment Submission of 06/03/93
in Compliance with WPS Labeling Requirements
EPA Reg No. 45639-88
BANOL

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)

10FL

246
Office of Pesticide Programs (H-7504C)
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460-0001


Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL)
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

ACCEPTED
with COMMENTS
In EPA Letter dated

PROPOSED LABEL

4 1988
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

45639-88

Banol[®]

TURF AND ORNAMENTAL FUNGICIDE

For Control of Pythium and Phytophthora

NOT FOR SALE OR USE IN CALIFORNIA.

NOT FOR USE ON SOD FARMS IN ARIZONA.

ACTIVE INGREDIENT:

Propamocarb hydrochloride*

66.5%

INERT INGREDIENTS:

33.5%

TOTAL

100.0%

*Propyl [3-(dimethylamino)propyl] carbamate monohydrochloride

Contains 6.0 lbs. active ingredient per gallon

EPA Reg. No. 45639-88

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Obtain medical attention immediately. See Note to Physician.

IF INHALED: Remove to fresh air, support respiration, and seek medical advice.

IF IN EYES: Immediately flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and water.

NOTE TO PHYSICIAN: Do not administer atropine unless cholinesterase inhibition is measured or patient shows distinct symptoms thereof. Oxime therapy is contraindicated. Otherwise, administration of gastric lavage or induction of vomiting followed by application of activated charcoal is the recommended treatment.**SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS****NOR-AM**
NOR-AM CHEMICAL COMPANY
A Schering-Boehringer CompanySPECIALTY PRODUCTS DIVISION
Little Falls Centre One
2711 Centerville Road
Wilmington, DE 19808

NET CONTENTS:

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and Other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, closed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

USE PRECAUTIONS: Do not graze or feed clippings from treated areas to livestock.

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container and keep tightly closed. Store in a cool dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DO NOT REUSE ORIGINAL CONTAINER.

IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL-FREE TELEPHONE TO: 800-424-9300.

GENERAL INFORMATION

BANOL® is a completely water miscible fungicide concentrate. BANOL is intended for use on turf-grass which is subject to Pythium Blight (Cottony Blight, Grease Spot). It may be used after germination to control Pythium damping-off in turf, or on established turf to prevent or control Pythium Blight. BANOL does not afford broad spectrum disease control for *Rhizoctonia* sp. (brown patch), *Sclerotinia* sp. (dollar spot), or *Helminthosporium* sp. (leaf spot). Use a broad spectrum fungicide if these diseases coexist with Pythium Blight.

BANOL is also recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

COMPATIBILITY: BANOL is compatible with benomyl, iprodione, ethazol, chloroneb, PROXOL® 80SP (trichlorfon), triadimefon, chlorothalonil, diazinon, chlorpyrifos, and thiram.

For control of other soil borne diseases such as *Rhizoctonia* sp. or *Fusarium* sp. BANOL can be tank-mixed with benomyl or thiophanate-methyl. Use the full rate of each fungicide and follow all directions and restrictions appearing on the labels of these products.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your State responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- > Coveralls
- > Waterproof gloves
- > Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas until spray deposit has dried completely.

TURFGRASS	AREA	Fluid Ounces BANOL	REMARKS
For Control of Pythium Blight and Pythium Damping-Off on Established Turf and Overseeded Areas	1000 ft ²	Preventative Treatment: 1½–2 fluid oz. in 2–5 gallons of water. Curative Treatment: 3–4 fluid oz. in 2–5 gallons of water.	ESTABLISHED TURF: Apply as a preventive treatment during periods of high temperature and humidity favorable to the development of Pythium Blight. OVERSEEDDED AREAS: Apply after germination to control Pythium Damping-Off. RETREATMENT: Retreat at 7–21 day intervals if conditions remain favorable for disease development. Use the lower rate for the shorter interval and the higher rate for the longer interval within the application rate range. Under severe disease pressure conditions, use the highest recommended rate and shortest interval.

BANOL is recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

686

ORNAMENTALS	Fluid Ounces BANOL	REMARKS
For Control of Pythium and Phytophthora on Ornamental Plants: African Violet, Ageratum, Alyssum, Aster, Azalea, Browallia, Carnation, Celosia, Chrysanthemum, Coleus, Dahlia, Dusty Miller, Easter Lily, Ferns, Geranium, Gloxinia, Impatiens, Lobelia, Marigold, Pansy, Petunia, Poinsettia, Portulaca, Salvia, Snapdragon, Verbena, Violet, and Vinca.	3 fl. oz. per 10 gallons of water 3 fl. oz. per 10 gallons of water 2 fl. oz. per 10 gallons of water 2 fl. oz. per 10 gallons of water	BANOL requires no agitation after initial mixing. Stock solutions of BANOL should be used within one week of mixing. BANOL does not cause phytotoxic symptoms on the listed plants when used as directed. Trials on other ornamental species should be conducted before extensive use. Seeding: Apply to the seeding area using 3 quarts of solution/10 square feet. Treat before sowing of seeds requiring light and after covering of seeds requiring dark for germination. Transplanting (Seedlings): Apply to the transplanting area using 3 quarts of solution/10 square feet before transplanting. Transplanting (Cuttings): Drench the cutting bed using 2 gallons of solution/10 square feet before setting. Potting: Dip bare root plants in the solution before potting. After potting drench each pot at the rate of 3.5 fl oz of solution/4 inch pot. Repeat the drench treatment at 3 to 6 week intervals.
Woody Ornamentals	2.5 fl. oz. per 10 gallons of water	For control of <i>Phytophthora</i> sp. on woody ornamentals such as azalea, drench each container at the rate of 5 quarts of solution/10 square feet of surface. Repeat the drench treatment at 3 to 4 month intervals.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES, OR DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT NOR-AM'S ELECTION, THE REPLACEMENT OF PRODUCT.

© NOR-AM Chemical Company, 1991