

1.6
P. 101
456

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only those uses covered by the Certified Applicator's certification.

Vorlex 201

SOIL FUMIGANT

ACTIVE INGREDIENTS:

1,3-dichloropropene and other related chlorinated C ₃ hydrocarbons	34.0%
Methyl isothiocyanate	17.0%
Chloropicrin	15.0%
Inert ingredients	34.0%
	100.0%

E.P.A. Reg. No. 45639-91

E.P.A. EST. No. 09804

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

KEEP OUT OF REACH OF CHILDREN

DANGER—POISON
PELIGRO—VENENO

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDOUS VAPOR AND LIQUID. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND BURNS OF SKIN. HARMFUL OR FATAL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. MAY PRODUCE KIDNEY AND LIVER DAMAGE UPON PROLONGED EXPOSURE.

Do Not Breathe Vapor. Do Not Get In Eyes, On Skin, Or On Clothing. Do Not Take Internally. Use Only With Adequate Ventilation. Wear Eye And Skin Protection Necessary To Prevent Contact When Handling. Wash Thoroughly After Handling And Before Eating Or Smoking.

If protective gear, such as boots or gloves, becomes contaminated, immediately wash with soap and water. Never wear protective gear having the odor of VORLEX 2. Remove contaminated clothing and wash thoroughly after use until all odor is gone. Render unusable and dispose of contaminated leather goods, including shoes.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. If water is not immediately available, remove excess chemical from skin with absorbent material such as towel or dry soil, then proceed as soon as possible to location where water is available and thoroughly wash contaminated skin with plenty of water. Call a physician.

IF IN EYES, immediately flush eyes with plenty of water or a 5% solution of sodium bicarbonate for at least 15 minutes; call a physician. Continue treatment with ophthalmic medications as directed.

IF SWALLOWED, immediately call a physician or poison control center. **DO NOT INDUCE VOMITING.**

NOTE TO PHYSICIAN: Empty stomach contents by gastric lavage.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS.
PROTECTED BY U.S. PAT. NO'S. 3,205, 129-3, 113, 908-3, 240, 666-3, 265, 561

NOR-AM
NOR-AM CHEMICAL COMPANY

3509 Silverside Road, P.O. Box 7495
Wilmington, DE 19803

NET CONTENTS:

BEST AVAILABLE COPY

ACCEPTED

JUL 17 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 45639-91.

2085

GENERAL INFORMATION

VORLEX 201 SOIL FUNGICIDE is used as a preplant treatment in both field and greenhouse applications to control damping-off, blight, and other soil-borne diseases in a wide variety of plants including: gladioli, carnations, evergreens, vegetables such as celery, lettuce, garden cress, tomatoes, eggplant, beans, melons, squash, and pumpkins, tobacco, cotton, potatoes, onions, mint, small fruits such as strawberries, raspberries, nut trees such as cherry, peach, plum, apricot, and almond. In the soil VORLEX 201 vaporizes and diffuses helping to control plant parasitic nematodes and nematode fungi and other soil-borne diseases, causing damping-off, root rot, and wilt. VORLEX 201 also helps control soil insects such as wireworms, symphyla, and other soil insects. Weeds such as pigweed, dandelion, lambsquarters, bermudagrass, purslane, crabgrass, spackgrass, soursue, foxtail, setaria, and many other weeds, mustard, Poa spp., smartweed, wild radish, cocker, velvetleaf, and amaranthus.

PHYSICAL OR CHEMICAL HAZARDS FLAMMABLE

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.
DO NOT CUT OR WELD CONTAINER. FIRE OR EXPLOSION
MAY RESULT EVEN IF CONTAINER IS EMPTY.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water, wetlands. Do not contaminate water, wetlands, or streams by allowing runoff or leachate to enter. Do not apply to areas where runoff may enter water bodies.

HANDLING PRECAUTIONS

DO NOT INHALE VAPORS—NIOSH- or MSHA approved respiratory protection should be worn when VORLEX 201 is used in soil applications, in the atmosphere or when conducting operations which vent to the atmosphere. A NIOSH- or MSHA approved full-face respirator with chemical cartridge or full-face respirators shall be used during small spills, repairs, cleanups, transfers, sampling and when working in poorly ventilated areas. Cartridges or cartridges shall be replaced daily or sooner as specified by manufacturer or after 8 hours of use or breakthrough, whichever is sooner. Approved cartridges such as a WILSON's R71 will be adequate for short-term situations such as listed above.

Where very high concentrations of vapors might be expected (such as large spills in poorly ventilated areas), use self-contained breathing apparatus.

DO NOT GET ON SKIN—When handling or working with VORLEX 201, wear clean body covering including gloves and heavy footwear. Wash hands and contaminated coverings. Aerate and wash all protective clothing and gear thoroughly after use.

There are no protective clothing materials that are completely impervious. Thin layers of polyethylene, minimum 1 mil, give short-term protection and should be immediately discarded upon contamination. Heavy (3 mil) polyethylene provides excellent protection. Leather gives no protection. Contaminated clothing should be immediately washed with soap and water. Never wear protective gear handling VORLEX 201. Wash and aerate protective gear after use until all odor is gone.

DO NOT GET IN EYES—Wear eye protection such as chemical worker's goggles or full-face respirator when handling VORLEX 201.

DO NOT SWALLOW—Do not use the mouth to siphon VORLEX 201 from containers or to blow out clogged lines, nozzles, etc.

**FOR CHEMICAL EMERGENCY—Spill, Leak, Fire, Exposure or
Accident—Call 800/424-9300 DAY OR NIGHT**

STORAGE, SHIPMENT AND DISPOSAL

STORAGE—Store in tightly-closed container in a cool place away from dwellings. Do not allow contamination of seeds, plants, feedstuffs, or other pesticides. Do not contaminate food, feedstuffs, drugs, or domestic water supplies. In outside storage, store drums, tanks, and other containers on their sides to avoid accumulation of rain water in top or bottom of recessed areas.

SHIPMENT—Do not ship or store with food, feeds, drugs, or clothing.

PESTICIDE DISPOSAL—Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. These wastes should be disposed of by a licensed professional contractor, your State Pesticide or Environment Control Agency, or the Hazardous Waste representative at the nearest EPA-approved collection center.

CONTAINER DISPOSAL—Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a safe, sanitary and approved by state and local authorities.

DO NOT REUSE ORIGINAL CONTAINERS UNLESS RECONDITIONED

DISCLAIMER OF WARRANTIES THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. THE COMPANY, CHEMICAL COMPANY, IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED ON THIS LABEL. THE COMPANY, CHEMICAL COMPANY, UNDER NO CIRCUMSTANCES SHALL BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

765-P-V201-55G-85

BEST AVAILABLE COPY

DIRECTIONS FOR USE:

1. is a violation of Federal Law to use this product on a number not listed in A-1710-101-1.

USE PRECAUTIONS: Do not apply to soil with a high percentage of organic matter. Do not apply to soil which may be used for plant propagation. This is a moisture sensitive material when heavy rates of fertilizer are applied. Do not apply to soil with a high percentage of organic matter.

Do not add fertilizers containing nitrate just before application. Soil temperature is above 60°F and the crop is well established.

Do not allow food or feedstuffs to come in contact with lawn and desirable plants. Do not apply to areas where children or animals are likely to be present.

Do not use in greenhouses which contain living plants.

Do not fumigate if the soil temperature at 3 inch depth is over 90°F.

Avoid reinfestation of treated soil. Do not contaminate treated soil with untreated soil. Do not use manure or other soil amendments which could carry soilborne pests from infested land. Clean equipment carefully before using.

VORLEX 201 may be corrosive under certain conditions. Flush all applicators with fuel oil or kerosene immediately after use. DO NOT USE WATER. Do not use containers or equipment of aluminum, magnesium or their alloys. Close containers tightly.

TIME OF APPLICATION: Treatment can be made at any time the soil is workable. Fall or winter application is best for row and band applications. Do not apply in the spring.

PREPARATION OF SOIL: FOR OPTIMUM CONTROL WITH VORLEX 201 FOLLOW THESE STEPS CAREFULLY:

(1) Work crop remains into the soil so that they are well decomposed before treatment. (2) In shrub and tree root areas, remove as much of the root system as possible. (3) Break up clods and loosen soil thoroughly by cultivation one week before treatment. Deep tillage is recommended particularly for deep rooted crops. Always work soil deeper than intended application depth. (4) Keep soil moist from the surface to a depth of 3 inches and maintain this condition for one week before fumigation. DO NOT FUMIGATE DRY SOILS.

APPLICATION AND DOSAGE: Use injection type applicators. For broadcast application, set shank 6" to 8" apart for a band treatment, set shank 8" apart, inject at a depth of 5" to 8".

DOSAGE

Pest	Soil Type	Overall (Broadcast) Application		Row or Band (8" centers)
		per acre	per 100 sq. ft.	(8" centers Application) per chisel per 100 linear ft.
Nematodes	Mineral	7-15 gal	2 1/4 - 11 oz	40-87 ml
Nematodes	Organic ² (Muck)	10-25 gal	3 7/8 - 11 oz	58-145 ml
Weeds ¹ , fungi, nematodes and soil insects	Mineral	25-50 gal ³	7 1/2 - 14 1/2 fl. oz	145-290 ml ³
Weeds ¹ , fungi, nematodes and soil insects	Organic ² (Muck)	40-60 gal	11 1/2 - 17 1/2 fl. oz.	232-348 ml

The above recommendations may vary because of local conditions. Consult your local extension agent for local recommendations.

- 1 For best weed control, use the higher dosages indicated, inject at 4 inch depth and cover with topsoil 4 days.
- 2 If VORLEX 201 is used in heavy clay soils, an extended aeration period may be required.
- 3 For citrus and other broad trees where deep penetration is desirable, use 60-70 gallons per acre of VORLEX 201.

IMMEDIATELY after application, bring the soil to remove chisel marks, then firm it with a smooth roller. In addition, water the soil with the amount necessary to wet the soil to a depth of one inch. If a tarp sear is used, lower dosages may be effective.

In soils 70°F or higher at 3 inch depth, special attention should be given to sealing the surface of the soil. Tarp and covers are best.

FUMIGATION PERIOD: After application at soil temperature of 60°F or above, keep soil moist and undisturbed for a minimum of 14 days. In cooler soils, use a shorter fumigation period if it has been shown effective.

Cooler soils require a longer fumigation period if these conditions occur. Allow at least one to three weeks for the fumigant to break down and for the fumigant to leave the soil.

In fall or winter application the fumigation period should extend until spring. The soil should be undisturbed during this period.

AERATION PERIOD: FOR SOIL TEMPERATURES ABOVE 60°F AT 6" DEPTH: Aerate soil at the end of the fumigation period. Aerate soil by using a disk or disk harrow. Repeated cultivation will increase the fumigant's effectiveness. Aerate soil at the end of the fumigation period. Aerate soil by using a disk or disk harrow. Repeated cultivation will increase the fumigant's effectiveness.

Aerate until the fumigant has completely escaped from the soil. This is usually accomplished by allowing the soil to be tilled during the fumigation period, and planting for 14 to 21 days after use of VORLEX 201.

FOR SOIL TEMPERATURES BELOW 60°F AT 6" DEPTH: longer work in soils than those mentioned above. Aerate soil at the end of the fumigation period. Aerate soil by using a disk or disk harrow. Repeated cultivation will increase the fumigant's effectiveness.

Do Not Plant When The Odor Of The Fumigant Is Still Detectable.

DO NOT REUSE CONTAINER UNLESS RECONDITIONED

BEST AVAILABLE COPY

RES For retail those us

EPA Reg PRECAUCIO

HAZARDOUS ABSORBED Do Not Bre Necessary If protectio Remove co


IF INHALED, n IF ON SKIN, w IF IN EYES, r

IF SKALL NOTE TO





CHLOROPICRIN MIXTURE, FLAMMABLE, NA2929



POISON

6



FLAMMABLE

3

16FS
pmal
45639-91

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only those uses covered by the Certified Applicator's certification.

Vorlex 201

SOIL FUMIGANT

ACTIVE INGREDIENTS:

1,3-dichloropropene and other related chlorinated C ₃ hydrocarbons	34.0%
Methyl isothiocyanate	17.0%
Chloropicrin	15.0%
Inert ingredients	34.0%
	100.0%

E.P.A. Reg. No. 45639-91

E.P.A. EST. No. 08804

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

KEEP OUT OF REACH OF CHILDREN

DANGER—POISON

PELIGRO—VENENO


PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDOUS VAPOR AND LIQUID. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND BURNS OF SKIN. HARMFUL OR FATAL IF INHALED, SWALLOWED, ABSORBED THROUGH SKIN. MAY PRODUCE KIDNEY AND LIVER DAMAGE UPON PROLONGED EXPOSURE.

Do Not Breathe Vapor. Do Not Get In Eyes, On Skin, Or On Clothing. Do Not Take Internally. Use Only With Adequate Ventilation. Wear Eye And Skin Protection Necessary To Prevent Contact When Handling. Wash Thoroughly After Handling And Before Eating Or Smoking.

If protective gear, such as boots or gloves, becomes contaminated, immediately wash with soap and water. Never wear protective gear having the odor of VORLEX 2. Remove contaminated clothing and wash thoroughly after use until all odor is gone. Render unusable and dispose of contaminated leather goods, including shoes.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. If water is not immediately available, remove excess chemical from skin with absorbent material such as sawdust or dry soil, then proceed at once to location where water is available and thoroughly wash contaminated skin with plenty of water. Call a physician.

IF IN EYES, immediately flush eyes with plenty of water or a 5% solution of sodium bicarbonate for at least 15 minutes. Call a physician. Continue treatment with ophthalmic tetrahydrozoline extract.

IF SWALLOWED, immediately call a physician or poison control center. DO NOT INDUCE VOMITING.
NOTE TO PHYSICIAN: Empty stomach contents by gastric lavage.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS
PROTECTED BY U.S. PAT. NO'S. 3,205, 129-3, 113, 908-3, 260, 666-3, 265, 561

NOR-AM
NOR-AM CHEMICAL COMPANY

3509 Silverside Road, P.O. Box 7495
Wilmington, DE 19803

NET CONTENTS:

BEST AVAILABLE COPY

ACCEPTED

JUL 17 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 45639-91.

20FS

GENERAL INFORMATION

VORLEX 201 SOIL FUMIGANT is used as a preplant treatment in both field and greenhouse crops. It is used on plants such as cucurbits, melons, guinea, and carnations, evergreens, vegetables such as celery, lettuce, garden beets, tomatoes, eggplant, celery, and onions, tobacco, tobacco, cotton, potatoes, onions, mint, small fruits such as strawberries, raspberries, mulberries such as apple, peach, plum, cherry, and grape. In the soil VORLEX 201 vaporizes and diffuses helping to control plant parasitic nematodes and other fungi and soil-borne insects (such as) causing damping-off, root rot, and wilt. VORLEX 201 also helps control soil insects such as wireworms, beetles, and grubs. It also controls weeds such as pigweed, dandelion, lambsquarters, bermudagrass, burgrass, crabgrass, goosegrass, sorghum, johnsongrass, and mustard. Poa spp., smartweed, and radish, dodder, velvetleaf and shepherdspurse.

PHYSICAL OR CHEMICAL HAZARDS FLAMMABLE

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.
DO NOT CUT OR WELD CONTAINER. FIRE OR EXPLOSION
MAY RESULT EVEN IF CONTAINER IS EMPTY.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water or wetlands. Do not contaminate water or wetlands by cleaning up or disposing of wastes.

HANDLING PRECAUTIONS

DO NOT INHALE VAPORS—NIOSH- or MSHA-approved respiratory protection should be worn when VORLEX 201 is used in poorly ventilated areas, in the atmosphere or when conducting operations which vent to the atmosphere. A NIOSH- or MSHA-approved half-face respirator with chemical cartridges or full-face respirators shall be used during small spills, repairs, calibrations, transfers, sampling and when working in poorly ventilated areas. Cartridges or cartridges shall be replaced daily or sooner if specified by manufacturer or at first sign of odor breakthrough, whichever is earlier. Approved cartridges, such as a WILLSON R21 will be adequate for short-term situations such as listed above.

Where very high concentrations of vapors might be expected (such as large spills in poorly ventilated areas), a self-contained or air supplied respirator should be used.

DO NOT GET ON SKIN—When handling or mixing with VORLEX 201, wear clean body covering including gloves and heavy footwear. Remove and discard contaminated coverings. Aerate and wash all protective clothing and gear thoroughly after use.

There are no protective clothing materials that are completely impervious. Thin layers of polyethylene (minimum 1 mil) give short-term protection (30 minutes); discarded upon contamination. Heavy (3-4 mil) polyethylene provides longer term protection. Leather gives no protection. If clothing is contaminated, immediately wash with soap and water. Never wear protective gear having odor of VORLEX 201. Wash and decontaminate protective gear after use until all odor is gone.

DO NOT GET IN EYES—Wear eye protection such as chemical worker's goggles or full-face respirator when handling VORLEX 201.

DO NOT SWALLOW—Do not use the mouth to siphon VORLEX 201 from containers or to blow out clogged lines, nozzles, etc.

FOR CHEMICAL EMERGENCY—Spill, Leak, Fire, Exposure or Accident—Call 800/424-9300 DAY OR NIGHT

STORAGE, SHIPMENT AND DISPOSAL

STORAGE—Store in tightly-closed container in a cool place away from dwellings. Do not allow contamination of seeds, plants, fertilizers, or other agricultural chemicals. Do not contaminate food, feedstuffs, drugs, or domestic water supplies. In outside storage, store drums, tanks and containers upright on their sides to avoid accumulation of rain water in top or bottom of recessed areas.

SHIPMENT—Do not ship or store with food, feeds, drugs, or clothing.

PESTICIDE DISPOSAL—Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Immediately and in excess pesticide spray mixture, or rinseate is a violation of Federal Law. These wastes cannot be placed into any container for recycling or reuse. Contact your State Pesticide or Environment Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for disposal instructions.

CONTAINER DISPOSAL—Triple rinse. Then offer for recycling or reconditioning, or purchase, for reuse in a similar application, if approved by state and local authorities.

DO NOT REUSE ORIGINAL CONTAINERS UNLESS RECONDITIONED

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENT MADE IN THIS LABEL AND WHICH MAY BE MADE BY THE CHEMICAL COMPANY. COMPANY IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR ADDING TO THE WARRANTIES CONTAINED HEREIN. UNDER NO CIRCUMSTANCES SHALL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

765-P-V201-55G-85

BEST AVAILABLE COPY

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS: As with most soil fumigants, the application of VORLEX 201 may temporarily affect the soil's pH and cause salts in the soil which may result in plant injury. This is most likely to occur when heavy rates of fertilizer or other soil amendments are used with applications of organic matter.

Do not add fertilizers containing nitrates until the soil temperature is above 60°F and the crop is well established.

Do not allow liquid or vapors to come in contact with lawn and desirable plants. Do not apply or treat directly within 100 feet of plants extending.

Do not use in greenhouses which contain living plants.

Do not fumigate if the soil temperature at 3 inch depths is over 90°F.

Avoid recontamination of treated soil. Do not contaminate treated soil with untreated soil. Do not use transplants or tools which could carry soil-borne pests from untreated land. Clean equipment carefully before using.

VORLEX 201 may be corrosive under certain conditions. Flush all applicators with fuel oil or kerosene immediately after use. **DO NOT USE WATER.** Do not use containers or equipment of aluminum, magnesium or their alloys. Close containers tightly.

TIME OF APPLICATION: Treatment can be made at any time the soil is workable. Heavy winter applications are best for crops which are planted early in the spring.

PREPARATION OF SOIL: FOR OPTIMUM CONTROL WITH VORLEX 201 FOLLOW THESE STEPS CAREFULLY

(1) Work crop remains into the soil so that they are well decomposed before treatment. (2) In shrub and tree row applications remove as much of the root system as possible. (3) Break up all clods and loosen soil thoroughly by cultivation one week before treatment. Deep tillage is recommended particularly for deep rooted crops. Always work soil deeper than intended application depth. (4) Keep soil moist from the surface to a depth of six inches and maintain in this condition one week before fumigation. **DO NOT FUMIGATE DRY SOILS.**

APPLICATION AND DOSAGE: Use injection type applicators. For broadcast application, set shank 5 to 6 feet apart for a band treatment, set shank 8 to 10 feet apart at a depth of 5 to 6 inches.

DOSAGE

Pest	Soil Type	Overall (Broadcast) Application		Row or Band (8" centers) Application
		per acre	per 100 sq. ft.	per chisel per 100 linear ft.
Nematodes	Mineral	7-15 gal	2-4 1/2 fl. oz.	40-87 ml
Nematodes	Organic ² (Muck)	10-25 gal	3-7 1/2 fl. oz.	58-145 ml
Weeds ¹ , fungi, nematodes and soil insects	Mineral	25-50 gal ³	7 1/2-14 1/2 fl. oz.	145-290 ml ³
Weeds ¹ , fungi, nematodes and soil insects	Organic ² (Muck)	40-60 gal.	11 1/2-17 1/2 fl. oz.	232-348 ml

(The above recommendations may vary because of local conditions. Consult your local agricultural authority for regional recommendations.)

¹ For best weed control, use the higher dosages indicated. Inject at 4-inch depth and cover with tarp for 4 days.

² If VORLEX 201 is used in heavy clay soils, an extended aeration period may be required.

³ For citrus and other orchard trees where deep penetration is desirable, use 60-70 gallons per acre of VORLEX 201. For 100 sq. ft. use 10-12 fl. oz. per 100 sq. ft.

IMMEDIATELY after application, drag the soil to remove chisel marks. Then firm it with a smooth roller. If additional water is required, apply only the amount necessary to wet the soil to a depth of one-half inch. If a tarp seal is used, lower dosages may be effective.

In soils 70°F or higher at 6 inch depth, special attention should be given to sealing the surface of the soil. Tarping over the treated soil.

FUMIGATION PERIOD: After application at soil temperature of 60°F or above, keep soil moist and undisturbed for a minimum of 4 days. 7 days is preferable. Use a shorter fumigation period if it has been shown effective.

Colder soils require a longer fumigation period. If these conditions occur, allow at least one to three weeks for the fumigation period to elapse to attain the temperature.

In fall or winter application the fumigation period should extend until spring. The soil should be undisturbed during this period.

AERATION PERIOD: FOR SOIL TEMPERATURES ABOVE 60°F (AT 6 INCH DEPTH): Aerate soil at the end of the fumigation period to break up clods and soil. Repeated aeration will aid the escape of the fumigant and is especially desirable if heavy rains occur during the fumigation period. Aeration is especially important when heavy rains occur, wet soil accompany low soil temperatures, since these conditions retard fumigant escape.

Aerate until the fumigant has completely escaped from the soil. This is usually accomplished by allowing one week between the end of the fumigation period and planting for each 12 gal. acre of VORLEX 201.

FOR SOIL TEMPERATURES BELOW 60°F (AT 6 INCH DEPTH): longer aeration periods than those mentioned above will be required. The length of aeration is especially important when heavy rains occur, wet soil accompany low soil temperatures, since these conditions retard fumigant escape.

Do Not Plant When The Odor Of The Fumigant Is Still Detectable.

**DO NOT REUSE CONTAINER
UNLESS RECONDITIONED**

BEST AVAILABLE COPY

REST
For retail
those use

E.P.A. Reg. I
PRECAUCION


HAZARDOUS
ABSORBED
Do Not Breathe
Necessary To
If protective
Remove con

IF SWALLOWED
NOTE TO P


AN
NOA
... 1969
... 1970

40F-5

BEST AVAILABLE COPY



CHLOROPICRIN MIXTURE, FLAMMABLE, NA2929



BEST AVAILABLE COPY