TURCH 2.1/2 G IMMCTICIDE. Only for Sale to, Use, and Storage by Service Persons on Ornamental Trees, Shrubs and Turf

1,1

"DO NOT USE ON FOOD CROPS"

Active Ingredient:		
	2,2-dimethyl-1,3 benzodiceol-4-yl.	2.5%
INERT INGREDIENTS:		97.5%
	TOTAL	1004
* Protected by	U. S. Patent No. 3,736,338	

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call physician or Poison Control Center. Do not induce vomiting or give anything by mouth town unconscious person. Get medical attention.

IF INHALED: Remove victim to fresh air.

ADCEPTED

ONLIENTS

IN REA Letter Detect

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

JAN 3 1 1985

IF IN EYES: Plush with plenty of water.

NOTE TO PERSICIAN: Bendiocarb is a moderate, reversible cholinesterase inhibitor. Intravenous injection of atropine is antidotal.

Under the Federal Insecticide, Pungleide, and Rodenticide Act an amended, for the pesticide registered under EPA Reg. No. 45639 - 100

icicia

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION.

NOR-AM Chemical Company 3508 Silverside Road P.O. Bex 7495 Wilmington, DZ 19803

Net Weight: 4 pounds 50 pounds

GEST AYEMANNE COPY

PRECAUTIONARY STATEMENTS

HAZARD TO WERE AND DOMESTIC ANIMALS: CAUTION - Harmful if swellowed.

Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Wear long sleeves. Change clothing daily. Wash hands thoroughly after handling. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZAROS:

This product is toxis to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STOPAGE AND DISPOSAL

Do not contaminate water, feed, or food by storage or disposal.

Store this product in its original, closed container in a dry, locked, area away from children and domestic animals. Do not reuse empty

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incinceration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



BEST AVAILABLE COPY

DIRECTIONS FOR USE

GENERAL INFORMATION

TURCAM 21G is a broad spectrum residual insecticide for the control of certain insects on ornamental trees, shrubs, and turf.


APPLICATION EQUIPMENT

TURCAM 21G is a granular formulation. Apply with a fertilizer spreader or equivalent equipment as uniformly as possible.

ORNAMENTAL TREES, SHRUBS, AND TURF RECOMMENDATIONS

Use TURCAM 21G to control specified pests of ornamental turf and of the following nonedible ornamental trees and shrubs: Abies, Acer, Arborvitae, Azalea, Barberry, Birch, Boxwood, Brassaia, Camellia, Cedar, Cephalotuxus, Cercis, Ci rry, Cornus, Cotoneaste, Crateagus, Crape Myrtle, Euonymus, Fatsia, Ficus, Fountain grass, Flowering almond, Flowering crabapple, Gardenia, Hemlock, Hydrangea, Ilex, Ixora, Japanese yew, Juniper, Ligustrum, Lilac, Loquat, Mahonia, Mimosa, Mock Orange, Nandina, Oleander, Pachysandra, Photinia, Picea, Pieris, Pine, Poinsettia, Pomegranate, Poplar, Prunus spp., Pseudotsuga, Pyracantha, Pyrus, Rhododendron, Rose, Sage palm, Schefflera, Spirea, Sycamore, Taxus, Thuja, Tsuga, Viburnum, Weigelia, Yaupon.

Apply TURCAM 2½G to give complete and uniform coverage of the pest-infested areas. Applications should be made using the rates shown below:



NOR-AM Chemical Company

BEST AVAIL

Pest Dosage of Product Application Procedure White grubs of: 80 to 160 lb. per acre Japanese beetle Apply when pests become Black turf grass Ataenius (1.9 to 3.7 lbs.evident. Control of 1,000 sq. ft.) European chafer grubs is best when they Northern market chafer are still small; Green June beetle therefore, late summer Annual white grub treatments are preferable to spring. Mole crickets Apply uniformly to assure coverage, then irrigate thoroughly with 1/2 to 3/4 inch of water. 40 to 80 lb. per acre . Apply when pests are (0.9 to 1.9 lbs. per evident. Use adequate

Chinchbugs, Leafhoppers, Sod webworms, Ants, Brown dog ticks, Centipedes, Crickets, Earwigs, Firebrats, Fleas, Ground beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders.

1,000 sq. ft.)

quantity of water to thoroughly moisten grass and thatch.

LANDSCAPE PLANT RECOMMENDATIONS:

Use TURCAM 21G to control specified pests of nonedible ornamental landscape plants including, but not limited to: Ageratum, Azarina, Begonia, Calendula, Celosia, Chrysanthemum, Coleus, Daffodil, Dahlia, Dianthus, Ferns, Fuchsia, Gazonia, Geranium, Holly, Hypoestes, Impatiens, Iris, Ivy, Kalandra, Lily of the Valley, Marigold, Nasturtium, Nicotiana, Pansy, Petunia, Portulaca, Salvia, Shasta daisy, Snapdragon, Verbena, Vinca, and Zinnia.

Apply TURCAY 216 to give complete and uniform coverage of the pest-infested areas. Appl cations should be made using the rates in the above table.

PERIMETER TREATMENT:

To help prevent infestation of buildings by ants, crickets, brown dog ticks, centipedes, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, and spiders, treat a band of soil 6 to 10 ft. wide around and adjacent to the building at a rate of 0.9 to 1.9 lbs. eper o 1,000 square feet.

NOR-AM Chemical Company

BEST AVAILABLE COPY


CARPENTER ANTS:

For control of carpenter ants around firewood piles. Treat the area where firewood is to be stacked at the rate of 0.9 to 1.8 lbs. per 1,000 square feet. After the firewood is in place, treat a 3 to 6 feet band around the woodpile. If the rows of wood are stacked so there is about 2" between them, repeated treatment of the woodpile can be made by sprinkling or shaking the granules between the rows. Retreat area as needed.

PLANT SAFETY

TURCAM 21G has demonstrated excellent plant safety; however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full scale application.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THE LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained therein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.



	Reg # 48760-1 PM 12 P8 1 of 3
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	TERM OF ISSUANCE 48760-1 TERM OF ISSUANCE Lot Reregistration NAME OF PESTICIDE PRODUCT
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, 'ungicide, and Rodenticius Act, as amended)	Annihilate
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	
г	¬ .
Hoffman Chemical 728 NW. 7th Terrace Fort Lauderdale, FL 33311	•
L	
the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Re	e above named pesticide is hereby Registered/Reregistered under egistration/Reregistration is returned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his moticide in accordance with the Act. The acceptance of any nature of the construed as giving the registrant a right to	nt or approval of this product by this Agency. In order to protect on, may at any time suspend or cancel the registration of a pest- ame in connection with the registration of a product under this to exclusive use of the name or to its use if it has been covered registered in accordance with FIFRA sec.
3(c)(7)(A) provided that you:	
	ta required for registration/reregistration
registrants of similar products to	(c)(5) when the Agency requires all
· · · · · · · · · · · · · · · · · · ·	and submit the requested information befor
you release the product for shipmer	
a. Add the phrase "EPA Regist	
	s described in PR Notice 84-4, and a child-
resistant packaging certifi	
	your final printed labeling before you
description of final property labels	your final printed labeling before you Refer to the A-79 Enclosure for a further
description of final printed label:	your final printed labeling before you Refer to the A-79 Enclosure for a furthering.
If these conditions are not co	your final printed labeling before you Refer to the A-79 Enclosure for a further

A stamped copy of the label is enclosed for your records.

AFFIRHMENTS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

EPA Form \$670-6 (Rev. 5-75)

Jay S. Ellenberger Product Manager (12)

PREVIOUS EDITION MAY SE USED UNTIL SUPPLY IS EXHAUSTED.

DEST AVAILABLE LUI'S

Insecticide-Rodenticide Branch Registration Division (TS-767)