

Reg # 45639-100
1/11/86

TURCAM 2 1/2 G INSECTICIDE
For Use on Ornamental Trees, Shrubs and Turf

DO NOT USE ON FOOD CROPS

ACTIVE INGREDIENTS:	<u>By Weight</u>
Bendiocarb: (2,2-dimethyl-1,3 benzodioxol-4-yl methylcarbamate*).....	2.5%
INERT INGREDIENTS:	97.5%
TOTAL	100%

*Protected by U. S. Patent No. 3,736,338

EPA Reg. No. 45639-100

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.


IF IN EYES: Flush with plenty of water.

NOTE TO PHYSICIAN: Bendiocarb is a moderate, reversible cholinesterase inhibitor. Intravenous injection of atropine is antidotal.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION.

NOR-AM Chemical Company
3509 Silverside Road
P.O. Box 7495
Wilmington, DE 19803

Net Weight: 50 pounds



21

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS: CAUTION - Harmful if swallowed.

Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Wear long sleeves. Change clothing daily. Wash hands thoroughly after handling. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds, and other wildlife.
Do not apply directly to water.
Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

DIRECTIONS FOR USE


It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Store this product in its original, closed container in a dry, locked area away from children and domestic animals. Do not reuse empty container.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

CD/05
11/25/85



NOR-AM Chemical Company

DIRECTIONS FOR USE

GENERAL INFORMATION

TURCAM 2½G is a broad spectrum residual insecticide for the control of certain insects on ornamental trees, shrubs, and turf.


APPLICATION EQUIPMENT

TURCAM 2½G is a granular formulation. Apply with a fertilizer spreader or equivalent equipment as uniformly as possible.

ORNAMENTAL TREES, SHRUBS, AND TURF RECOMMENDATIONS

Use TURCAM 2½G to control specified pests of ornamental turf and of the following nonedible ornamental trees and shrubs: Abies, Acer, Arborvitae, Azalea, Barberry, Birch, Boxwood, Brassaia, Camellia, Cedar, Cephalotuxus, Cercis, Cherry, Cornus, Cotoneaste, Crateagus, Crape Myrtle, Euonymus, Fatsia, Ficus, Fountain grass, Flowering almond, Flowering crabapple, Gardenia, Hemlock, Hydrangea, Ilex, Ixora, Japanese yew, Juniper, Ligustrum, Lilac, Loquat, Mahonia, Mimosa, Mock Orange, Nandina, Oleander, Pachysandra, Photinia, Picea, Pieris, Pine, Poinsettia, Pomegranate, Poplar, Prunus spp., Pseudotsuga, Pyracantha, Pyrus, Rhododendron, Rose, Sage palm, Schefflera, Spirea, Sycamore, Taxus, Thuja, Tsuga, Viburnum, Weigelia, Yaupon.

Apply TURCAM 2½G to give complete and uniform coverage of the pest-infested areas. Applications should be made using the rates shown below:



NOR-AM Chemical Company

Pest	Dosage of Product	Application Procedure
White grubs of:		
Japanese beetle	80 to 160 lb. per acre (1.9 to 3.7 lbs. 1,000 sq. ft.)	Apply when pests become evident. Control of grubs is best when they are still small; therefore, late summer treatments are preferable to spring.
Black turf grass Ataenius		
European chafer		
Northern market chafer		
Green June beetle		
Annual white grub		
Mole crickets		Apply uniformly to assure coverage, then irrigate thoroughly with 1/2 to 3/4 inch of water.

Chinchbugs, Leafhoppers, Sod webworms, Ants, Brown dog ticks, Centipedes, Crickets, Earwigs, Firebrats, Fleas, Ground beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders.	40 to 80 lb. per acre (0.9 to 1.9 lbs. per 1,000 sq. ft.)	Apply when pests are evident. Use adequate quantity of water to thoroughly moisten grass and thatch.
--	---	--

LANDSCAPE PLANT RECOMMENDATIONS:

Use TURCAM 2½G to control specified pests of nonedible ornamental landscape plants including, but not limited to: Ageratum, Azarina, Begonia, Calendula, Celosia, Chrysanthemum, Coleus, Daffodil, Dahlia, Dianthus, Ferns, Fuchsia, Gazonia, Geranium, Holly, Hypoestes, Impatiens, Iris, Ivy, Kalandra, Lily of the Valley, Marigold, Nasturtium, Nicotiana, Pansy, Petunia, Portulaca, Salvia, Shasta daisy, Snapdragon, Verbena, Vinca, and Zinnia.

Apply TURCAM 2½G to give complete and uniform coverage of the pest-infested areas. Applications should be made using the rates in the above table.

PERIMETER TREATMENT:

To help prevent infestation of buildings by ants, crickets, brown dog ticks, centipedes, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, and spiders, treat a band of soil 6 to 10 ft. wide around and adjacent to the building at a rate of 0.9 to 1.9 lbs. per 1,000 square feet.

NOR-AM Chemical Company

CARPENTER ANTS:

For control of carpenter ants around firewood piles. Treat the area where firewood is to be stacked at the rate of 0.9 to 1.8 lbs. per 1,000 square feet. After the firewood is in place, treat a 3 to 6 feet band around the woodpile. If the rows of wood are stacked so there is about 2" between them, repeated treatment of the woodpile can be made by sprinkling or shaking the granules between the rows. Retreat area as needed.

PLANT SAFETY

TURCAM 2½G has demonstrated excellent plant safety; however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full scale application.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THE LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained therein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

