Ples	Le	7 # 1/5	•	102	Form Ann	Ψ ,	- 19)_0060	Approval expires 11-3	7	
(A)	\$EP	Haitad Ctata	es Environmental I Pesticide Progra Washington, DC Vication follows	ams (H75050 20460	gency)	R	egistrati mendme ther	on	OPP Identifier Number 190105	er P	
			Sect								
1. Company/Product Number					1			3. Pr	3. Proposed Classification		
45639-102					Dennis Edwards PMs None			None Restric	ted		
4. Company/Product (Name)											
FICAM ULV					6. Expedited Review. In accordance with FIFRA Section 3(c)(3)						
5. Name and Address of Applicant (Include ZIP Code) NOR-AM Chemical Company Little Falls Centre One 2711 Centerville Road Wilmington, DE 19808 Check if this is a new address				(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name							
_			Section							=-	
_	Amendment - Explain be				Final printed	labels in n	esponse to				
					Agency lette						
	Resubmission in respon		Saled	—- <u>[</u>]	"Me Too" App	olication.				ĺ	
X	Notification - Explain be	low.			Other - explai	in below.					
Notification: Compliance with PR Notice 93-3 BEST AVAILABLE COPY Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container											
! !	Yes*	Yes		Yes			Шм	etal		j	
	H.,	l⊢l _{No}		H _{No}				astic lass			
\$ (ertification must be bmitted.	if "Yes," Unit Package wgt.	container	If "Yes," Package wgt	1 .	ainer		aper ther (S _i			
3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions								}			
Label Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph											
J. 1	, ,		Paper g	lved	Oth	er (<u> </u>		
			Stendile Section							-, [
	Contact Point (Complete	items directly below	for identification	of individual to	o be contacted	, il neces				==	
Nar	Richard R.	Stevens	Tir	Regis	tration ct Manage	er	3		e No. (Inelice Area (892 - 303)		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)											
2. \$	Signature /	Pello	etta 3.		tration	_					
4.	Typed Name	Charles .	1	Tun	o t Manago	199-	—— >>				
	Richard R.					′′′_	<u>フ</u>				
EPĀ	Form \$570-1 (Rev. 12-4	90) Previous edi	tions are obsole	ote.	White - EP	'A File Co	opy (original)	Yellow - Applicant	∞ру	

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 64-9
DATE. 7/1/93

For application by public health officials, trained personnel of masquito control organizations and pest control operators

Figam ULV

SOLUTION

For control of adult mosquitoes by ground ULV equipment in residential areas only

ACTIVE INGREDIENT:

Percent by Weight

)

Bendiocarb: 2,2-dimethyl-1,3-benzodioxol-4-yl,methylcarbamate*

18.87%

INERT INGREDIENTS:

81.13% TOTAL 100.00%

*U.S. Patent No. 3,736,338

This product contains 1.67 lbs. Bendiocarb per gallon.

EPA Reg. No. 45639-102

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que el etiqueta haya sido explicado ampliamente.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe spray mist.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of illinoat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash skin immediately with warm soapy water.

IF IN EYES: Wash immediately with clean water.

IF IN EYES: Wash immediately with clean water.

NOTE TO PHYSICIAN: Contains anticholinesterase carbamate insecticide. In case of overexposure, atropine sulfate 2 mg (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

WNOR-AM

3509 Silverside Road, P.O. Box 7495 Wilmington, DE 198037

NET CONTENTS

BEST AVAILABLE COPY

Harmful or fatal if swallowed. May be absorbed through the skin. Avoid contact with the eyes, skin, and clothing. If contact occurs, wash skin and clothing immediately with soap and warm water, and eyes with clean water.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP WORK and get help right away. See First Aid (Practical Treatment) section.

Avoid breathing and working in spray mist or dust.

When applying in outdoor sites keep all unprotected persons, children, and animals away from treated area or where there is danger of drift.

Do not use on or contaminate fruit, vegetables or other food or feed crops. Do not store near food or feed products.

Wash hands and expose! skin before eating, drinking or smoking and after spraying or handling. Wash all contaminated clothing thoroughly before re-use.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply within 320 feet of any permanent body of water. "For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark." Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is highly toxic to bees exposed to lirect treatment on blooming crops or weeds. To not apply this product or allow it to irift to blooming crops or weeds if bees are visiting the treatment area.

Do not spray on or allow spray to drift to food crops or areas where livestock graze.

Do not use FICAM ULV Solution in forest

IMPORTANT: Read the entire Directions for Use and Conditions of Sale and Warranty before using this product.

GENERAL INFORMATION

Figam® ULV Solution is a solution of the carbamate insecticide bendiocarb in a non-aromatic solvent. It is suitable for application with conventional ground ULV equipment.

Ficam® ULV Solution has given good control of adult mosquitoes of all species including those considered resistant to organic phosphate insecticides.

Ficam® ULV Solution will not cause corrosion to spray machinery when used in accordance with label instructions.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the labeling.

WARNING: Before using Ficam® ULV Solution, the spray equipment, including the insecticide tank, must be thoroughly cleaned, using the method described below. Use of or contamination with materials other than those specifically recommended herein could result in inadequate application and possible corrosion.

Ficam[®] ULV Solution is recommended for adult mosquito control. Applications are made using conventional ground ULV equipment over 330 ft. swaths.

ULTRA LOW VOLUME, (ULV) NON-THERMAL, GROUND APPLICATION

The ULV generator should be mounted on a vehicle with the nozzle at least 4.5 feet above ground and directed to the rear of the vehicle. The nozzle should be horizontal or inclined upward to an angle of 45° to achieve optimum particle dispersal.

The insecticide tank should be filled by qualified personnel only. Read the manufacturer's manual for full details of aerosol generators.

DROPLET SIZE

Maximum droplet size should not exceed 30 microns with the length median diameter (LMD) not in excess of 20 microns. The LMD is the droplet size which divides the spray volume into two equal parts; i.e., 50% of the volume is in the droplet size below the LMD and 50% is above the LMD.

Conventional techniques for the determination of the LMD will be provided by NOR-AM Chemical Company.....

THE LMD SHOULD NOT EXCEED 20 µm 4

RECOMMENDED DOSAGE:

Vehicle Speed (mph)	Flow Rate (Fluid our ces/minu	rpplication Rate (Pounds/Acre a) (1)
10	1.7 to 5.0	2.0037 to 0 0 11
15	2.5 to 7.5	1, 1,0 00358 to 10.008

(1) Calculated on the basis of a 300 foot swath width.

The recommended initial trial rate is 2.0 fixed ounces per minute at 10 mph. Variable speed output pumps may be used, but speeds in excess of 20 mph are not advised. Ficam® ULV diluted with HAN only. Ficam® ULV is not miscible with water, mineral oils or distillates such as kerosene or Diesel fuel. Dilution with HAN should not exceed 1:1.

BEST AVAILABLE COPY

TREATMENT TIME:

The optimum time for application of Ficam® ULV is at dusk, night to daw:, when wind speeds are between 3 and 8 mph. A suitable temperature inversion, that is, temperatures at ground level (3 feet) are cooler than temperatures measured at a height of 30 feet, is desirable. Most daylight conditions are unsuitable because of temperature thermals and variable air movements.

COLD FOG APPLICATION SUGGESTIONS:

The application vehicle should be driven across the prevailing wind direction starting on the downwind side of the area to be treated. The spray treatment travel interval should not exceed 333 feet if possible.

EQUIPMENT CLEANING:

The insecticide system, including the tank, pump, lines and metering equipment, should be cleaned and free of water, cleaning solutions, oils and other distillate fuels before being charged with Ficam® ULV.

The entire application system should be thoroughly flushed with HAN or alcohols, such as isopropyl, methyl or ethyl, after use. Do not use water or Diesel fuel for cleaning. If other commercially available cleaning solvents are used, it should be first determined if Ficam ULV is miscible in this solvent. Solvents containing acetone are generally satisfactory.

ENDANGERED SPECIES RESTRICTIONS

Before using this product to control or eradicate mosquitoes in a county listed below, you must contact the Endangered Species Specialist in the Regional/Field Office of the U.S. Fish and Wildlife (FWS) indicated below. You must provide FWS with your name and phone number, the product you intend to use, and the specific location in which you intend to use it. The U.S. Fish and Wildlife Service will inform you whether your proposed use is in the range of endangered species. Use of this product in the range of endangered species, as described by FWS, is prohibited.

Contact FWS Field Offices at the Following Numbers:

ALABAMA (Jackson, Mississippi, 601-965-4900)
Jackson

ARKANSAS (Jackson, Mississippi, 601-965-4900)
Cross and St. Francis

CALIFORNIA (Sacremento, California, 916-460-4866)
Los Angeles, Orange, San Diego, San Luis Obispo, Santa Barbara and Ventura

FLORIDA (Jacksonville, Florida, 904-791-2580)
Broward, Dade, Glades and Palm Beach

NORTH CAROLINA (Asheville, North Carolina, 704-259-0321)
Edgecombe

PUERTO RICO (Mayaguez, Puerto Rico, 809-851-7297) Island of Puerto Rico

TENNESSEE (Asheville, North Carolina, 704-259-0321)
Franklin

TEXAS (Houston, Texas, 817-334-2961) Bastrop, Burleson and Harris

STORAGE AND DISPOSAL

STORAGE — Store in original container, tightly closed and in a safe place.

PESTICIDE DISPOSAL — Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL — Consult federal, state or local authorities for approved alternative procedures. Do not re-use employed container.

NOTICE TO DRUM HANDLERS: In case of fire leaking or damaged drums, or other emergency, report at discrept toll-free telephone to: 800-424-9300.

IMPORTANT: READ BEFORE USE

By using this product, user accepts the following conditions, warranty disclaimer of warranties and limitations of Nability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather enables control tions, manner of use and other factors beyond NOR-AM Chemical Coregany's control. It is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop improy or helfactiveness is always possible of the product. As a result, crop improy or helfactiveness is always possible of this of this product. As a result, crop improy or helfactiveness is always possible of this of this product. As a result, crop improy or helfactiveness is always possible of this or the product as a result of the purpose.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, TXFRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAN PURPOSE, OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE, ON THIS LABEL, No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties printed herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICA. COMPANY BE of LIABLE FOR ALLY HIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS. LIMITATIONS OF LIABILITY: In no event shalt NOR-AM Chemical Cumpany's hisbility for damages ansking out of the use of this product exceed the purchase print of the product used.

BEST AVAILABLE COPY