SPECIMEN LABEL

ACCEPTED

SEP 1.9 1986

Her the Federal Insertifice. Full pint to each fir remain to Bits in the post indeto interest under 1962 39-121 1063 PM21 45639-121

EIA Reg. N. 19639-121

PEANUT SEED PROTECTANT

ACTIVE INGREDIENTS:

2.6 Dichloro 4 nitroaniline*
Captan (N trichloromethylthio-4 cyclohexene1,2 dicarboximide)
Captan Related Derivatives

INERT INGREDIENTS

*Botran:

30.0% w/w

28.4% w/w 1.6% w/w

40.0% w/w

Total

100 0% w/w

EPA Reg. No. 45639-121

KEEP OUT OF REACH OF CHILDREN

DANGER

Causes irreversible eye damage. Harmful it swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT. REMOVE CONTAMINATED CLOTHING AND WASH SKIN WITH SOAP AND WATER FOR EYES, FLUSH WITH WATER AND CALL A PHYSICIAN

SEE OTHER PRECAUTIONARY LABELING ON SIDE PANEL

WNOR-AM

3509 Silverrade Road, P.O. Box 7495 Witmington, DE 19803 **NET CONTENTS:**

PRECAUTIONARY STATEMENTS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before rause.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

GENERAL INFORMATION

Botec Peanut Seed Protectant controls seed rots caused by Aspergillus and Rhizopus species.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Botec Peanut Seed Protectant is formulated for dry treatment of seed. Apply with any type of dust treater which will insure complete coverage of the seed. Use at the rate of 4 to 6 ounces per 100 pounds of seed. When used as directed, this product colors seeds red. Do Not use treated seed for food, feed or oil purposes. Bags with treated seed should bear a tag or label cautioning against their use for food, feed or oil purposes, as well as reuse for packing feed or food stuffs. Dispose of excess treated seed in accordance with approved Federal, State or local procedures under the Resource Conservation and Recovery Act.

USE PRECAUTIONS:

Mixers, loaders, and applicators, when mixing, loading, and applying, must wear midforearm to elbow-length natural or synthetic rubber, vinyl, or plastic gloves
impermeable to Captan; boots or overshoes; one-piece overalls which have long
sleeves and long pants; face shield or goggles and a hat or other appropriate head
covering.

Fieldworkers and harvesters must wear natural or synthetic rubber; vinyl or plastic gloves impermeable to Capten residues. Leather or fabric gloves are not acceptable.

A dust mask must be worn when mixing and loading this product.

Clothing worn while loading, mixing, and applying this product must be laundered separately from other clothing before reuse. Clothing that may have been drenched or heavily contaminated must be disposed of in accordance with State and local regulations.

Applicator's protection may also be obtained by use of an enclosed tractor cab with a properly filtered air supply,

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container and keep closed. Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incinceration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

IMPORTANT: READ BEFORE USE

By using this product, user accepts the following conditions, warranty, disclaimer of warranties and limitations of liability:

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM Chemical Company to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

LIMITATIONS OF LIABILITY: In no event shall NOR-AM Chemical Company's liability for damages arising out of the use of this product exceed the purchase price of the product used.

NOR-AM Chemical Company, 1985