JAN 2 3 1992

Me. Paula Paul There in Champing Company 9.9. 7.4 T493 Cint 10, 27 12 62

 $\frac{1}{2} \left(\frac{1}{2} + \frac{1$ The state of the s

The second of the second of the second of

A Company of the comp

marketing of the property of a second of the contract of the property of the property of the contract of the contract of

Commence of the State of the State of

The state of the s

Director D. Editerds, ar. Product Manag r (12) Post of Leide-Redenticies Branch The median bivision (TT re)

Thelocard

BEST AVAILABLE COPY


CONCURRENCES								
SYMBOL	}							
SURNAME	7 L	}	}		}			
DATE			}	}		••• • • • • • • • • • • • • • • • • • •		
EBA E 1220 F (15.26)								

OFFICIAL FILE COPY

SUPPLEMENTAL LABEL

This label must be in the possession of the user at the time of the pesticide application.

Apollo



OVICIDE MITICIDE

A Suspension Concentrate (SC) Formulation for Mite Control on Apricots and Cherries

RESTRICTED USE PESTICIDE

For the retail sale to, and use only by, Cert ied Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

EPA Registration No. 45639-135

IMPORTANT—Read the entire Directions for Use and Disclaimer of Warranties before using this product.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by improtected persons.

REENTRY STATEMENT

Do not enter traited areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by Workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with APOLLO® SC on (date of application). Do not enter without appropriate protective clothing until leaves are completely dry. In case of accidental exposure, see Statement of Practical Treatment on the label.

GENERAL INFORMATION

APOLLO® SC is a specific miticide which acts as an ovicide and on the young motile stages. APOLLO SC is relatively non-toxic to beneficial insects and mites. It has good residual activity on European red mites, two-spotted spider mites, McDaniel mites, yellow spider mites, and pacific spider mite when applied according to label directions.

MANAGING MITE RESISTANCE

Repeated use of miticides with a similar mode of action may lead to buildup of resistant strains of mites. For good resistance management practices, NOR-AM Chemical Company recommends that the ovicide/ larvicide APOLLO SC be applicationally once per year.



BEST AVAILABLE COPY

3509 Silverside Roed, P.O. Box 7495 Wilmington, DE 19803

APRICOTS AND CHERRIES TARGET SPECIES

European red mite Two-spotted spider mite Pacific spider mite

McDaniel mite

Panonychus ulmi Tetranychus unticae Tetranychus pacificus Tetranychus mcdanieli

APOLLO SC may be applied by ground using either dilute or concentrate spray equipment. Do not apply by air.

Concentrate or Dilute Application (50-400 gallons per acre): Apply 2-8 ounces of APOLLO SC per acre.

For best results, apply APOLLO SC at first appearance of mite activity. When mite populations are approaching damaging levels and require quick knockdown, APOLLO SC application should be made in combination with an appropriate contact adulticide. When tank mixing APOLLO SC with an adulticide, use label rates for both products.

Applications with rates below 4 ounces of APOLLO SC per acre are recommended only in association with established IPM programs and only when adequate beneficial insects/mites are prevalent.

IMPORTANT: Do not apply within 21 days of harvest. DO NOT APPLY MORE THAN 1 APPLICATION OF APOLLO SC PER SEASON. Do not graze livestock in treated areas or harvest cover crop for livestock feed. Do not apply this product through any type of irrigation system.

IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL-FREE TELEPHONE TO: 800-424-9300.

IMPORTANT: READ BEFORE USE

By using this product, user accepts the following conditions, warranty disclaimer of warranties and limitations of liability

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR AM Chemical Company's control, it is impossible for NOR-AM to eliminate air risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES. EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemica: Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

LIMITATIONS OF LIABILITY: In no event shall NOR-AM Chemical Company's liability for damages arising out of the use of this product exceed the purchase price of the product used © NOR-AM Chemical Company, 1985

