

PM 19 45639-135 3-21-97 10/5

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

 <b>EPA</b> United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <div style="font-size: 24pt; font-weight: bold;">256455</div>
---	--	--

**Application for Pesticide - Section I**

1. Company/Product Number 45639-135	2. EPA Product Manager Dennis Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) APOLLO® SC	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) AgrEvo USA Company 2711 Centerville Road Wilmington, DE 19808  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.  <input type="checkbox"/> Resubmission in response to Agency letter dated _____  <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application.  <input type="checkbox"/> Other - Explain below.
--	---

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)


Deletion of verbiage: "Not for sale or use on apples in California"  
 Reason: Use on apples is now registered in California

NOTIFICATION  
 MAR 21 1997

**Section - III**

<b>1. Material This Product Will Be Packaged In:</b>				<b>2. Type of Container</b>	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt    No. per container		
<b>3. Location of Net Contents Information</b> <input type="checkbox"/> Label <input type="checkbox"/> Container		<b>4. Size(s) Retail Container</b>		<b>5. Location of Label Directions</b> <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
<b>6. Manner in Which Label is Affixed to Product</b> <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

**Section - IV**

<b>1. Contact Point</b> (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
<b>Name</b> Lesley P. Czocho, Ph.D.	<b>Title</b> Registration Product Manager	<b>Telephone No. (Include Area Code)</b> 302-892-3049
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		<b>8. Date Application Received</b>  <div style="text-align: center; font-weight: bold; font-size: 14pt;">(Stamped)</div>
<b>2. Signature</b> 	<b>3. Title</b> Registration Product Manager	
<b>4. Typed Name</b> Lesley P. Czocho, Ph.D.	<b>5. Date</b> 3/11/97	

Leaf 5



# Specimen Label

A company of Hoechst and NOR-AM

NOTIFICATION

MAR 21 1997

# Apollo®

**OVICIDE/MITICIDE**

EPA Registration Number 45639-135



3 of 5

# Apollo®

## OVICIDE/MITICIDE

A Suspension Concentrate (SC) Formulation for Mite Control on Apples, Pears, Apricots, Cherries, Peaches, Nectarines, Almonds, and Walnuts

ACTIVE INGREDIENT:	Percent by Weight
3,6-bis (2-chlorophenyl)-1,2,4,5-tetrazine	42%
INERT INGREDIENTS:	58%
<b>TOTAL</b>	<b>100%</b>

Contains 1 pound of active ingredient per quart.  
EPA Reg. No. 45639-135  
U.S. Patent Number 4,237,127

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

**IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 800-228-5635, EXT. 202.**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes or clothing. In case of skin contact carefully remove contaminated clothing and wash affected area with soap and water. In case of eye contact, flush eyes with plenty of water. Get medical attention if irritation persists.

#### PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

- Applicators and other handlers must wear:**
- > Long-sleeved shirt and long pants
  - > Chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, poly-vinyl chloride (PVC), or Viton
  - > Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS STATEMENT**  
When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**USER SAFETY RECOMMENDATIONS**  
**Users should:**  
> Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

**ENVIRONMENTAL HAZARDS**  
For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply within 100 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, and commercial fish farm ponds. Do not apply when weather conditions favor drift from treated area. Do not allow spray to drift off of crop, especially when spraying outer rows. Always direct spray *into* the orchard. Do not contaminate water when disposing of equipment wash waters.

**IMPORTANT**—Read the entire Directions for Use and Disclaimer of Warranties before using this product.

**STORAGE AND DISPOSAL**  
**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal.  
**STORAGE:** Store in original container, tightly closed, in a safe place.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Triple rinse (or equivalent) Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.  
**DO NOT RE-USE EMPTY CONTAINER**

**DIRECTIONS FOR USE**  
It is a violation of federal law to use this product in a manner inconsistent with its labeling.  
Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval.

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- > Coveralls
- > Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, poly-vinyl chloride (PVC), or Viton
- > Shoes plus socks

### USE PRECAUTIONS

- > **IMPORTANT: DO NOT MAKE MORE THAN 1 APPLICATION OF APOLLO SC PER SEASON.**
- > Do not graze livestock in treated areas or harvest cover crop for livestock feed.
- > Do not apply this product through any type of irrigation system.

### GENERAL INFORMATION

APOLLO SC is a specific miticide which acts as an ovicide. APOLLO SC is not disruptive to beneficial insects and mites. It has good residual activity on European red mites, McDaniel mites, Pacific spider mites, two-spotted spider mites, and Yellow spider mites when applied according to label directions.

### For Use on Apples, Pears, Apricots, Cherries, Peaches, Nectarines, Almonds, and Walnuts

Because APOLLO SC acts primarily against the egg, apply APOLLO SC at the first sign of mite activity. On apples, delayed dormant or early season applications of APOLLO SC may not effectively control two-spotted spider mites or McDaniel mites which invade trees later in the summer. If the mite population is approaching damaging levels or if pear rust mite is present, combine APOLLO SC with an appropriate adulticide.

### RECOMMENDATIONS FOR USE

#### TARGET SPECIES:

- European red mite ..... *Panonychus ulmi*
- McDaniel spider mite ..... *Tetranychus mcdanieli*
- Pacific spider mite ..... *Tetranychus pacificus*
- Two-spotted spider mite ..... *Tetranychus urticae*
- Yellow spider mite ..... *Eotetranychus carpini borealis*

### RATE & TIMING OF APPLICATION

Crop	Rate/Acre	Timing	PHI*
Apples	4-8 oz.	Delayed dormant through tight cluster	**
Pears	4-8 oz.	First sign of mites	21 days
Apricots, Cherries	2-8 oz.***	First sign of mites	21 days
Peaches, Nectarines	2-8 oz.***	First sign of mites	21 days
Almonds, Walnuts	2-8 oz.***	First sign of mites	30 days

\* PHI = Pre-Harvest Interval, the latest timing for an application prior to harvest.

\*\* Do not apply to apples after tight cluster stage.

\*\*\* Applications with rates below 4 ounces of APOLLO SC per acre are recommended only in association with established IPM programs and only when adequate beneficial insects/mites are prevalent.

Factors which warrant higher rates (4-8 ounces) of APOLLO SC per acre include:

1. For control of Pacific spider mites.
2. For control of McDaniel spider mites.
3. Earliest seasonal timings for blocks with high overwintering European red mite egg populations.
4. When mite predator populations are low.
5. To ensure adequate coverage of full size standard trees and/or trees with heavy leaf densities.

### APPLICATION METHOD

APOLLO SC may be applied by ground using either dilute or concentrate spray equipment. **Do not apply by air.**

#### Apples and Pears

50-400 gallons per acre: Apply 4-8 ounces of APOLLO SC per acre. Use sufficient volume of water to obtain complete coverage but not less than 50 gallons per acre.

For applications above 400 gallons per acre: Use 1-2 ounces of APOLLO SC per 100 gallons of spray. Do not apply less than 4 ounces of APOLLO SC per acre.

#### Apricots, Cherries, Peaches, and Nectarines

50-400 gallons per acre: Apply 2-8 ounces of APOLLO SC per acre.

#### Almonds and Walnuts

50-400 gallons per acre: Apply 2-8 ounces of APOLLO SC per acre. Use at least 4 ounces of APOLLO SC south of California Highway No. 152. A tank-mix of APOLLO SC with an adulticide may be warranted when adult mites are present. Do not use the tank-mix under conditions where the adulticide alone is not recommended. Before use, read the adulticide label for additional information and precautions.

### MANAGING MITE RESISTANCE

Repeated use of miticides with a similar mode of action may lead to buildup of resistant strains of mites. For good resistance management practices, AgrEvo USA Company recommends that the ovicide APOLLO SC be applied only once per season. If additional miticide applications are needed, use a miticide with a different mode of action.

5 of 5

**IMPORTANT: READ BEFORE USE**

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond AgrEvo USA Company's control, it is impossible for AgrEvo USA Company to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of AgrEvo USA Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. AgrEvo USA Company disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

**LIMITATIONS OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AGREVO USA COMPANY'S ELECTION, THE REPLACEMENT OF PRODUCT.

© AgrEvo USA Company, 1993

AgrEvo USA Company  
Little Falls Centre One  
2711 Centerville Road  
Wilmington, DE 19808

