

PM 19 45639-146 1045
SPECIMEN LABEL

ACCEPTED

FEB 7 - 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 45639-146

BEST AVAILABLE COPY

Ovasyn®

INSECTICIDE/MITICIDE

(Contains 1.5 lb. Amitraz per gallon)

ACTIVE INGREDIENTS:

Percent by Weight

Amitraz, N-(2,4-diaminophenoxy)-N,N-dimethylacetamide, 1.5

INERT INGREDIENTS:

TOTAL

EPA Reg. No. 45639-146

EPA Est. No. 407-MN-1

KEEP OUT OF REACH OF CHILDREN

DANGER — PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand this label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink plenty of water. Do not induce vomiting unless directed to do so by a physician. Stop drinking immediately if dizziness or other symptoms occur. Seek prompt medical attention.

IF IN EYES: Hold eye open and rinse continuously with water for at least 15 minutes, or longer if available. Remove contact lenses, if present, after the first rinse and continue rinsing eye.

IF ON SKIN: Wash with plenty of water. Remove contaminated clothing and shoes. Wash thoroughly, including under fingernails. If irritation occurs, get medical attention. If breathing is difficult, get medical attention.

IF INHALED: Move to fresh air. If symptoms persist, get medical attention.

NOTE TO PHYSICIAN: For more information, contact the manufacturer.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NOR-AM

NET CONTENTS

2075

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) DANGER

Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Harmful or fatal if swallowed. Repeated skin contact may cause an allergic reaction. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or spray mist.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Handlers who may be exposed to the dilute through application or other tasks must wear:

- ◆ Coveralls over long-sleeved shirt and long pants
- ◆ Chemical-resistant gloves such as barrier laminate or viton
- ◆ Chemical-resistant footwear plus socks
- ◆ Protective eyewear
- ◆ Chemical-resistant headgear for overhead exposure

Handlers who may be exposed to the concentrate through mixing, loading, application, or other tasks must wear:

- ◆ Coveralls over long-sleeved shirt and long pants
- ◆ Chemical-resistant gloves such as barrier laminate or viton
- ◆ Chemical-resistant footwear plus socks
- ◆ Protective eyewear
- ◆ Chemical-resistant headgear
- ◆ Chemical-resistant apron when mixing or loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [(40 CFR 170.240 (d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to fish in adjacent sites. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this pesticide only as specified on this label. Do not apply this product through any type of irrigation system.

Beneficial Insect Cautions: OVASYN® has a broad spectrum acaricidal activity and is largely nonselective to predacious mites such as *Typhlodromus occidentalis*, *Amblyseius fallacis* and mites of the family Stigmaeidae.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

In case of spillage, cover with an absorbent such as soda ash, lime, clay, or sawdust. Sweep up and bury. Wash area thoroughly with detergent and water.

NOTICE TO DRUM HANDLERS:

In Case of Fire, Leaky, or Damaged Containers, or Other Emergency, Report at Once by Toll-Free Telephone to: 800-424-9300.

DO NOT REUSE EMPTY CONTAINER. [This statement is deleted when SVR packaging is used.]

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep closed. Store in a cool, dry place. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other procedures approved by state and local authorities.

[Or when packed in SVR containers]

This ECHO SYSTEM container is the sole property of NOR-AM Chemical Company.

ECHO SYSTEM SVR Return Procedure: Return the ECHO SYSTEM SVR container clean (outside only) and empty to the place of business from which the OVASYN was purchased.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- ◆ Coveralls over long-sleeved shirt and long pants
- ◆ Chemical-resistant gloves such as barrier laminate or viton
- ◆ Chemical-resistant footwear plus socks
- ◆ Protective eyewear
- ◆ Chemical-resistant headgear for overhead exposure

GENERAL INFORMATION

OVASYN contains amitraz at 1.5 lb a/gallon. OVASYN is an insecticide/miticide/ovicide for use on cotton. Additionally, OVASYN is a synergist for other cotton insecticides. OVASYN has demonstrated activity against bollworms, tobacco budworms, pink bollworms, sweet potato whiteflies, beet armyworms, aphids, and spider mites. It can be applied alone or tank-mixed with other products registered for use on cotton. Use other registered cotton products in a tank-mix at rates recommended on labels for the products and observe all limitations and precautions which appear on those labels. Do not tank-mix OVASYN with highly acidic or highly alkaline materials. It is recommended that the user maintain the pH of the spray solution between 6.5 and 8.5. After opening container, use entire contents within that growing season. Do not store partial containers for use next season. OVASYN is not phytotoxic to cotton.

APPLICATION

Equipment: Apply by air or ground, using low drift nozzles. When applying by air, use a minimum of one gallon of water per acre. For applications made with ground equipment, use 10-50 gallons of water per acre. Use of the higher volume of water will assure better coverage, especially under adverse conditions such as hot, dry weather, and/or a dense canopy. Refer to the chart below.

ULV Applications (except California): OVASYN may be applied in vegetable, cottonseed or similar oils. After determination of the required volume of OVASYN, add sufficient oil to apply 1 to 2 quarts total liquid per acre. If tank-mixing with additional cotton insecticides which are registered for ULV applications, their volume must be accounted for in the total 1 to 2 quarts per acre.

Pest	Rate/Acre		Remarks
	lb ai	pints	
Boltworm eggs Tobacco Budworm eggs	1/8-1/4	3/8-1 1/8	When moth flights begin and eggs first appear, apply OVASYN. Multiple applications may be required if egg pressure continues at or above recommended thresholds. Higher egg density requires higher rates. When populations of tobacco budworm are high, or when resistance to other insecticides is present, use OVASYN at 1/8-1 1/8 pints/Acre. Use of a 3 day spray interval may be necessary in extreme population pressure situations.
Boltworm larvae Tobacco Budworm larvae	1/8-1/4	3/8-1 1/8	When larvae are present, apply OVASYN in tank-mix combination with a registered insecticide at labeled rates. When populations of tobacco budworm are high, or when resistance to other insecticides is present, use OVASYN at 1/8-1 1/8 pints/Acre in a tank-mix combination with a registered insecticide at labeled rates. Use of a 3 day spray interval may be necessary in extreme population pressure situations.
Beet Armyworms	1/8-1/4	3/8-1 1/8	Apply OVASYN in a tank-mix combination with a registered insecticide at labeled rates. Repeat applications may be necessary. For best results, apply in a minimum of 5 gallons of water/Acre by air or in a minimum of 10 gallons of water/Acre by ground.
Sweet Potato Whiteflies Pink Bollworms	1/8	3/8	For low populations, OVASYN may be applied at this rate in tank-mix combination with a registered insecticide at labeled rates. For best results, apply in a minimum of 5 gallons of water/Acre by air or in a minimum of 10 gallons/Acre by ground.
	1/4	1 1/8	For moderate to high populations, OVASYN should be applied at this rate in a tank-mix combination with a registered insecticide at labeled rates. For best results, apply in a minimum of 5 gallons of water/Acre by air or in a minimum of 10 gallons/Acre by ground.
Aphids	1/8-1/4	3/8-1 1/8	OVASYN should be applied in a tank-mix combination with a registered insecticide at labeled rates. For best results, apply in a minimum of 5 gallons of water/Acre by air or in a minimum of 10 gallons of water/Acre by ground.
Spider Mites	1/4-1	1 1/8-5 1/8	Treatments should be applied when populations begin to build. Apply OVASYN as a single treatment of 1 1/8 to 5 1/8 pints/Acre or sequential application of 1 1/8 pints/Acre per application.
Spider Mites (CA only)	1/2-1	2 3/8-5 1/8	Treatments should be applied when populations begin to build. Apply OVASYN as a single treatment of 2 3/8 to 5 1/8 pints/Acre, or two sequential applications of 2 3/8 pints/Acre.

TABLE OF APPLICATION RATES

Desired Rate/AC. (lbs. AI)	Acres Treated Per Gallon	Pints Per Acre
1/8 (.125)	= 12	= 3/8
1/16 (.0625)	= 9	= 1/2
1/4 (.25)	= 6	= 1 1/8
1/2 (.50)	= 3	= 2 3/8
3/4 (.75)	= 2	= 4
1 (1.0)	= 1 1/2	= 5 1/8

RESTRICTIONS AND LIMITATIONS

DO NOT apply more than 5 1/8 pints of OVASYN per acre per growing season.

DO NOT apply OVASYN after cotton bolls are open.

DO NOT allow prepared solutions to stand overnight.

DO NOT feed foliage from treated cotton plants to livestock.

IF rainfall occurs before the spray dries, reapplication may be necessary.

SATS

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. NOR-AM disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT NOR-AM'S ELECTION, THE REPLACEMENT OF PRODUCT.

© NOR-AM Chemical Company, 1993



AGRI-BUSINESS DIVISION
Little Falls Centre One
2711 Centerville Road
Wilmington, DE 19808