2009 Bilveratow P.D. Box 7495

Wilmington, DE - 19803

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregia tration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the anvironment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This would be editionally a deres as accordance with TDAN section 3(01(7)(3) provided that work

- Publish and a discontinuous contraction of the substraction of your product inner FIT A section $P(\cdot)(\cdot)$) of $A(\cdot)$ when the Alency requires all registracts of complex projects of drive you data.
- 2. Make the labeling mades lated invited two release the product for space of:
 - Add the obrase "Fig. on training of Asian=140."
 - t. Parer the directions for Eso, add in parentalses "Awme Tayas mate " aftern "mapt promote tage and "
- 3. But it five () because of cour timal crists that it is pefor you release the monach operations in the expense in the expense of a color operation. description of tipal printed la object.



SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edward if

DATE

EPA Form 8570-6 (Rev. 5-76)

Insecticide-Rodenticide Branch Registration Division (87505C)

Enclosures

MEST AVAILABLE MY

2-dimethy1-1,3-bensedicxolthyloarbanate*).... IMADEDIENTS: 100% otected by U.S. Patent No. 3,736,338 Req. No. 45639-EPA Est. No. KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

WING EATHER FORCE

SWALLOWED:

Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until the vomit fluid is clear. Call physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

INHALED:

Remove victim to fresh air. Apply artificial

respiration if indicated.

<u>on brin:</u>

Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reusing.

IN EYES:

Flush with plenty of water. Call a physician if irritation persists.

TO PHYSICIAN: Bendiocarb is a moderate, reversible

CHOLINESTERASE inhibitor Intravenous injection of

atropine is antidotal.

BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION:

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Wear long sleeves. Change clothing daily. Wash hands thoroughly after handling. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs. Food utensils such as a measuring cup or teaspoon should not be used for food after use with a pesticide.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Collect, cover or incorporate granules spilled on soil surface.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agriculture Extension Service.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not contaminate water, feed or food by storage or disposal. Store this product in its original, closed container in a dry, locked area away from children and domestic animals. Do not reuse empty container.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash. . .

IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL FREE TELEPHONE TO: 800-424-9346:



GENERAL INFORMATION: TURCAM FERTILIZER is a combination fertilizer and broad spectrum residual insecticide for the control of certain insects on turf.

TURF RECOMMENDATIONS: Use TURCAM FERTILIZER to control specified pest of turf. Apply to give complete and uniform coverage of the pest-infested areas. Applications should be made using the rates shown below:

Pest	Dosage of Product	Application Procedure		
White grubs of: Japanese beetle, Black turf grass Ataenius, European chafer, Northern masked chafer, Green June beetle, Annual white grub Mole crickets	1.9-2.8 lbs. per 1,000 sq. ft. (80-120 lbs. per acre)	Apply when pests become evident. Control of grubs is best when they are still small; therefore, late summer treatments are preferable to spring. Apply uniformly to assure coverage. In order to improve efficacy, irrigate as soon as possible with 1/4 to 3/4 inch of water.		
Chinch bugs, Leaf- hoppers, Sod webworms, Ants, Bees, Brown dog ticks, Centipedes, Crickets, Earwigs, Firebrats, Fleas, Ground beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Wasps.	0.9-1.9 lbs. per 1,000 sq. ft. (40-80 lbs. per acre)	Apply when pests are evident. Use adequate quantity of water to thoroughly moisten grass and thatch.		

APPLICATION EQUIPMENT: TURCAM FERTILIZER is a granular formulation. Apply with a fertilizer spreader or equivalent equipment as uniformly as possible. The following table lists application equipment and recommended settings for that equipment for the application of TURCAM FERTILIZER:

BEST AVAILABLE COPY

Recomme .ded Settings

Spreader	Pounds of	Once	Swath
<u>Model</u>	Product per Acre	Over	Width
Spyker	80	3.9	6 Ft.
(Rotary)	120	4.4	6 Ft.
Lesco	80	D 1/2	8 Ft.
(Rotary)	120		8 Ft.
Cyclone	80	4.0	-
(B-1, 30, 96)	120	4.5	
Prizelawn-CBR	80	4.5	Same as
(drop type)	120	5.0	Spreader Width
Scott Drop	80	6 3/4	21 Inches
	120	8	21 Inches

IMPORTANT: Please note that these settings are approximate as the condition of each piece of equipment can affect actual rates of application. Setting should be made after a calibrations check is completed.

IMPORTANT: READ BEFORE USE

By using this product, user accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHAMTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or "do nodify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR "COMSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT. IN "ACCORDANCE WITH LABEL DIRECTIONS.

LIMITATIONS OF LIABILITY: In no event shall NOR-AM Chemical Company's liability for damages arising out of the use of this product exceed the purchase price of the product used.

BEST AVAILABLE COPY