

Reg # 45639-150

PM-19

1 of 4

<p align="center">US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<p>EPA REGISTRATION NO. 45639-150</p> <p>TERM OF ISSUANCE <i>Until Reregistration</i></p> <p>NAME OF PESTICIDE PRODUCT Picar 2 1/2 G</p>	<p>DATE OF ISSUANCE <i>June 10, 1991</i></p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p><i>Chemical Company</i> 3500 Silverside Road P.O. Box 745 Wilmington, DE 19807</p>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) and FIFRA section 4 when the Agency requires all registrants of similar products to submit such data. 2. Add the phrase "EPA Registration No. 45639-150" to your label before you release the product for shipment. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the enclosure for a further description of final printed labeling. <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 4(e). Your release for shipment of the product constitutes acceptance of these conditions.</p> <p>A stamped copy of the label is enclosed for your records.</p>		
<p align="right">Dennis H. Edwards, Jr. Product Manager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)</p> <p><input checked="" type="checkbox"/> ENCLOSURES ATTACHMENT IS APPLICABLE</p>		
<p>SIGNATURE OF APPROVING OFFICIAL <i>Dennis H. Edwards</i></p>		<p>DATE <i>6/10/91</i></p>

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

63350:I:WP5.0:CR-30:Andreasen:C.Disk:KEVRIC:06/03/91:CL:wo:aw

SPECIMEN LABEL

ACCEPTED
with COMMENTS:
in EPA Letter Dated

JUN 10 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
45639-150

Ficam[®] 2 1/2 G

INSECTICIDE

RECOMMENDED FOR USE ONLY BY PEST CONTROL OPERATORS

For Use on Ornamental Trees and Shrubs and Home Lawns

For Use on Non-Bearing Nut, Citrus, and Other Fruit Trees

Do Not Use on Golf Courses or Sod Farms

DO NOT USE ON FOOD CROPS

ACTIVE INGREDIENTS:

Bendiocarb (2,2-dimethyl-1,3-bis(4-chlorophenyl)-4-hydroxy-1,3-propanediol)

By Weight

2.5%

INERT INGREDIENTS:

97.5%

TOTAL

100.0%

*Protected by U.S. Patent No. 3,736,336

EPA Reg. No. 45639-

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Wash with plenty of water and soap. Get medical attention for irritation or burns.

IF IN EYES: Flush with plenty of water.

NOTE TO PHYSICIAN: Bendiocarb is a moderate to severe cholinesterase inhibitor. It is a carbamate and should be treated accordingly.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

NOR-AM

NOR-AM, INC. 2000 W. 10TH AVE. SUITE 100

MINNEAPOLIS, MN 55405

TEL: 612/338-1000 FAX: 612/338-1001

WWW.NOR-AM.COM

NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS **CAUTION**

Harmful if swallowed. Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Wear long sleeves. Change clothing daily. Wash hands thoroughly after handling. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste. Collect, cover or incorporate granules spilled on soil surface. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY TOLL FREE TELEPHONE TO: 800-424-9300.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Store this product in its original, closed container in a dry, locked area away from children and domestic animals. Do not reuse empty container.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

GENERAL INFORMATION: FICAM® 2½G is a broad spectrum residual insecticide for the control of certain insects on ornamental trees, shrubs, and home lawns and on non-bearing nut, citrus, an other fruit trees.

Do not use this product on golf courses or sod farms.

Do not apply more than 5.5 lbs. per 1000 square feet (240 lbs. per acre) of FICAM 2½G per year. Spring applications should not exceed 2.75 lbs. per 1000 square feet (120 lbs. per acre) of FICAM 2½G.

ORNAMENTAL TREES, SHRUBS, AND HOME LAWN

RECOMMENDATIONS: Use FICAM 2½G to control specified pests of lawns and of the following non-edible ornamental trees and shrubs: Abies, Acer, Arborvitae, Azalea, Barberry, Birch, Boxwood, Brassia, Camellia, Cedar, Cephalotaxus, Cercis, Cherry, Cornus, Cotoneaster, Crataegus, Crape Myrtle, Euonymus, Fatsia, Ficus, Fountain grass, Flowering almond, Flowering crabapple, Gardenia, Hemlock, Hydrangea, Ilex, Ixora, Japanese yew, Juniper, Ligustrum, Lilac, Loquat, Mahonia, Mimosa, Mock Orange, Nandina, Oleander, Pachysandra, Photinia, Picea, Pieris, Pine, Poinsettia, Pomegranate, Poplar, Prunus spp., Pseudotsuga, Pyracantha, Pyrus, Rhododendron, Rose, Sage palm, Schefflera, Spirea, Sycamore, Taxus, Thuja, Tsuga, Viburnum, Weigela, Yaupon

Apply FICAM 2½G to give complete and uniform coverage of the pest-infested areas. Applications should be made using the rates shown below:

Pest	Dosage of Product	Application Procedure
White grubs of: Japanese beetle, Black turf grass Atanvius European chafar, Northern masked chafar, Green June beetle, Annual white grub (Cyclocephala immaculata) Mole crickets	1.9 to 2.8 lbs. per 1,000 sq. ft. (80 to 120 lb. per acre)	Apply when pests become evident. Control of grubs is best when they are still small; therefore, late summer treatments are preferable to spring. Apply uniformly to assure coverage. In order to improve efficacy, irrigate as soon as possible with 1-4 inches of water.
Chinchbugs, Leafhoppers, Sod webworms, Ants Brown dog ticks Centipedes, Crickets, Earwigs, Firebrats, Fleas, Ground beetles, Millipedes, Silverfish, Scorpions, Silveryfish, Sowbugs, Spiders	0.9 to 1.9 lbs. per 1,000 sq. ft. (40 to 80 lb. per acre)	Apply when pests are evident. Use adequate quantity of water to thoroughly moisten grass and thatch.

Allow 10-14 days between applications of FICAM 2½G

APPLICATION EQUIPMENT: FICAM 2½G is a granular formulation. Apply with a fertilizer spreader or equivalent equipment as uniformly as possible.

The following table lists application equipment and recommended settings for that equipment for the application of FICAM 2½G:

Spreader Model	Recommended Settings			
	Pounds of Product per Acre	Once Over	Twice Over	swath Width
SPYKER (Rotary)	80	3.9	3.4	6 ft.
LESCO (Rotary)	80	D/4	—	8 ft.
CYCLONE (B-1, 30, 96)	80	4.0	—	—
PRIZELAWN-CBR	80 120	4.5 5.0	—	Same as spreader width
GANDY DROP	80 120	30 34	—	30 inches 30 inches
SCOTT DROP	80 120	6 1/4 8	—	21 inches 21 inches
SCOTT R-7x	80 120	F- 1/4 H- 1/4	—	9 ft. 9 ft.
SCOTT R-8A	80 120	L M- 1/4	—	10 ft. 10 ft.
VICON or LESCO Premium	80	18	—	15 ft. at 5 mph
LELY HR spreader assembly setting #3	120	4 (right discharge gate opening 1/4")	—	23 ft. with a PTO speed of 510 and RPM 1700 at 5 mph

IMPORTANT: Please note that these settings are approximate as the condition of each piece of equipment can affect actual rates of application. Settings should be made after a calibration check is completed.

LANDSCAPE PLANT RECOMMENDATIONS:

Use FICAM 2½G to control specified pests of non-edible ornamental landscape plants including, but not limited to: Ageratum, Azarina, Begonia, Calendula, Coleus, Chrysanthemum, Coleus, Daffodil, Dahlia, Dianthus, Ferns, Fuchsia, Gazania, Geranium, Holly, Hypoxis, Impatiens, Iris, Ivy, Kalandra, Lily of the Valley, Marigold, Nasturtium, Nicotiana, Pansy, Petunia, Portulaca, Salvia, Shasta daisy, Snapdragon, Verbena, Vinca, and Zinnia.

Apply FICAM 2½G to give complete and uniform coverage of the pest-infested areas.

Applications should be made below or around the landscaped area at the rates specified in the above table.

PERIMETER TREATMENT:

To help prevent infestation of buildings by ants, crickets, brown dog ticks, centipedes, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, and spiders, treat a band of soil 6 to 10 ft. wide around and adjacent to the building at a rate of 0.9 to 1.9 lbs. per 1,000 square feet.

CARPENTER ANTS:

For control of carpenter ants around firewood piles. Treat the area where firewood is to be stacked at the rate of 0.9 to 1.8 lbs. per 1,000 square feet. After the firewood is in place, treat a 3 to 6 foot band around the woodpile. If the rows of wood are stacked so there is about 2" between them, repeated treatment of the woodpile can be made by sprinkling or shaking the granules between the rows. Retreat area as needed.

NON-BEARING NUT, CITRUS, AND OTHER FRUIT TREES:

(Trees not expected to bear nuts or fruit for 12 months following the last application of FICAM 2½G.)

Applications should be made using the rates shown below:

Pest	Dosage of Product	Application Procedure
Ants	1 oz. per tree or ant mound (110-200 oz./acre)	Apply around base of trees, transplants, resets or around ant mound. Repeat as necessary.

PLANT SAFETY

FICAM 2½G has demonstrated excellent plant safety; however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full scale application.

IMPORTANT: READ BEFORE USE


By using this product, user accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond NOR-AM Chemical Company's control, it is impossible for NOR-AM to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of NOR-AM Chemical Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL NOR-AM CHEMICAL COMPANY BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.

LIMITATIONS OF LIABILITY: In no event shall NOR-AM Chemical Company's liability for damages arising out of the use of this product exceed the purchase price of the product used.

© NOR-AM Chemical Company, 1985



Replaces 517-SL-F2½G-5M Rep 2.90

517-SL-F2½G-5M Rep.10.90