

CWT 105

ACTIVE INGREDIENTS

Sodium cyanodithiocarbamate 7.5%

Potassium N-methyldithiocarbamate 1.5%

INERT INGREDIENTS

91.0%

TOTAL

100.0%

This product contains 0.77 lb. of active ingredients per gallon and weighs 8.81 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

GENERAL CLASSIFICATION

This pesticide is classified as a Restricted Use Pesticide under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to additional labeling requirements.

CWT 105 is used to control aquatic weeds in farm, industrial, commercial, and public waterways. It is a systemic herbicide. Application systems must be designed to prevent spray drift, runoff, and other deposits. An initial application rate of 0.4 to 0.6 ounces of CWT 105 per 1000 gallons of water is recommended. Repeat applications are dependent on weed growth.

Subsequent applications of 2.3 to 13.4 fluid ounces of CWT 105 per 1000 gallons of water should be employed every 3 to 5 days, or as needed. The frequency of additions depends upon the relative amount of weed growth and the severity of the microbiological problem. Frequent additions should be made in the summer when water cooling towers are in operation.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.

PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

Manufactured by
Pantap Industries, Inc.
13703 Neutron Road
Dallas, TX 75234

EPA REG. NO. 45704-3

EPA EST. NO.

NET CONTENTS