

BEST DOCUMENT AVAILABLE

CUT ON DOTTED  
LINE TO OPEN

# RAT TOXIN



*Prescription to kill  
Rats and Mice*

**GUARANTEED SATISFACTION** <sup>R<sub>x</sub></sup> IF USED IN  
CONFORMITY TO DIRECTIONS IS GUARANTEED TO GIVE  
SATISFACTION IN CONTROLLING RATS AND MICE OR YOUR  
MONEY WILL BE REFUNDED.

ACTIVE INGREDIENT:  
**WARFARIN**, 3 — (alpha-Acetylbenzyl) 0.025%  
4 — hydroxycoumarin 99.975%  
Inert Ingredients TOTAL 100.00%

E.P.A. REG. NO.  
E.P.A. EST. NO. 45722 - OR-01,

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See antidote and other cautions on back of package

*The Taste is the Difference*

NET WEIGHT 8 OZ. 227 GRAMS

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUL 10 1984

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
45722-1

BEST DOCUMENT AVAILABLE



FEED SATISFACTION <sup>R</sup>X IF USED IN TO DIRECTIONS IS GUARANTEED TO GIVE IN CONTROLLING RATS AND MICE OR YOUR IE REFUNDED.

ENT: 3 — (alpha-Acetylbenzyl) 0.025% 4 — hydroxycoumarin 99.975% TOTAL 100.00%

EG. NO. ST. NO. 45722 - OR-01,

CAUTION

ote and other cautions on back of package

Taste is the Difference

NET WEIGHT 8 OZ. 227 GRAMS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. USE RESTRICTION-Treated baits must be placed in tamperproof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. SELECTION OF TREATMENT AREAS-Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by unsealed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS

RATS-apply 4 to 15 ounces of <sup>R</sup>X bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days. MICE-apply 1/4 to 1/2 ounce of <sup>R</sup>X bait at 8 to 10 foot intervals. Larger amounts of <sup>R</sup>X bait may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

<sup>R</sup>X contains warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings, causes fatal hemorrhage in rats and mice.

PRECAUTION-Protect baits from humans and domestic animals by tamperproof bait boxes, cages or other suitable means. If consumed by humans, this material may reduce the clotting ability of the blood and cause bleeding.

FIRST AID-If ingested, administer vitamin K<sub>1</sub> intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

WARRANTY-Bell makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

STORAGE AND DISPOSAL

Storage: Store only in original container, in a dry place inaccessible to children and pets.

Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

MANUFACTURED AND PACKAGED BY J.R. CODER CO., INC. 10290 S.E. CINDY LN. BORING, OR 97009

DISTRIBUTED BY BioTech ASSOCIATES LTD., INC. 4379 N. VAN DYKE FRESNO, CA 93705 (209) 226-3766



45722-1


-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

We note in your previous correspondence that your efficacy data will be completed about July 1, 1984. If you are going to have any problem with that deadline please let us know as soon as possible. The storage stability test is due 14 months from the date of this letter.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

  
William H. Miller  
Product Manager (16)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosures

BEST DOCUMENT AVAILABLE