

HD 568

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 50.0%

INERT INGREDIENTS

50.0%

This product contains 5.2 lb. of active ingredient per gallon and weighs 10.4 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 ml) of special syrup or 1 teaspoonful (5 ml) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other ordinary dental cement. Never induce vomiting or give anything by mouth to an unconscious person.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, consult your Regional Office of the Environmental Protection Agency.

Manufactured by:
Hydro Dynamics
P. O. Box 193
Shillington, PA 19607

EPA REG. NO. 45723-7

EPA EST. NO.

NET CONTENTS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HD 568 is used in industrial and/or commercial recirculating cooling tower systems and industrial air washing systems to control microbiological slime. Prior to the use of HD 568 in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 2.0 to 3.0 fl. oz. of HD 568 per 1000 gal. of water to provide 20 to 30 ppm of HD 568, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 1.0 to 3.0 fl. oz. of HD 568 per 1000 gal. of water (10 to 30 ppm HD 568) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

HD 568 is used in industrial air washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 4.7 to 6.0 fl. oz. of HD 568 per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 3.5 to 6.0 fl. oz. of HD 568 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

TESTED

5 1982

45723-7

STORAGE AND DISPOSAL

PROHIBITION: Do not use this pesticide in any manner inconsistent with its labeling.

PESTICIDE DISPOSAL: Do not mix with other pesticides or other chemicals. Do not dump into water.

CONTAINER DISPOSAL: Empty containers must be triple-rinsed and washed before reuse.

METAL: This pesticide is highly toxic to metals. Do not use on metal surfaces.

HAZARD TO HUMANS AND DOMESTIC ANIMALS: This pesticide is highly toxic to humans and domestic animals. Do not use in areas where humans and domestic animals are present.

HAZARD TO AQUATIC LIFE: This pesticide is highly toxic to aquatic life. Do not use in areas where aquatic life is present.

HAZARD TO BIRDS AND BEES: This pesticide is highly toxic to birds and bees. Do not use in areas where birds and bees are present.

HAZARD TO FISH AND AQUATIC LIFE: This pesticide is highly toxic to fish and aquatic life. Do not use in areas where fish and aquatic life are present.

HAZARD TO PLANTS AND CROPS: This pesticide is highly toxic to plants and crops. Do not use in areas where plants and crops are present.

HAZARD TO SOILS: This pesticide is highly toxic to soils. Do not use in areas where soils are present.