Please read instructions of	n reverse before completing form.		Form Approved.	OMB No. 2070-0060	47	
\$EPA	United States Environmental Protect Washington, DC 2	tion Agency		Registration Amendment Other	OPP Identifier Number 271134	
Application for Pesticide - Section I						
1. Company/Product Num 4 5 7 2 8 - 4. Company/Product (Nam	ber 26	2. EPA P	roduct Manager Par her	3. Pro	None Restricted	
Spotre 1 5. Name and Address of ACA Chara, Smyrna, Check if a	6. Expe (b)(i), m to: EPA R	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling				
					TIEIDATION	
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.			
Explanation: Use additional page(s) if necessary. (For section I and Section II.) No fification of non-FIFMA -related advisory statements for Systete F						
Section - III as as a set of the action of t						
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging Yes* No * Certification must be submitted	Yes No	No No	No. per container	2. Type of Container Metal Plastic Glass Paper Other (S	pecify)	
3. Location of Net Conte	Retail Container	5. Location of Label Directions				
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled			Other	y group of the second		
		Section - I\	/			
1. Contact Point (Compl	ete items directly below for identifica	ation of individual to be	contacted, if nece	ssary, to process this	application.)	
Name Time thy A. Do toon Ke			A Hairs	Myr. 710-	No. (Include Area Code)	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)						
2. Signature 4. Typed Name	SA do ha	3. Title Cega la tava 5. Date	1 A Hairs	Mgr.	•	
T. Typou Hairia	1) to a	12/20/	0 1		• • • • • • • • • • • • • • • • • • • •	

Spotrete F

TURF FUNGICIDE AND ANIMAL REPELLENT

For the control of select foliar diseases in non-residential turf and animal repellency on deciduous and evergreen trees and shrubs.

Shake Well Before Using Store in Dry Area Keep From Freezing

NOTIFICATION

JAN 2 9 2002

ACTIVE INGREDIENT:

Equivalent to 4.0 lb Thiram per U.S. gallon or 480g/l

EPA Reg. No. 45728-26

EPA Est. No. 37429-GA-02

Keep Out Of Reach Of Children CAUTION

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

IF ON SKIN: Wash affected area with plenty of soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove exposed person to fresh air. If not breathing, give artificial respiration. Get medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soad and water after handling. Remove contaminated clothing and wash before reuse. Do not take alcohol immediately before or after exposure to this product. The consumption of alcohol by the applicator can increase the toxicity of the product. This product can cause skin itching, rashes and other derinal reactions to the user. Do not graze treated areas or feed clippings to livestock.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance selection chart.

Applicators and other handlers must wear: long sleeve shirt and long pants, chemical resistant gloves, (such as barrier laminate, butyl rubber ≥14 mils, nitrile rubber ≥14 mils, neoprene rubber ≥14 mils, polyvinyl chloride (PVC) ≥14 mils, or Viton ≥14 mils), protective eyewear and shoes with socks. For exposures in enclosed areas: a respirator with an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where conditions favor drift from treatment area. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

PHYSICAL AND CHEMICAL HAZARDS: Keep away from heat and open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Storage: Do not contaminate water, food, or feed by use or storage. Store in original containers only in a secured area inaccessible to children and unauthorized persons. Absorb spills onto clay, sand or vermiculite and hold for proper disposal. Protect from excessive heat. Keep from freezing.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a VIOLATION OF FEDERAL LAW. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. For use on non-residential turf only.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling, and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves, (such as barrier laminate, butyl rubber \geq 14 mils, nitrile rubber \geq 14 mils, neoprene rubber \geq 14 mils, polyvinyl chloride (PVC) \geq 14 mils, or Viton \geq 14 mils), protective eyewear and shoes with socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box only apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Non-Residential Turf Uses: Keep children and pets out of treated areas until sprays have dried.

GENERAL INFORMATION

SPOTRETE F is to be used for the prevention and control of the foliar diseases mentioned below. It can provide both curative and protective action of common turf diseases. Start preventative applications when conditions for disease occurrence are favorable and repeat at 7-10 day intervals until disease threat is past. Start curative applications when disease first appears and repeat at 7-10 day intervals as necessary. For best results, use spray mixture the same day it is prepared. Spray uniformly over the area to be treated with a properly calibrated power sprayer. Apply after mowing or avoid mowing for twelve hours after application.

SPOTRETE F may be used in a tank mix with slower acting fungicides to enhance the initial control of foliar turf pathogens. SPOTRETE F provides effective control of Snow Mold (Fusariumnivale and Typhula spp.) when combined with other snow mold products with enhanced longevity. SPOTRETE F may be used with dicarboxamide fungicides for the management of disease resistance. Thiram has been shown to have negative cross-resistance to iprodione and vinclozolin resistant strains of fungi. Consult product sales for instructions on use. No claim of compatibility with other pesticides is implied. When tank mixing, read and observe the most restrictive precautionary statements and other information appearing on product labels.

SPOTRETE F can be used to protect nursery stock, shrubs and ornamentals from rabbit, deer and rodent depredation. One application will protect treated parts from 1 to 3 months, depending upon weather conditions. This product can also be used a repellent in deterring deer from moving into unwanted areas as a result of local feeding and browsing. The addition of a latex based sticker prolongs the residual-



effectiveness of the treatment. Repellency is the result of rendering the treated plant parts distasteful. Some feeding may occur. As always, read and follow label directions for best results.

TURF APPLICATIONS (for use on non-residential turf only)

Dollar Spot, Brown Patch, Rust, Leaf Spot, Red Thread, Copper Spot, and Melt Out

<u>Preventative Dosage</u>: Apply in mid-spring or when disease symptoms first appear. Spray at 7-10 day intervals throughout the expected disease period. Use 3 3/4 fl oz of SPOTRETE F per 1,000 sq ft (5 quarts per acre) in 2-5 gal of water.

<u>Curative Dosage</u>: Apply 7 1/2 fl oz per 1,000 sq ft (2 1/2 gal per acre) in 2-5 gal of water. Apply when disease first appears and repeat application at 3-5 day intervals as necessary. When disease is controlled, follow preventative instructions.

Pink and Gray Snow Mold (Fusarium nivale and Typhula spp.)

Spray in early to mid-winter just prior to the first snowfall. Apply 12 fl oz of SPOTRETE F per 1,000 sq ft (4 gal per acre) in sufficient water (2-5 gal per 1,000 sq ft recommended) for proper coverage. If possible, make repeat applications following each thaw using 3 fl oz per 1,000 sq ft (1 gal per acre). Follow with an application in early spring using 3 fl oz per 1,000 sq ft (1 gal per acre). The addition of a latex based sticker to the pre-snow treatment prolongs the residual effectiveness of the treatment.

DEER, RABBIT AND RODENT REPELLENCY

Spray Applications: Growing Season

Add 1 quart SPOTRETE F to 7 quarts of water and apply as a full coverage spray to all portions of the plant to be protected. Spray to runoff. For greater retention and residual efficacy add 1 pint of latex based sticker to the spray solution. Do not use wetting agents or surfactants as foliar damage may result. For best results spray when temperatures are greater than 40°F and relative humidity is less than 70 percent. Coverage depends on plant density.

Spray Application: Tree Trunks and Dormant Plants

Add 1 quart of SPOTRETE F to 3 quarts of water and apply as a spray to all portions of the plant to be protected. Spray to runoff. For greater retention and residual efficacy add 1 pint of latex based sticker to the spray solution.

Brush On Application:

Add SPOTRETE F undiluted with a paintbrush to stem parts and trunks to be protected. For greater retention and residual efficacy blend 4 fluid ounces of latex based sticker into 1 gal. of SPOTRETE F prior to brushing.

Deer Repellency:

SPOTRETE F is useful as a repellent for deterring deer from migrating into unwanted areas. It works by discouraging deer from localized feeding and browsing. The product is most effective when used in combination with mechanical deterrents such as ditches, fences, etc. Prepare and spray SPOTRETE if exactly as for rabbit and rodent repellency (above), depending upon season and type of application desired. Spray to a height of 5 feet (1.5 meters).

TERMS OF SALE OR USE:

On purchase of this product, buyer and user agree to the following conditions:

Warranty: UCB makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

For emergencies involving a spill, leak, fire, exposure, or accident, contact: CHEMTREC at (800) 424-9300. For other emergencies, phone (770) 801-3248 or (770) 433-6421.

NET CONTENTS:





Via Certified Mail
Return Receipt Requested

December 20, 2001

Cynthia-Giles Parker
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
401 M St., S.W.
Washington, D.C. 20460-0001

Subject:

Notification to Add Non-FIFRA Related Advisory Statements to Spotrete F

Label (EPA Reg. No. 45728-26)

Dear Cynthia:

Please find enclosed:

1) Form 8570 – 1: Application for Pesticide – Notification;

Adoto

This notification adds the following non-FIFRA related advisory statements to the label:

- "Shake Well Before Using"
- "Store in Dry Area"
- "Keep From Freezing".

2) One copy of the newly revised label with highlights. If you have any questions or comments please call at 770/801-3212.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR-Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely,

Timothy A. Dotson

Regulatory Affairs Manager

Label Code: 12/20/01.TAD(EPA12/20/01, CDPRxxx), replaces 09/27/00TAD(EPA08/29/00 CDPRxxx



