

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA Reg. Number:	Date of Issuance:
45728-28	SFP 1 5 2008

NOTICE OF PESTICIDE:

____ Registration

XX Reregistration

(under FIFRA, as amended))

Term of Issuance: Conditional

Name of Pesticide Product:

Flowsan

Name and Address of Registrant (include ZIP Code):

Taminco, Inc.

c/o Vince J. Piccirillo, Ph.D.

1303 Boyd Avenue, NW Smyrna, GA 30318 VJP Regulatory Consulting Inc. 21320 Sweet Clover Place

Ashburn, VA 20147

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above provided that the following changes are made to the label:

1. Delete the 'Endangered Species' section, on page 2, as it is sufficiently observed in accordance with the Thiram RED, on page 4, in the 'Directions for Use' section.

Signature of Approving Official:

Date:

Continued on next page.....

CED 1

Tony Kish

Product Manager, Team 22

Fungicide Branch

Registration Division (7505P)

EPA Form 8570-6

- 2. Under the PPE section, on page 2, delete 'NIOSH approved... or HE Filter.'
- 3. Above the 'User Safety Recommendations' box, on page 2, revise the sentence to read, "Follow manufacturer's instructions... no such instructions for washables exist, use...."
- 4. To the 'Environmental Hazards' section, revise the third sentence as follows, "Ensure that all planted seeds...areas."
- 5. After reviewing the Agency's acute toxicity review, it was noted that, "IF INHALED" must be included in the first-aid statement box, after "IF SWALLOWED," accompanied by the following guidance: "Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice."
 - A. In this way, the "Precautionary Statement" must be revised as such, inserting as the second sentence "Harmful if inhaled." As the final sentence, insert, "Avoid breathing spray mist or vapor."
- 6. On page 4, revise its first sentence, as, "Seeds, Bulbs, Seed Pieces that are treated with this product and are then packaged or bagged must contain the following labeling on the outside of the package or bag:"
 - A. This revision satisfies the requirements specified in the Thiram RED; therefore, its repeated use, on page 4, is unnecessary and must be deleted to improve the label's overall legibility.
- 7. From the 'Endangered Species' statement, on page 4, delete the first sentence "This bag contains...thiram.
- 8. After making the changes in #6 and #7, above, rearrange the existing statements observed on page 4, accordingly:

"This bag contains seeds, bulbs, seed pieces ... chemical resistant gloves.

Endangered Species – This product may have effects on...before each season's use of this product.

Treated Seeds, Bulbs, Seed Pieces .. Oil Purposes.

After the seeds...contact with the seeds, bulbs, seed pieces.

In addition for cotton, wheat, barley, oats, and sugar beets include the statement:

"Plant cotton, wheat...1 inch deep."

Note - When using...or feed for animals."

Page 3 of 3 Notice of Reregistration (continued) EPA Registration No. 45728-28

- 9. Revise the 'Storage and Disposal' statement, on page 7, so that its heading reads, "Do not contaminate water, food, or feed by storage and disposal" instead of the current statement "Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment."
- 10. Change the "Container Handling" section to comply with PR 2007-4.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release of the product for shipment constitutes acceptance of these conditions.

A copy of the label stamped "Accepted with Comments" is enclosed for your records.

Enclosure





TM

ACCEPTED
with COMMENTS
In EPA Letter Dated

Seed Treatment

SEP 1 5 2008

*Equivalent to 4.0 lb Thiram per U.S. gallon

EPA Reg. No. 45728-28

EPA Est. No.

Keep Out Of Reach Of Children CAUTION

	FIRST AID
1F SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergencies involving a Spill, Leak, Fire, Exposure, or Accident, Contact: CHEMTREC at (800) 424-9300. For product usage information, phone Taminco, Inc., toll free at (800) 223-3258 from 9:00 AM to 5:00 PM Eastern time.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash throughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Do not take alcohol immediately before or after exposure to this product. The consumption of alcohol by the applicator can increase the toxicity of the product.

Flowsan 05/29/08ALP(EPA04/30/08; CDPRXXX) Page 1 of 7

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance selection chart.

All mixers, loaders, applicators and other handlers must wear:

- *Long-sleeved shirt and long pants.
- *Shoes plus socks.
- *Chemical-resistant gloves (such as barrier laminate or butyl rubber (≥14 mils), nitrile rubber
- (≥14 mils), neoprene rubber (≥14 mils), polyvinyl chloride (PVC) (≥14 mils), or Viton (≥14 mils)), except when sewing bags of treated seed, and
- *Chemical resistant apron when mixing, loading, participating in dip treatments, cleaning up spills, cleaning equipment, or otherwise exposed to the concentrate.
- *NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N. R. P. or HE prefilter; for exposures outdoors, a NIOSH approved respirator with any N, R, P or HE filter.

Note: Persons involved in bagging treated seed, sewing or moving bags of treated seed, or cleaning up bagging areas or seed treatment equipment and persons involved in handling, cutting or sorting treated seed pieces are pesticide handlers and must wear the PPE required on this label for pesticide handlers.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- *Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- *Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. *Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Endangered Species

This bag contains seed treated with thiram. This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of federal law to kill, harm or harass listed animal species without authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the seed. To determine whether your County or Parish has a Bulletin consult http://www.epa.gov/espp before each season's use of this product."

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, birds, mammals, oysters, and shrimp. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below: the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate.

Treated seeds, seed pieces, and bulbs are hazardous to fish, birds and mammals. Do not plant treated seeds, or seed pieces by broadcasting to the soil surface. Ensure that all seeds, seed pieces, or bulbs are throughly covered with soil, especially in turn areas. If seeds, seed pieces, or bulbs are not thoroughly incorporated by the planter during planting, additional incorporation may be required to thoroughly cover exposed seeds, seed pieces or bulbs.

05/29/08ALP(EPA04/30/08, CDPRXXX)

9(0

PHYSICAL AND CHEMICAL HAZARDS: Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part, 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

Exception: Once treated seed, seed pieces, or bulbs, are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction, if there will be no contact with the treated seeds, seed pieces, or bulbs.

Early Entry PPE:

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

*Coveralis.

*Shoes plus socks.

*Chemical-resistant gloves made of any waterproof material, and

*Protective eyewear.

GENERAL PRODUCT INFORMATION

When used as a seed treatment, Flowsan™ reduce seedling losses from seed decay, damping off and seedling blights.

Taminco, Inc.'s recommendations for the use of this product are based upon tests believed to be reliable. FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, OR ILLEGAL RESIDUES.

Flowsan 05/29/08ALP(EPA04/30/08, CDPRXXX) Page 3 of 7

Seeds, Bulbs, Seed Pieces that are treated with this product and are then packaged or bagged for future use must contain the following labeling on the outside of the seed, bulb, seed piece package or bag:

"Endangered Species - This bag contains seed treated with thiram. This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of federal law to kill, harm or harass listed animal species without authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the seed. To determine whether your County or Parish has a Bulletin consult http://www.epa.gov/espp before each season's use of this product."

Seed, Bulbs, Seed Pieces that are treated with this product and are then packaged or bagged for future use by growers or researchers must contain the following labeling on the outside of the seed, bulb, seed piece package or bag:

"This bag contains [seeds, bulbs, seed pieces] treated with thiram. When opening this bag or loading/pouring the treated [seeds, bulbs, seed pieces], wear long-sleeved shirt, long pants, shoes, socks, and chemical resistant gloves."

"Treated [Seeds, Bulbs, Seed Pieces] - Do Not Use for Food, Feed, or Oil Purposes."

"After the [seeds, bulbs, seed pieces] have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: Once the [seeds, bulbs, seed pieces] are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the [seeds, bulbs, seed pieces]."

Seed, bulbs, seed pieces that are treated with this product and are then packaged or bagged for future use by homeowners or other residential users must contain the following labeling on the outside of the seed, bulb, seed piece package or bag:

"Treated [Seed, Bulbs, Seed Pieces] - Do Not Use for Food, Feed, or Oil Purposes."

Seeds, Bulbs, Seed Pieces that are treated with this product and are then packaged or bagged for future use must contain the following labeling on the outside of the seed, bulb, seed piece package or bag:

"This pesticide is toxic to fish, aquatic invertebrates, birds, mammals, oysters, and shrimp. Do not plant treated [seeds, bulbs, seed pieces] by broadcasting to the soil surface. Ensure that all planted [seeds, bulbs, seed pieces] are thoroughly covered with soil, especially in turn areas. If [seeds, bulbs, seed pieces] are not thoroughly incorporated by the planter during planting, additional incorporation may be required to thoroughly cover exposed [seeds, bulbs, seed pieces]. Do not apply to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate or by disposal of wastes."

In addition for cotton, wheat, barley, oats, and sugar beets include the statement:

"Plant [cotton, wheat, barley, oats, and sugar beet] seed a minimum of 1 inch deep."

Note - When using formulations that do not contain dye, to comply with 40 CFR 153.155, all seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

|Flowsan |05/29/08ALP(EPA04/30/08, CDPRXXX) Page 4 of 7

For Treatment of Coniferous Seed

Damping-off protection: Use 2 quarts of Flowsan™ per 100 lbs. of seed. Slowly add to the seed while turning in a tumbler such as a concrete mixer. Tumble seed for approximately 2 minutes and then spread coated seed on a screen to dry.

For The Treatment of Ornamental Bulbs, Corms and Tubers: Treat any time after drying. Dip in a suspension made by mixing 1-1/2 pts. of Flowsan™ in 8 gals. of water. Agitate the suspension. If they are to be stored, spread out to dry.

Recommendations for use as a Commercial Seed Treatment

Flowsan™ is a liquid organic fungicide recommended for the treatment of seeds listed in the following table. Used according to directions, Flowsan™ will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by many seedborne and soilborne organisms. Flowsan™ will usually control covered smuts or bunt of wheat, barley and rye and covered kernel smut of sorghum and will usually prevent basal rot and decay of ornamental bulbs and tubers. Flowsan™ aids in the control of *Alternaria* and *Phoma* on canola. Flowsan™ aids in the control of seedborne conidia produced from the honeydew inoculum from field infection of *Claviceps africana* (ergot) on sorghum seed.

For Slurry-Type Treater: Flowsan™ should be applied with water as a suspension in the slurry-type treater specifically designed and approved for this purpose.

For Filmcoating Operations: Flowsan™ has demonstrated good to excellent compatability with most commercial filmcoating products. Coating procedures identified by polymer/ coating companies and film-coating equipment manufacturers should be followed when preparing coating preparations containing Flowsan™. If it is desirable to prepare slurries in large containers for addition to the slurry tank, entire contents should be thoroughly agitated before withdrawing any of the slurry.

FLOWSANTM Treating Rates

Barley, Millet, Oats**, Rye, Sorghum, Triticale, Wheat Bean (Lima) and Peas 3.0/ 100 it Beans (Snap & Dry, Soybeans, Cowpeas) Beet (Garden), Swiss Chard Broccoll, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabl, Mustard, Tumip Canola ** Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon Carrot, Endive, Lettuce, Pepper, Radish, Spinach Castor bean** Chicory ** 4.5/ 100 it Chicory ** Com (Field) Com (Sweet) Cotton, acid-delinted Cotton, reginned and fuzzy Eggplant 2.0/ bu. 3.0/ 100 it 6.5/100	r bu. or 100 lbs.
Bean (Lima) and Peas 3.0/ 100 it Beans (Snap & Dry, Soybeans, Cowpeas) 2.0/ 100 it Beet (Garden), Swiss Chard 8.0/ 100 it Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard, Tumip 8.0/ 100 it Canola ** 6.4/ 100 it Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon 4.5/ 100 it Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 it Castor bean** 4.5/ 100 it Com (Field) 1.5/ bu. Corn (Sweet) 5.0/100 it Cotton, acid-delinted 4.5/100 it Cotton, reginned and fuzzy 4.5/100 it Eggplant 6.5/100 it	
Beet (Garden), Swiss Chard 8.0/ 100 ft Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard, Tumip 8.0/ 100 ft Canola ** 6.4/ 100 ft Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon 4.5/ 100 ft Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 ft Castor bean** 4.5/ 100 ft Chicory ** 4.5/ 100 ft Com (Field) 1.5/ bu. Corn (Sweet) 5.0/100 ft Cotton, acid-delinted 4.5/100 ft Cotton, reginned and fuzzy 4.5/100 ft Eggplant 6.5/100 ft	S.
Beet (Garden), Swiss Chard 8.0/ 100 ft Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard, Tumip 8.0/ 100 ft Canola ** 6.4/ 100 ft Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon 4.5/ 100 ft Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 ft Castor bean** 4.5/ 100 ft Chicory *** 4.5/ 100 ft Com (Field) 1.5/ bu. Corn (Sweet) 5.0/100 ft Cotton, acid-delinted 4.5/100 ft Cotton, reginned and fuzzy 4.5/100 ft Eggplant 6.5/100 ft	is.
Canola ** 6.4/ 100 lt Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon 4.5/ 100 lt Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 lt Castor bean** 4.5/ 100 lt Chicory ** 4.5/ 100 lt Com (Field) 1.5/ bu. Corn (Sweet) 5.0/100 lt Cotton, acid-delinted 4.5/100 lt Cotton, reginned and fuzzy 4.5/100 lt Eggplant 6.5/100 lt	S.
Canola ** 6.4/ 100 lt Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon 4.5/ 100 lt Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 lt Castor bean** 4.5/ 100 lt Chicory ** 4.5/ 100 lt Com (Field) 1.5/ bu. Corn (Sweet) 5.0/100 lt Cotton, acid-delinted 4.5/100 lt Cotton, reginned and fuzzy 4.5/100 lt Eggplant 6.5/100 lt	8.
Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 lb Castor bean** 4.5/ 100 lb Chicory ** 4.5/ 100 lb Com (Field) 1.5/ bu Corn (Sweet) 5.0/100 lb Cotton, acid-delinted 4.5/100 lb Cotton, reginned and fuzzy 4.5/100 lb Eggplant 6.5/100 lb	8.
Carrot, Endive, Lettuce, Pepper, Radish, Spinach 8.0/ 100 lb Castor bean** 4.5/ 100 lb Chicory ** 4.5/ 100 lb Com (Field) 1.5/ bu Corn (Sweet) 5.0/100 lb Cotton, acid-delinted 4.5/100 lb Cotton, reginned and fuzzy 4.5/100 lb Eggplant 6.5/100 lb	S.
Castor bean** 4.5/ 100 lb Chicory *** 4.5/ 100 lb Com (Field) 1.5/ bu Corn (Sweet) 5.0/100 lb Cotton, acid-delinted 4.5/100 lb Cotton, reginned and fuzzy 4.5/100 lb Eggplant 6.5/100 lb	3.
Com (Field) 1.5/ bu. Corn (Sweet) 5.0/100 tl Cotton, acid-delinted 4.5/100 tl Cotton, reginned and fuzzy 4.5/100 tl Eggplant 6.5/100 tl	
Corn (Sweet) 5.0/100 tl Cotton, acid-delinted 4.5/100 tl Cotton, reginned and fuzzy 4.5/100 tl Eggplant 6.5/100 tl)S
Cotton, acid-delinted4.5/100 IICotton, reginned and fuzzy4.5/100 IIEggplant6.5/100 II	
Cotton, reginned and fuzzy 4.5/100 II Eggplant 6.5/100 II) \$.
Eggplant 6.5/100 l	OS.
	OS.
	os
Flax 3.0/ bu.	
Grasses 8.0/ 100	bs.
Okra 6.0/100 II	OS.
Onion ** 6.0/100 II	os.
Ornamental flower seed** 8.0/100 II	0\$.
Peanuts * 3.0/100 II	08.
Rice 1.5/ bu	
Safflower, Sunflower 2.0/ bu	
Sesame 3.0/100 II	os.
Small seed legume 8.0/100 II	os.
Sugar beet 8.0/100 I)s
Tomato 6.0/100 II	08.
All other vegetable seeds** 8.0/100 II	<u> </u>

^{*}Note: in the treatment of peanuts, do not dilute with water.

Flowsan 05/29/08ALP(EPA04/30/08, CDPRXXX)

^{**} Not registered for use in California.

Cotton Seed: The maximum application rate for cotton seed is 1.6 oz ai/cwt (1,000 ppm). Plant treated cotton seed a minimum of 4 inch deep.

Barley Seed: Plant barley seed a minimum of 1 inch deep.

Oat Seed: Plant oat seed a minimum of 1 inch deep.

Sugar Beet Seed: Plant sugar beet seed a minimum of 1 inch deep.

Wheat Seed: Plant wheat seed a minimum of 1 inch deep.

Onion Seed: When 1.5 lbs ai/cwt is used, the onion seed must undergo pelletized treatment

For the Treatment of Rice Seed in California

Flowsan™ is a liquid organic fungicide recommended for the treatment of rice seed in California.

Used according to directions, Flowsan™ will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by seedborne and soilborne organisms.

Flowsan™ is recommended for use on well cured rice seed in California prior to pre-plant soaking. Flowsan™ should be used with water as a suspension in treaters suitable for adequate mixing and accurate application to the seed. If it is desirable to prepare slurries in large containers for addition to treater tanks, entire contents should be thoroughly agitated before withdrawing any of the slurry for seed treatment.

How to Use: Rice seed treatment in California

Slurry Treaters:

Treater Tank Concentration

Application Rate

Mix 1 gallon of Flowsan™ with 1 gallon of water

4 oz. per 100 lbs. seed

Mist-o-matic Treaters:

Treater Tank Concentration

Application Rate

Mix 1 gallon of Flowsan™ with 1 gallon of water

4 oz. per 100 lbs. seed

Note: To prevent water contamination in irrigation or drainage canals soak water should be retained in settling basins.

Flowsan 05/29/08ALP(EPA04/30/08, CDPRXXX) Page 6 of 7

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Pesticide Storage: Store in original containers only in a secured area inaccessible to children and unauthorized persons. Absorb spills onto clay, sand or vermiculite and hold for proper disposal. Protect from excessive heat. Keep from freezing. Keep container closed when not in use. Do not store near food or feed. Stir before use.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a VIOLATION OF FEDERAL LAW. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

TERMS OF SALE OR USE

On purchase of this product, buyer and user agree to the following conditions:

Warranty: To the extent permitted by applicable law, Taminco, Inc. makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. To the extent permitted by applicable law, buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Darriages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

For Emergencies Involving a Spill, Leak, Fire, Exposure, or Accident, contact: CHEMTREC at (800) 424-9300. For product usage information, phone Taminco, Inc., toll free at (800) 223-3258 from 9:00 AM to 5:00 PM Eastern time. For Other Emergencies, phone (800) 223-3258.

FlowsanTM is a trademark of Taminco N.V., a Belgian company.

MANUFACTURED FOR:



Taminco, Inc. 3350 Riverwood Parkway Suite 1900 Atlanta, GA 30339

NET WEIGHT:

Flowsan 05/29/08ALP(EPA04/30/08, CDPRXXX)