NTED STATES

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W.

Washington, D.C. 20460

X\_Reregistration

NOTICE OF PESTICIDE: \_Registration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

45735-1

DEC 31 1998

Term of Issuance:

Unconditional

Name of Pesticide Product:

Ropel Roach Stoppers

Name and Address of Registrant (include ZIP Code):

Burlington Bio-Medical Corp. 100 Fairchild Ave.

Plainview, NY 11803

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act.

The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above. With regards, to labeling, make the following label changes.

Under the Precautionary Statements "Hazards to Humans and Domestic Animals revise to read:

> "Harmful if swallowed or inhaled ." Causes eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Signature	of	Approvilus	Official:	ſ
<b>\</b>		¥ / 1	- 1 - 1 - 1	ľ

Marion J. Johnson Product Manager 10 Date:

DEC 31 1998

page 2 EPA Reg. No. 45735-1

2. Revise the statement of Practical Treatment to Read.

IF SWALLOWED: Call a physician or Poison Control Center.

Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unco9nscious, do not give anything by mouth and do not induce

vomiting.

IF INHALED: Remove victim to fresh air. If not breathing

give artificial respiration, preferbly mouth-

to-mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a

physician if irritation persists.

3. Your request for a name change has been granted.

NEW NAME: ROPEL ROACH STOPPERS

4. Submit five copies of final printed label before you release the product for shipment.

5. Enclosed is a copy of your label stamped "Accepted with Comments". This action is taken under the authority of Section 4g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregisration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at any time to maintain the reregistration of your product.

Marion J. <sup>(</sup>Johnson Product Manager (10) Insecticide Branch

Registration Division (7505C)

Enclosure

- ODORLESS
- NON-STAINING
- NON-EVAPORATING
- NON-FLAMMABLE

RO-PEL®

### ROACH STOPPERS®

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional precautions

EPA REG. NO. 45735-1 EPA EST. NO. 45735-NY-001

#### NET CONTENTS: 1 LB.

98%
2%
100%

Manufactured by: BURLINGTON BIO-MEDICAL & SCIENTIFIC CORP. 222 Sherwood Avenue, Farmingdale, NY 11735-1718

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. May cause eye initation.

Avoid eye contact. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician of Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if any imitation persists.

## DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

 Shake bottle, lift spout, squeeze bottle to spray under appliances, sinks, furniture, around drains, along all sides of closet shelves, under shelf paper, on ledges; wherever roaches develop paths. Be sure to treat basements, attics and garages.

2. Tap a line of powder by holding bottle horizontally and gently tapping spout on surface to be treated. Put one line of powder in every drawer, around sides and backs of all cabinets and storage shelves, in cracks and crevices behind sinks and toilets. Also treat behind all office furniture and particularly in file drawers. One pound normally treats an average home of 2,000 square feet. New construction treatment in walls requires one pound for every 500 square feet.

### STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

ACCEPTED with COMMENTS In EPA Letter Dated:

DEC 31 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. For best results, Ro•Pel® Roach Stoppers® should be used in every room of a building and applied in every place indicated.

HOW DOES RO-PEL ROACH STOPPERS WORK?
Since Ro-Pel Roach Stoppers is non-repellent, roaches do not avoid it. When they get near it, the electro-static charged powder clings and is carried back to their nests.

RO. PEL ROACH STOPPERS WILL ALSO CONTROL INFESTATIONS OF SILVERFISH, ANTS, PALMETTOS, WATER BUGS.

Keep powder dry! If it gets wet, remove and reapply, to guard against future infestation.

Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants or other areas where food is commercially prepared, or processed. Do not use in serving areas while food is exposed. Avoid contamination of feed and foodstuffs.

Ro-Pel Roach Stoppers may be used in homes, restaurants, hospitals, schools, camps, bakeries, supermarkets, factories, nursing homes, day care centers, food processing plants, warehouses, offices, motels,

grocery stores, apartment buildings, industrial plants, theaters, ships, boats, trains, mobile homes, zoos, kennels, libraries, military bases & utilifies.

UPC

V27/98

JA TAG

3 유 :