

e. It is preferred that the registration number be located above the establishment number.

Have you received an establishment number from our regional office in New York? If not, please contact the Environmental Service Director for EPA Region II, Barbara Metzger, at (212) 264-2525.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

TO PREVENT GRAZING, NIBBLING, BITING, EATING, LICKING, CHEWING, GNAWING AND BROWSING DAMAGE inflicted by deer (*Odocoileus*), beaver (*Castor*), rats (*Rattus* spp.), mice (*Mus* spp.), squirrels (*Sciurus* spp., *Tamiasciurus*, *Glaucomys* spp.), dogs (*Canis*) and cats (*Felis catus*): Apply RO-PEL full strength. Do not mix with any other chemicals. Do not apply on rainy or windy days. Treat surfaces you wish to protect until ALL surfaces are completely wet. Allow surfaces to dry, then apply a second treatment.

For best results apply RO-PEL by the following methods:

TO PROTECT TREES, POLES, FENCES, SIDING, OUTDOOR FURNITURE and SIMILAR OBJECTS

Treat all surfaces to be protected with a coarse sprayer (such as a tank sprayer) or by painting with a brush until treated surfaces are completely wet.

TO PROTECT SHRUBS, ORNAMENTAL PLANTS, GRASS & FLOWERS

Treat all surfaces (including both sides of leaves) with a coarse sprayer until wet.

TO PROTECT GARBAGE

Treat bags of garbage and exposed garbage with a coarse sprayer on all surfaces to be protected, including the trash container, until all surfaces are wet. Allow to dry before handling.

TO PROTECT SEEDS OR BULBS FROM BIRDS AND SQUIRRELS

Soak in RO-PEL for one minute and allow to dry. (Use rubber gloves.) Plant in normal manner.

NOT FOR USE ON EDIBLE CROPS!

WARRANTY STATEMENT

The proper storage, use and disposal are beyond our control. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material especially when such use and handling are contrary to label instructions.



© BURLINGTON SCIENTIFIC CORP. 1985

Stops specified animals and birds* from chewing, gnawing, licking, nibbling or biting.

RO-PEL™

ANIMAL, RODENT AND BIRD REPELLENT

ACTIVE INGREDIENTS	
Benzylidethyl [(2,6 Xylyl)carbonyl]	0.065%
Methyl Ammonium Saccharide	0.035%
Thymol	99.90%
Inert Ingredients	100.00%
Total	

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements

EPA Est. No. 45735-NY
EPA Reg. No. 45735

(Net Contents 1 qt.)

*See list in directions for use.

Patents Pending

Manufactured by: Burlington Scientific Corp., 100 Fairchild Avenue, Plainville, NY 11803

PRECAUTIONARY STATEMENTS

Avoid contact with eyes, skin, food and clothing. Discard contaminated food. Avoid tasting! The taste is extremely bitter and very unpleasant.

Avoid breathing spray. Do not apply RO-PEL indoors.

Never use on food, animal feed, edible plants or directly on the fruit or nuts of trees. Do not use on young maple trees since RO-PEL could affect the taste of the maple syrup. Do not use on fruit or vegetable seeds without prior testing.

RO-PEL has not proven to be harmful to plants when used as directed, but as an added precaution a test should be made before applying.

Before using on painted or stained surfaces test a small area to determine whether RO-PEL's ingredients will damage the surface, paint or stain. Do the same with any plastics or fabrics. If in doubt, test first!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Gargle with water and spit out. IF ON SKIN: Wash first with rubbing alcohol, then soap and water.

IF IN EYES: Flush eyes immediately with copious amounts of water. Get medical attention if any irritation develops and persists.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

One gallon of RO-PEL will properly treat 1,000 to 4,000 sq. ft., depending upon surface conditions and porosity of items being treated.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container. Do not dilute or mix with other chemicals. Protect from freezing and high temperatures. Keep in a dry place, inaccessible to children and pets. If container is punctured, pour remaining contents into another plastic container. If product spills, use an absorbent, such as cat litter, to dry spill.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse, then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill or by incineration; or if allowed by State and Local authorities, by burning. If burned, stay awake from smoke.

ACCEPTED with COMMENTS in EPA Letter Dated:

AUG 8 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

45735-2

3/3