

045735-00021-051299

Printed: 13:50:42 Wednesday, 16 Jun, 1999 # 1 / 3278

Systems Integration Group, Inc.

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

45735-21

EPA Reg. Number:

Date of Issuance:

Term of Issuance: Conditional

MAY | 2 1999

NOTICE OF PESTICIDE:

x Registration Reregistration

Name of Pesticide Product:

(under FIFRA, as amended)

007 PERMETHRIN DUST

Name and Address of Registrant (include ZIP Code):

**Burlington Scientific Corporation** 222 Sherwood Avenue Farmingdale, NY11735

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In orde to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.
- 2. Make the following labeling changes listed below before you release the product for shipment:
- Either delete the statement "Use as needed" under the "Remarks" section in your supplemental labeling or indicate a time period or follow-up application based upon the residual efficacy of the product.

Signature of Approving Official:

Date:

George T. LaRocca

EPA Form 8570-6

	CONCURRENCES						
SYMBOL	7505 C						
SURNAME	SPRONT						
DATE	5/12/99				•••••••	 **************	

- b. Change the phrase "<u>Hazards to Humans</u>" to read "<u>Hazards to Humans and Domestic Animals</u>".
- c. Add the phrase "PRECAUTIONARY STATEMENTS" above the "Hazards to Humans and Domestic Animals" section on the label.
- d. Correct the signal word "CAUTIONS" to read "CAUTION" under the "PRECAUTIONARY STATEMENTS" section of the label.
- e. We assume this product is for outdoor residential use only. Please revise the front panel of the primary and supplemental label to read "For Outdoor Residential Use on Home Gardens Only."
- f. Under Environmental Hazards, revise the second sentence to read "Do not apply directly to water."
- g. Replace the pesticide and container disposal statements with: "Do not reuse empty container. Wrap container and put in trash."
- h. Delete the heading Cereal Grains and Field and Popcorn. These crops are commercially grown. Limit homeowner use to sweet corn.
- i. Statements listed in the Remarks section must be consistent with the Remarks section of EPA Reg. No. 28293-126.
- 3. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

#### READ ENTIRE LABEL BEFORE USE

#### Hazards to Humans

CAUTIONS: Harmful if swallowed, inhaled. Avoid breathing dust. Avoid contact with eyes and skin, Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

#### Statement of Practical Treatment First Aid

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

#### Physical and Chemical Hazards Do not use or store near heat or open flame.

#### Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes,

upc

## 007 PERMETHRIN DUST

For Ornamentals & Home gardens

#### **ACTIVE INGREDIENTS:** Permethrin (3-phenoxyphenyl)methyl (+/-)cis, trans-3-(2,2dichloroethenyt)-2,2-Dimethylcyclopropanecarboxylate\*.......0.25% (NERT INGREDIENTS: 99.75%

\*Cis/trans ratio: Min. 35% (+/-) cis Max. 65% (+/-) trans

#### KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautions.

NET CONTENTS: 12 DZ.

Manufactured for: Burlington Scientific Corp. Farmingdale NY 11735-1718

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOME GARDENS: For Homeowner Use Only) Wearing household latex or rubber gloves, use shaker to apply. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf.) Apply when air is calm to avoid drift and contact with eyes and skin.

Controls a wide range of insect pests. Use at first sign of insect infestation, preferably before damage from feeding occurs. See supplemental labeling for complete directions for use for this product.

#### STORAGE AND DISPOSAL

STORAGE: Store in cool dry place. Do not contaminate feed or foodstuffs by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

10/27/98

Duder the Federal Janorticke, Ferminide, mil Rodystackle Act no appended, for the perticide sternd under EPA Bes. No.

FOR

## 007 PERMETHRIN DUST

For Use On:

# Ornamentals Home Gardens

## **ACTIVE INGREDIENT:**

## **KEEP OUT OF REACH OF CHILDREN**

#### CAUTION

See Side/Back Panel for Additional Precautions

**NET CONTENTS: 12 OUNCES** 

### **MANUFACTURED FOR:**

Burlington Scientific Corp. 222 Sherwood Ave. Farmingdale, NY 11735-1718 (516) 694-9000

EPA REG. NO. 45735-21

EPA EST. NO. 45735NY-001

#### READ ENTIRE LABEL BEFORE EACH USE.

## PRECAUTIONARY STATEMENTS

## Hazards to Humans

CAUTION: Harmful if swallowed, inhaled. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

## Statement of Practical Treatment First Aid

<u>IF IN EYES</u>: Flush with plenty of water. Get medical attention if irritation persists. <u>IF ON SKIN</u>: Wash with plenty of soap and water. Get medical attention if irritation persists.

## Physical and Chemical Hazards

Do not use or store near heat or open flame.

## **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## **HOME GARDENS**: For Homeowner Use Only.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf). Apply when air is calm to avoid drift and contact with eyes and skin.

Controls a wide range of insect pests. Use at first signs of insect infestation, preferably before damage from feeding occurs. NOTE: the pre-harvest (time between use and harvest) interval with each crop listed.

Directions for Application Crop	Target Pest	Remarks
Cole Crops		
Broccoli	Cabbage Looper Imported Cabbageworm	Dust Lightly. Use as needed until 1 day before harvest
	Diamondback Moth	• • • •
	Cabbage Aphid	• • •

Directions for Application Crop	Target Pest	Remarks
Cole Crops (Continued)		
Brussels Sprouts	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust lightly. Use as needed until 1 day before harvest.
Cabbage	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust lightly. Use as needed until 1 day before harvest.
Cauliflower	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust lightly. Use as needed until 1 day before harvest.
Chinese Broccoli	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust lightly. Use as needed until 1 day before harvest.
Chinese Cabbage	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust lightly. Use as needed until 1 day before harvest.
Collards	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust lightly. Use as needed until 1 day before harvest.
Cucurbit Vegetables		
Cucurbit Vegetables*	Leafminer Squash Bug Cabbage Looper Cucumber Beetle (adult) Cutworm Melon Worm Pickle Worm Plant Bug (including Lygus	Dust lightly. Use as needed until 1 day before harvest.

and Stink Bug)

Squash Vine Borer

Rindworm

\*Cucurbit Vegetables are: Chayote(fruit), Chinese Waxgourd, citron melon, cucumber(gherkin), gourds(edible includes hyotan, cucuzza, jicama, Chinese Okra), Momordica spp.(includes balsam apple, balsam pear, bitter melon, Chinese cucumber), muskmelons (includes true cantalope, cantalope, casaba, crenshaw, golden porshaw, honeydew melons, honey bells, mango melon, Persian melon, pineapple melon, Santa Claus melon, snake melon, pumpkin, squash (summer such as crookneck, scallop, straightneck, vegetable marrow, zucchini), squash(winter such as butternut, calabaze, hubbard, acorn spaghetti), watermelon(Includes hybrids).

Directions for Application		
Crop	Target Pest	Remarks
Flowering Vegetables		
Eggplant	Colorado Potato Beetle Vegetable Leafminer Cabbage Looper Flea Beetle	Dust lightly. Use as needed until 3 days before harvest.
Peppers (Bell)	Pepper Weevil Vegetable Leafminer Cabbage Looper Flea Beetle European Corn Borer	Dust lightly. Use as needed until 3 days before harvest.
Tomatoes	Tomato Fruitworm Cabbage Looper Tomato Pinworm Vegetable Leafminer Beet Armyworm Southern Armyworm Colorado Potato Beetle Granulate Cutworm Hornworm	Dust lightly. Use as needed until day of harvest.
Leafy Vegetables		
Leafy Vegetables*	Vegetable Leafminer Cabbage Looper Fall Armyworm Beet Armyworm Corn Earworm Leafhopper	Dust Lightly. Use as needed until 1 day before harvest.

European Corn Borer

5 / 11

Leafy vegetables are: Amaranth, arugula, cardoon, celery, chinese celery, celtuce, chervit, corn salad, chrysanthemum, edible-leaved chrysanthenum, garland, cress(garden, yellow rocket and winter), dandelion, dock(sorrel), endive, fennel, lettuce (head and leaf), orach, parsley, purslane(winter and garden), radiccio, rhubarb, spinach, spinach vine(Malabar spinach and Indian spinach), spinach(New Zealand), Swiss Chard.

Directions for Application Crop	Target Pest	Remarks
Root, Tuber and Bulb Vegetables		
Horseradish	Imported Crucifer Weevil	Dust lightly. Do not apply within 30 days of harvest
Onions		
Dry bulb and Garlic	Onion Thrips Armyworm Cutworm Leafminer Onion Maggot (Adult) Stink Bug	Dust lightly. Use as needed until 1 day before harvest
Potatoes	Colorado Potato Beetle Potato Leafhopper Aster Leafhopper Potato Flea Beetle Potato Aphid Potato Tuberworm Potato Psyllid Cabbage Looper	Dust Lightly. Use as needed until 14 days before harvest
Turnips	Cabbage Looper Imported Cabbageworm Diamondback Moth Cabbage Aphid	Dust Lightly. Use as needed until 1 days before harvest
Cereal Grains		•
Field Corn	Army worm	Dust Lightly. Apply in the
Popcorn	Cutworm	time period from 5 days prior
(pre-emergent use)	European Corn Borer	to planting up to emergence of the Crop

Directions for Application Crop	Target Pest	Remarks
Cereal Grains (Continued)		
Field Corn Popcorn (foliar use)	Cutworm Armyworm Southwestern Corn Borer Flea Beetle Corn Earworm Corn Rootworm Beetle Tobacco Budworm Stalk Borer	Dust lightly. Use as needed until 30 days before harvest
Sweet Corn	Corn Earworm European Corn Borer Fall Armyworm Southern Armyworm Corn Rootworm (Adult) Cutworm Aster Leafhopper Flea Beetle	Dust lightly. Use as needed until 1 day before harvest
Other Crops Artichokes	Artichoke Plume Moth	Dust lightly. Use as needed until day of harvest
Asparagus	Asparagus Beetle	Dust lightly. Use as needed until 1 day before harvest
Ornamentals		
Asparagus Fern	Japanese Beetle Asparagus Beetle Lygus Bug	Dust lightly. Use as needed.
Roses	Beet Armyworm Cabbage Lopper Omnivorous Leafroller	Dust lightly. Use as needed.
Tree Crops		Dust lightly using a dust gun or rotary duster.
Almonds	Naval Orangeworm Peach Twig Borer	Dust lightly. Use as neededuntil 1 day before harvest
		4 4 ± 4

9 9 11

Directions for Application			
Crop	Target Pest	Remarks	
Tree Crops (Continued)			
Apples	Apple Aphid Redbanded Leafroller Obliquebanded Leafroller Plum Curculio White Apple Leafhopper Spotted Tentiform Leafminer Tarnished Plant Bug	Dust lightly. Do not apply after petal fall	
Avocados	Thrips Leaf hopper Mirid Bug Lepidopterous Larvae	Dust lightly. Use as needed until 7 days before harvest	
Cherries	Lesser Peachtree Borer Rose Chafer Green Fruitworm Redbanded Leafroller Plum Curculio Tarnished Plant Bug	Dust lightly. Use as needed until 3 days before harvest	
Filberts	Filbertworm Obliquebanded Leafroller	Dust lightly. Use as needed until 14 days before harvest	
Papaya	Fruit Fly	Dust lightly. Use as needed until 7 days before harvest	
Peaches	Peach Twig Borer Oriental Fruit Moth Green Fruitworm Lesser Peachtree Borer Plum Curculio Tarnished Plant Bug Rose Chafer	Dust lightly. Use as needed until 14 days before harvest	
Pears (Dormant)	Pear Psylla	Dust lightly. Use as needed during the dormant through the dormant growth period.	
Pears (Pre-Bloom)	Pear Psylla Codling Moth Green Fruitworm	Dust lightly. Use as needed through bud burst	

Directions for Application			
Crop	Target Pest	Remarks	
Tree Crops (continued)			
Pistachios	Peach Twig Borer Naval Orangeworm	Dust lightly. Use as needed until 10% hull split	
Walnuts	Navel Orangeworm Codling Moth Walnut Husk Fly	Dust lightly. Use as needed until 1 day before harvest	

## STORAGE AND DISPOSAL

STORAGE: Store in cool, dry place. Do not contaminate feed or foodstuffs by storage or

disposal.

PESTICIDE Wastes resulting from the use of this product may be disposed of on site or

DISPOSAL: at an approved waste disposal facility.

<u>CONTAINER</u> Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local

authorities, by burning. If burned, stay out of smoke.