	Less programmen to	
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	DATE OF ISSUANCE	
REGISTRATION DIVISION (RH-567) MASHING TOP CO. 46.	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: HE GISTRATION HE HE GISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide) una Rodenticide Act, as awended;		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
F	T	
• • • • • • • • • • • • • • • • • • • •		
L	-J	
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division prior product always refer to the above U.S. CPA registration num	from that accepted in connection with this registration must be or to use of the label in commerce. In any correspondence on t orber,	his
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Podenticide Act.	above named pesticide is hereby Registered/Reregistered un	der
A copy of the labeling accepted in connection with this Reg	gistration/Reregistration is returned herewith.	
nealth and the environment, the Administrator, on his motion scide in accordance with the Act. The acceptance of any na	t or approved of this product by this Agency. In order to protein, may at any time suspend or care of the registration of a perime in connection with the regissation of a product under this of exclusive use of the name or to its use if it has been covered.	st-
	ing the contract of the contra	
• •	· · · · · ·	
	am the state of the	
	 Transport to the state of the s	
.e		
.e:		
. C :		
.e.:		
.6:		
ATTACHMENT IS APPLICABLE		

Front Panel

Northeast Packaging, Inc. House & Garden Insect Killer #2

For House and Garden Use Only

ACTIVE INGREDIENTS: d-trans Allethrin (allyl homolog of Cinerin I) *Piperonyl butoxide, technical -N-octyl bicycloheptene dicarboximide	0.25% 0.80% 0.40%
INERT INGREDIENTS:	98.55% 100.00%

- * Equivalent to .64% (butylcarbityl)(6-propylpiperonyl) ether and .16% related compounds
- 4 MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Kills Common Household Pests:

House Flies, Mosquitoes, Cockroaches, Firebrats, and others listed on back panel.

Kills Common Plant Pests on Ornamentals. Japanese beetles, Aphids, White Flies and others listed on back panel.

Net Weight 12 oz.

Manufactured B_{y} :

ACCEPTATA

WILL CREATE

B. EPA Lea

Northeast Packaging, Inc. Orange, Conn. 06477

EPA Reg. No. 45746

EPA Est. No. 45746-67-1

UUT10 1984

45-746-6

and Rice Weevils: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sowbugs, Earwigs, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

¿ÕŪTDOORS/ To kill Flies, Mosquitoes, Gnats and Flying Moths: Spray area infested with these listed flying insects. Follow precautions listed above. Hold container 18-24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these pests, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

To Protect Ornamental Plants: for insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snapdragons. Also, for insects specified below on Evergreens and Small Ornamental Deciduous Trees, Shrubs and Vines. Do not spray cucumbers.

When sprayed directly on insects this spray kills sucking insects: Aphids, Leaf-hoppers, Spotted Mites, Thrips (exposed) and Lace Bugs. Kills chewing insects: Army Worm Larvae, Mexican Bean Beetles, Climbing Cutworms and Japanese Beetles when sprayed directly.

WHEN SPRAYING KEEP CAN 18-24 INCHES FROM PLANT.

For best results spray in evening or on a cloudy day when air is still. Use slow sweeping motion. Avoid wetting foliage with the spray. Spray rows at the rate of 1 ft. per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray when temperatures exceed 90°F.

This product may be used outside on porches, patios and in the yard and picnic areas to kill Flies, Mosquitoes, Gnats and Flying Moths present at the time of treatment. Spray the area liberally. Spray with the breeze allowing the spray to drift into shrubbery and other places where insects harbour. Repeat as necessary.

To Kill Wasps: Spray nests with a generous blast (at least 4-6 seconds) from this unit from a distance of approximately 2 ft. - soaking the nest thoroughly with the spray. To avoid being stung make applications at dusk, or other times when wasps are not active.

To Kill Sowbugs and Ants: Spray directly as many insects as possible. Spray ant hills and trails. Repeat as necessary for control.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing, storage, preparation or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Environmental Hazards

This pesticide is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of elipment or disposal of wastes.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and

put in trash collection.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

/INDOORS/ To Kill Flies, Mosquitoes, Flying Moths and Gnats: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensils.

To Kill Cockroaches, Ants and Criclets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pesus are suspected of hiding. For control of ants, treat doors, window sills, ant trails and other areas of entry. Repeat as necessary for control.