

ACCEPTED

OCT 11 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

# THE POOL DOCTOR'S SANITIZER

MUST BE  
STORED IN  
AN UPRIGHT  
POSITION!



"FOR SWIMMING POOL CHLORINATION  
AND SANITIZING"

ACTIVE INGREDIENT:  
SODIUM HYPOCHLORITE ..... 12.5%  
INERT INGREDIENTS ..... 87.5%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin vomiting. Get prompt medical attention.

See additional precautions on side panel.

NET CONTENTS: ONE GALLON

BEST AVAILABLE COPY

## DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT  
IN A MANNER INCONSISTENT WITH ITS LABELING.

### DIRECTION FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up superchlorinate with one (1) pint (16 flu. ozs.) of sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance:

(A) Adjust pool water pH to 7.6 - 7.2 range and maintain.

(B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One-fourth pint (4 flu. ozs.) of the sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain pH and chlorine residual are in the proper range.

### DIRECTIONS FOR DISINFECTION OF POTABLE WATER AT WATER TREATMENT FACILITIES

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit.

\*Contact your local Health Department for further details.

### DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Allow to air dry. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tablespoons) of the sodium hypochlorite solution per 5 gallons water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:** Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinseate that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food, or feed by storage, disposal or cleaning of equipment.

**STORE IN UPRIGHT POSITION.**

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS:**  
**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

DISTRIBUTED BY  
**Jones Chemical**  
100 Sunny Sol Blvd.  
Caledonia, New York 14423

EPA REG. NO.: 1744-2-45811  
EPA EST. NO.: 45811-MI-01  
HYPOCHLORITE SOLUTION UN 1791

BEST AVAILABLE COPY