



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS  
CAUTION**

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

**STATEMENT OF  
PRACTICAL TREATMENT**

- First Aid:** Call physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Remove victim to fresh air. Apply resuscitation if needed. Remove contaminated clothing and wash affected areas with soap and water.
- Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

In commercial food handling facilities, cover and remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying, wash all equipment, utensils, etc., where exposed food will be handled, with potable water.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of waste.

**PHYSICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTION FOR USE continued**

**SPACE SPRAY:** For rapid control of house flies, fruit flies, mosquitoes, small flying moths and gnats. Close doors and windows and shut off ventilating systems. Apply using a good sprayer adjusted to deliver a fine mist. Direct spray toward upper portions of the enclosure, filling the room with mist. Use 1.2 to 1 ounce per 1000 cubic feet of space.

To kill exposed stages of roaches, ants, spiders, clover mites, cheese mites, confused flour beetles, sawtoothed grain beetles, red flour beetles, rice weevils, granary weevils and grain mites. Treat as above using 2 to 3 ounces per 1000 cubic feet of space. Keep area closed for at least 15 minutes. Ventilate treated area and ventilate before reoccupying. Repeat treatment if reinfestation occurs.

**SURFACE SPRAY:** To insure maximum control of the crawling insects named above, apply as a coarse mist directed toward the insects into cracks and crevices along baseboards, around the base of machinery, containers of stored products and other areas where insects may hide. Spray ant trails, nests and points of entry. Spray badly infested areas daily in other areas repeat treatment twice weekly until reinfestation occurs.

Terms of sale or use on purchase or use of this product buy and user agree to the following conditions:

**Warranty:** CHEM TOX warrants that this product, as of the time of sale by CHEM TOX, conforms to the ingredient statement on the label and is reasonably fit for the purposes set forth in the Directions for Use. Except as so warranted the product is sold as is. CHEM TOX makes no other warranty, express or implied.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price and shall not include incidental or consequential damages. Notice of any claim must be reported to CHEM TOX within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**Excuse from non-controllable conditions:** Because of certain critical conditions created or incurred by buyer or user or over which CHEM TOX has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release CHEM TOX from liability arising out of handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

**CT** **chem - tox**

