



45898-5

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER Corrosive; causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID - PRACTICAL TREATMENT: If swallowed feed granules, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS - Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

SPECIAL PRECAUTIONS

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint.
3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product to skimmer make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow build up of dry material in skimmer as gases generated may cause an explosion.

E.P.A. Reg. No. 45898-5
E.P.A. Reg. No. 45898-5

GRANULAR-60

STABILIZED CHLORINATING GRANULES

ACTIVE INGREDIENT

Triaz netrone

99.5%

Not available chlorine

CONTENTS, NET WEIGHT 10 LBS.

KEEP OUT OF REACH OF CHILDREN

**DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

- Features
 - A most effective
 - Will not stain
 - Will not irritate
 - Flame resistant
- Granular-60 is an effective to use in the pool.

1. Adjust water level
 2. If the pool is empty, add cyanuric acid to establish a minimum of 7.5 ppm. When starting a new pool, accomplish this step before adding Granular-60. Granular-60 is 1000 gallon/2.0 ppm as between 7.5 and 10.0 ppm. Apply dosage as directed. A shock treatment is recommended. Less than 10.0 ppm shock treatments should be done. Chlorine residual should be maintained at 1.0 ppm.
- STORAGE:** Store in original container when not in use. Do not use if container is open for more than 30 days. If possible, store in a cool, dry place. Material is not to be used if it is not approved for use.



45898-5

GRANULAR-60

STABILIZED CHLORINATING GRANULES

ACTIVE INGREDIENT

Sodium Dichloro-s-triazinetriene 49.5
Inert Ingredient 50.5
16.2% available chlorine

CONTENTS: NET WEIGHT 10 LBS.

**KEEP OUT OF REACH OF CHILDREN
DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

- Features a dry chlorine that dissolves immediately
- A most effective germicide and algaecide
- Will not cause cloudiness in water
- Will not add scale-forming minerals to the water
- Will maintain your pool crystal clear
- Flame resistant

Granular-60 provides a more stable form of chlorine for easier handling and an effective chlorine residual in pool water for disinfecting action. It is recommended to use it after the pool is stabilized; you will need to apply granular-60 less often.

DIRECTIONS FOR USE

1. Adjust water pH to 7.2-7.6 as determined by a test kit.
 2. If the pool has not been previously stabilized, add conditioner (sodium cyanuric acid). Follow the directions for use on the label for that product.
- When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.5 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. Granular-60 per 1000 gallons of pool water. The next morning, add cyanuric acid at the rate of 4 oz. per 1000 gallons to stabilize the pool.
- Granular-60 should be added daily or as needed at the rate of 1/4 to 1/2 oz. per 1000 gallons of pool water to maintain a chlorine residual at all times of 1.5 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in a pail.
- A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Granular-60 per 1000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached 3.0 ppm.
- ADD GRANULES TO POOL THROUGH SKIMMER. DO NOT MIX IN A PAIL.**

STORAGE & DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from fire, gas, or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to remove all material before discarding. Place in trash with care and dispose in approved landfill area.

MAA 1A 1000-100
BRACO PRODUCTS COMPANY
5990 S.W. North Shore
Fort Lauderdale, Florida 33307

STATEMENTS

DOMESTIC ANIMALS

May be fatal if swallowed. Do not inhale dust and throat. Avoid breathing. Wear goggles or face shield and gloves after handling.

If swallowed feed grain, cooked kibble or cooling oil. In case of eye contact flush skin or eyes with cold water. Seek medical attention as soon as possible before reuse.

Do not use moist or damp granular matter, or other chemicals in contact with generation of heat, or generation of fire.

Granular-60 is toxic to fish. Keep out of streams. Disposal may be required for discharges. For guidance contact the Environmental Agency.

PRECAUTIONS

1. Hold away from face when pouring.

2. In its undissolved state and vinyl chloride leaching of the vinyl or paint may occur in a prescribed feeder to the water.

3. Feeder make sure there are no leaks. Reaction may occur. It is always best to follow directions on label. Do not take advice from other sources.

4. Treat a pool after treatment if it is cloudy. Algae that may be in cracks or crevices. Such a high chlorine residual falls to 1.5 ppm. Such a high chlorine residual can be dangerous if not properly treated. This could result in a fire. Store this product in a closed container. Do not mix in a pail. When the pump is on and water is circulating in the system. Do not allow build up of granular matter. Granular matter may cause an explosion.

45898-5
45898-5

WORKERS SAFETY RULES

IMPORTANT! Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is a danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See Statement of Practical Treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

ANNUAL WEED CONTROL

CASORON 50W is recommended for control of annual grassy and broadleaved weeds and certain perennial weeds such as:

Annual Bluegrass (<i>Poa annua</i>)	Evening Primrose Fiddleneck	Milkweed Vine (<i>Morrenia odorata</i>)	Russian Thistle Shepherdspurse
Bluegrass	Florida Purslane (<i>Pusley</i>)	Miners lettuce	Smartweed
Bull Thistle	Foxtail	Natalgrass	Spanishneedles
Camphorweed	Gisekia	Old Witchgrass	Spurge
Carpetweed	Groundsel	Peppergrass	Teaweed
Chickweed	Henbit	Pineapple Weed	Texas Panicum (Hurrahgrass)
Citron Melon	Horsetail	Plantain	Wild Barley
Coffeeweed	Jerusalem oak	Purslane	Wild Mustard
Crabgrass	Goosefoot	Ragweed	Wild Radish
Cudweed	Knotweed	Red Deadnettle	Yellow Woodsorrel
Dandelion	Lambsquarters	Redroot Pigweed	
Dogfennel	Maypops	Rosarypea	

Apply CASORON 50W over-all or as a directed spray either in early spring before seeds of annual weeds germinate or after cultivation has removed the growing weeds. Apply in sufficient water for uniform coverage (at least 50 gallons per acre). If treatment is followed by application of 1/2 to 1 inch of water by overhead irrigation, the lower rates are recommended. Shallow incorporation immediately after application is recommended in southern areas. In other areas, shallow incorporation or sprinkler irrigation is suggested when applications are made during periods of high temperature. CASORON 50W may be used for weed control on the plants listed below.

USE PRECAUTIONS

DO NOT USE IN SEED BEDS, TRANSPLANT OR CUTTING BEDS OR GREENHOUSES. DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM. Do not apply until 6 months after rooting of cuttings in the field, or after planting rooted cuttings. Do not apply more than the maximum recommended amount of CASORON 50W per growing season. Do not use on "St. Lucie fine sand," "Arzell fine sand" or other light sand soil. Do not graze livestock in treated areas.

WOODY ORNAMENTALS AND SHELTERBELTS (ESTABLISHED AND IN NURSERIES)

CASORON 50W may be used for weed control on the plants listed below. Apply 8 to 12 pounds per acre, based on area actually treated. Do not apply until 4 weeks after transplanting. Following general directions above.

Amur Corktree	Dogwood	Ivy (<i>Hedera helix</i>)	Pachistima
Arbor Vitae	Eastern Red Cedar	Juniper	Pecan
Ash	Elm	Kinnikinnick	Photinia
Azalea ¹	Elwood Cypress	Laurel	Pittosporum
Barberry	English Walnut	Leucothoe	Poplar
Beauty Bush	Euonymus	Lilac	Privet
Birch	Filbert	Linden	Pyracantha
Boxelder	Flowering Almond	Locust	Rhododendron
Boxwood	Flowering Quince	Magnolia	Rockrose
Camellia	Forsythia	Maple	Rose
Caragana	Gardenia	Mock Orange	Russian Olive
Cleyera japonica	Goldenraintree	Mountain Ash	Spirea
Cotoneaster	Hackberry	Nandina	Squawcarpet
Cottonwood	Heather	Oak	Weigela
Crabapple	Holly (<i>Ilex</i> spp.) ²	Osmanthus (Holly-olive)	Willow
Deutzia	Honeysuckle		Yew (<i>Taxus</i>)

¹Kurume, Mollis, Hardy hybrid types and hardy native Azalea species only.

²Except *I. crenata*, *I. rotunda*, *I. vomitoria*.

OTHER USES

UNDER ASPHALT: For general weed control under asphalt (in areas such as roadways, parking lots, recreational areas); after final grade is achieved, apply 20-24 lbs. in 75 to 100 gals. of water per acre. (7 1/2 to 9 oz. per 1,000 sq. ft. in 1 1/2 to 2 1/2 gals. water). Treated area should be covered with asphalt as soon as possible. For re-surfacing work, existing weeds should be sprayed with a contact herbicide prior to CASORON 50W application.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

ACCEPTED
30 OCT 1981
45898-5

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND WEED KILLING ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID (PRACTICAL TREATMENT): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

SPECIAL PRECAUTIONS

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint.
3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product to skimmer make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow build-up of dry material in skimmer as gases generated may cause an explosion.

E.P.A. Reg. No. 45898-5
E.P.A. Est. No. 45898-FL-1

GRANULAR-60

STABILIZED CHLORINATING GRANULES

ACTIVE INGREDIENT

Sodium Dichloro-s-triazinetriene	99.5%
Inert Ingredient5%
(62% available chlorine)	

CONTENTS: NET WEIGHT 10 LBS.

KEEP OUT OF REACH OF CHILDREN

**DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

2652

ACCEPTED
30 OCT 1981
45898-5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 FOR FEDERAL TOXIC SUBSTANCE CONTROL ACT
 REGISTERED UNDER NO.

GRANULAR-60

STABILIZED CHLORINATING GRANULES

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algacide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame resistant.

Granular-60 provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It is economical to use in that, after the pool is stabilized, you will need to apply Granular-60 less often.

DIRECTIONS FOR USE

1. Adjust water pH to 7.2-7.6 as determined by a test kit.
 2. If the pool has not been previously stabilized, add conditioner and stabilizer (cyanuric acid). Follow the directions for use on the label for that product.
- When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.5 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. Granular-60 per 1000 gallons of pool water. The next morning, add cyanuric acid at the rate of 4 oz. per 1000 gallons to stabilize the pool.

Granular-60 should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1000 gallons of pool water to maintain a chlorine residual at all times of 1.5 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in a pail.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Granular-60 per 1000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached 3.0 ppm.

ADD GRANULES TO POOL THROUGH SKIMMER. DO NOT MIX IN A PAIL.

STORAGE & DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area.

MANUFACTURED BY
BRACO PRODUCTS COMPANY
 5990 S.W. Ninth Street
 Fort Lauderdale, Florida 33317

KEEP OUT OF REACH OF CHILDREN
DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL

ACTIVE INGREDIENT

Sodium Dichloro-s-triazinetriene	99.5%
Inert Ingredient5%
(62% available chlorine)	

CONTENTS: NET WEIGHT 10 LBS.

PRECAUTIONS
 swallowed. Do not breathe dust. Avoid breathing or face shield and goggles.
 red gravel, cooked kerosene, cooking oil. In case of fire, use water or eye with cold water as soon as possible.
 use moist or damp cloth. Do not use other chemicals. Avoid generation of heat, sparks, or fire.
 fish. Keep out of water. First aid required for disfigurement contact the manufacturer.
 from face when using.
 red state and vinyl. Do not use on vinyl or paint. Use as described feeder to avoid damage.
 sure there are no leaks. It is always better to be safe than sorry.
 Do not take advice from anyone other than the manufacturer.
 After treatment it is possible that chlorine may be in cracks or crevices. Such products should be cleaned. Such products are dangerous if not used properly. They could result in a fire or explosion. Do not use in a closed area. When used in a pool, do not allow build-up of chlorine. Do not allow build-up of chlorine.