

45898-6

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER Corrosive. Causes eye damage. May be fatal if swallowed. Causes severe burns on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID (PRACTICAL TREATMENT) If swallowed feed grain, cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals or any foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

SPECIAL PRECAUTIONS

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint.
3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose algae that may be in tracks. It eliminates that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pan. When adding this product to skimmer, make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow build up of dry material in skimmer as gases generated may cause an explosion.

SLOW DISSOLVING

"E" CARTRIDGE

1/2 OUNCE

1" DIAMETER

ACTIVE INGREDIENT

NET WEIGHT, 4 LBS.

**KEEP OUT OF REACH OF CHILDREN
DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

PUNCH

1. Adjust
2. If the
3. Punch
4. If the

Please
acid side
pool water
as determi
carbonate

STORAGE
when not in
or open flame
if possible
container. If
material be
approved for

45898-6

SLOW DISSOLVING

"E" CARTRIDGE

½ OUNCE

1" DIAMETER

ACTIVE INGREDIENT

Trichloro-s-triazine, 99%
minimum purity

Trichloro-s-triazine, 99% minimum purity

NET WEIGHT, 4 LBS.

KEEP OUT OF REACH OF CHILDREN

**DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

DIRECTIONS FOR USE

PUNCH HOLES

INSERT IN FEEDER

Adjust water to 7.2-7.6 pH as determined by test kit.

2. If the pool has not been stabilized, add conditioner (cyanuric acid) according to directions.

Punch 3 or 4 holes on each side of Cartridge (total 8 holes). This should result in a chlorine residual of 1.5 to 2.00 ppm as determined by a test kit. To increase the chlorine residual, punch additional holes. Holes not needed in the bottom of the Cartridge.

4. If the chlorine residual is below 1.0 ppm the addition of granular chlorine to quickly bring the chlorine residual to the proper level is advised. Follow label directions carefully.

Please note: The pH of the slow dissolving tablets on the acid side and will tend to reduce the pH and alkalinity of the pool water. Proper pH should be maintained at pH 7.2 to 7.6 as determined by a test kit, by periodic additions of sodium carbonate or sodium bicarbonate.

STORAGE & DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate and remove container if possible and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water and dissolve in material before discarding. Place in trash collection container or use in approved landfill area.

MANUFACTURED BY

BRACO PRODUCTS COMPANY

1940 S.W. 10th Street

Fort Lauderdale, Florida 33305

STATEMENTS

DOMESTIC ANIMALS

May be fatal if swallowed. Do not breathe fumes and avoid breathing. Wear goggles or face shield and gloves after handling.

Do not swallow feed grain, cooked corn or oil or cooking oil. In case of skin contact, flush skin or eyes with cold water. Seek medical attention as soon as possible. Do not wear clothing before reuse.

Do not use moist or damp organic matter, or other chemicals. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

CAUTIONS

Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.


Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.

Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire. Do not use in the presence of heat, or generation of fire.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID (PRACTICAL TREATMENT): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

SPECIAL PRECAUTIONS

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint.
3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product to skimmer make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow build-up of dry material in skimmer as gases generated may cause an explosion.

E.P.A. Reg. No. 45898-6
E.P.A. Est. No. 45898-FL-1

SLOW DISSOLVING

"E" CARTRIDGE

½ OUNCE

1" DIAMETER

ACTIVE INGREDIENT

Trichloro-s-triazinetriene 99.0%
Inert Ingredient 1.0%
(provides 89% available chlorine)

NET WEIGHT: 4 LBS.

KEEP OUT OF REACH OF CHILDREN

**DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

DIRECT


PUNCH HOLES

1. Adjust water to 7.2-7.4.
2. If the pool has not been treated with cyanuric acid) according to instructions.
3. Punch 3 or 4 holes on the bottom of the pool (2.00 ppm as determined by a test kit). This should be done after the chlorine residual has been added in the bottom.
4. If the chlorine residual is low, add granular chlorine to the pool to the proper level, as determined by a test kit.

Please note: The pH of the pool water is acidic and will tend to lower the pH of the pool water. Proper pH should be maintained by a test kit. Add sodium bicarbonate or sodium bicarbonate to the pool water as determined by a test kit.

STORAGE & DISPOSAL: Store in a cool, dry place when not in use. Store in a cool, dry place or open flame. In case of decay, if possible, and flood with large amount of water. Rinse empty container before discarding. Dispose of in an approved landfill area.

MAA
BRACO PR
59901
Fort Lauderdale



SLOW DISSOLVING

“E” CARTRIDGE

½ OUNCE 1" DIAMETER

ACTIVE INGREDIENT

Trichloro-s-triazinetriene	99.0%
Inert Ingredient	1.0%
(provides 89% available chlorine)	

NET WEIGHT: 4 LBS.

KEEP OUT OF REACH OF CHILDREN

**DANGER: SEE FIRST AID STATEMENT
AND OTHER PRECAUTIONS ON SIDE PANEL**

DIRECTIONS FOR USE

PUNCH HOLES

INSERT IN FEEDER

1. Adjust water to 7.2-7.6 pH as determined by test kit.
2. If the pool has not been stabilized, add conditioner (cyanuric acid) according to directions.
3. Punch 3 or 4 holes on each side of Cartridge: (total 6 to 8 holes). This should result in a chlorine residual of 1.5 to 2.00 ppm as determined by a test kit. To increase the chlorine residual punch additional holes. Holes not needed in the bottom of the Cartridge.
4. If the chlorine residual is below 1.0 ppm the addition of granular chlorine to quickly bring the chlorine residual to the proper level, is advised. Follow label directions carefully.

Please note: The pH of the slow dissolving tablet is on the acid side and will tend to reduce the pH and alkalinity of the pool water. Proper pH should be maintained at pH 7.2 to 7.6 as determined by a test kit, by periodic additions of sodium carbonate or sodium bicarbonate.

STORAGE & DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area.

MANUFACTURED BY

BRACO PRODUCTS COMPANY

5990 S.W. Ninth Street
Fort Lauderdale, Florida 33317