



MOLY-T™

PLANTER BOX SOYBEAN SEED TREATMENT

FUNGICIDE PLUS MOLYBDENUM

Active ingredient: Thiram (Tetramethylthiuram disulfide)	26.60%
Inert Ingredients*	73.40%
	<u>100.00%</u>
*Added Ingredients	
Graphite	15.00%
Molybdenum (derived from Sodium Molybdate)	5.27%

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE PRECAUTIONARY STATEMENTS**

EPA Reg No 15382-3 EPA Est No 15382-IL-1

**NET CONTENTS:
11 LBS., 14 OZ. (5.39 KG.)
50 BUSHEL SIZE**

**Manufactured By
KALO LABORATORIES, INC.
Kansas City, Missouri 64114**

DOCUMENT AVAILABLE 11/75

PRECAUTIONARY STATEMENTS 2 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhaling dust. Wear respirator. Avoid contact with skin, eyes, or clothing. May cause irritation of eyes, nose, throat, and skin. Wash with soap and water. If irritation persists, get medical attention. Avoid contamination of feed and food. **DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. DO NOT USE CONTENTS ON LESS THAN 50 ACRES.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on the label.

117 114

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

STORAGE: Avoid exposure to excessive heat.

DISPOSAL: The empty container and any excess treated seed or wastes should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

GENERAL DIRECTIONS

MOLY-T™ is an easy-to-use soybean seed treatment formulated for planter box application. MOLY-T is formulated with a non-oil lubricant to help seed flow easily and evenly from the planter

box. MOLY-T furnishes 1.0 ounce of Thiram per bushel to protect against seed and soil-borne diseases, such as seedling blights, damping-off, and seed decay organisms. MOLY-T provides 0.2 ounce of molybdenum per acre for plant nutrition and as an aid to the valuable nitrogen fixation process of the soybean plant.

USE DIRECTIONS

Measuring SCOOP enclosed

DO NOT USE ANY WATER. Apply MOLY-T as a planter box treatment at the rate of 3.8 ounces (3 level SCOOPS) per bushel of soybean seed. Plant soybeans at the rate of one (1) bushel per acre for proper application of molybdenum. Treat half the seed in the planter box with half the required MOLY-T and mix thoroughly with a stick or paddle until a uniform color is imparted to all seed. Add the remaining seed and cover with balance of MOLY-T. Mix thoroughly as above. Plant as fast as possible. Keep container from overflowing.

WARRANTY AND CONDITIONS OF SALE*

KALO LABORATORIES, INC. warrants this product conforms to its label description and is reasonably fit for use if used strictly in accordance with label directions subject to the inherent risks stated below. KALO MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, WHETHER OF FITNESS OR MERCHANTABILITY OR ANY OTHER MATTER RESPECTING THE PRODUCT: IN NO CASE SHALL KALO OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Directions for Use are believed to be reliable. However, since weather, soil and plant conditions, presence of other materials or the manner of use or application may adversely affect performance even when used in accordance with label directions, Buyer assumes all such risks. In any event, Kalo's and Seller's liability shall be limited to return of purchase price. Kalo and the Seller offer it, subject to the foregoing Warranty and Conditions of Sale, which may be varied only by agreement in writing signed by a duly authorized representative of Kalo.

*These Conditions of Sale are subject to any applicable contrary governmental restrictions or laws.

3

BEST DOCUMENT AVAILABLE

118
113

RECEIVED
NOV 7 1919

ACCEPTED
NOV 7 1919
Upon the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, by the pesticide
registered under 45989-2

31A

118A

10