

625
17
15-2039
3
1 of 4
PM 21
-2

JUN 14 1985

Kalo, Inc.
4550 W. 109th
Suite 222
Overland Park, KS 66211

Attention: Mr. James R. Scott

Gentlemen:

Subject: Triple-Noctin II
EPA Registration No. 45989-2
Your Application Dated May 20, 1985

The labeling submitted in response to this Agency's letter of March 18, 1985, regarding labeling requirements in accordance with the Thiram Registration Standard issued July 2, 1984, is acceptable provided that the following revisions are made:


1. Include the paragraph for seed treatment products that reads: "During commercial exposure...."
2. Revise the warranty statements in according to the EPA Memorandum of July 31, 1978, entitled "Warranties, Disclaimers and Limitations on Pesticide Labels (copy either attached to this or another letter being mailed today).

Your application was reviewed under section 162.9-1(b) 17 (Federal Register, Vol. 44, pages 27951 and 27952), which permits acceptance of certain amendments for registration without supporting data.

Submit five (5) copies of your final printed label before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

JOB: 961 45:RD: 85/32:WILSON:Kendrick & Co.: 898-1270: 6/5/85:dsg: Del. 6/11/85

Attachments (2)		CONCURRENCES					
SYMBOL ▼							
SURNAME ▼							
DATE ▼							

DO NOT MIX ANY WATER. Apply TRIPLE-NOCOTIN[®] as a granular box treatment at the rate of 1.0 ounces per bushel of soybean seed. Plant soybeans at the rate of one (1) bushel per acre for proper application of molybdenum. Treat half the seed in the granular box with half the required amount of TRIPLE-NOCOTIN[®] and mix thoroughly with a stick or paddle until a uniform color is imparted to all seed. Add the remaining seed and cover with balance of TRIPLE-NOCOTIN[®]. Mix thoroughly as above. Plant as soon as possible. Keep container tightly closed when not in use.

TRIPLE-NOCOTIN[®] is an easy to use soybean seed treatment formulated for granular box application. TRIPLE-NOCOTIN[®] is formulated with a non-oil solvent to help seed flow easily and evenly from the granular box. TRIPLE-NOCOTIN[®] contains 1.0 ounces of Thiram per bushel and provides equal seed-borne and soil-borne disease, such as seedling blight, damping-off and seed decay organisms. TRIPLE-NOCOTIN[®] provides 0.2 ounces of molybdenum per acre and seed nutrition and as an aid to the valuable nitrogen fixation process of the soybean plant. TRIPLE-NOCOTIN[®] contains microencapsulated nitrogen fixing bacteria.

Triple-N

Plant Soybean Seed Fungicide and Nitrogen

Active Ingredient: Thiram (Tetramethylenedisulfide)

Inert Ingredients*

Total

*Added Ingredients:

- Craptose
- Molybdenum (derived from Soybean Meal)
- Microencapsulated Nitrogen Fixing Bacteria

U.S. Patent Nos. 3,000,000


KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional information

Treats 5 bu. (300 lbs.)
of Soybeans
Net Weight:
1 lb. 3 oz. (0.54 kg.)

EPA Reg. No. 45969-01




LIMITED WARRANTY AND CONDITIONS OF SALE*

EALCO, INC. warrants the product conforms to the label description and is reasonably fit for use if used strictly in accordance with label directions subject to the inherent risks stated below. EALCO MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, WHETHER OF FITNESS OR MERCHANTABILITY OR ANY OTHER MATTER RESPECTING THE PRODUCT. IN NO CASE SHALL EALCO OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Directions for use are delivered to the retailer. However, there is no warranty, express or implied, that the product will be suitable for use or applications may adversely affect performance even when used in accordance with label directions. Buyer assumes all such risks. In any event, EALCO's and seller's liability shall be limited to return of the purchase price. EALCO and the seller offer this product, and the buyer accepts it, subject to the foregoing Limited Warranty and Conditions of Sale, which may be varied only by agreement in writing signed by a duly authorized representative of EALCO.

*These Conditions of Sale are subject to any applicable contrary governmental restrictions or laws.

2064



Planter Box Soybean Seed Treatment Fungicide Plus Molybdenum

Active Ingredient:	
Thiram (Tetramethylthiuram disulfide)	26.60%
Inert Ingredients*	73.40%
	100.00%
* Added Ingredients:	
Graphite	15.00%
Molybdenum (derived from Sodium Molybdate)	5.27%

Net Contents
11 LBS., 14 OZ. (5.39 KG.)


50 BUSHEL SIZE
(3000 LBS.)



KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for
additional precautionary statements.

EPA Reg. No. 49889-2 EPA Est. No. 49889-IL-1

Manufactured in USA by
Kalo, Inc.
Overland Park, KS 66211



ACCEPTED
JUN 14 1985

JUN 14 1985

45989-2

**Precautionary Statements
Hazards to Humans And Domestic Animals**

Caution: Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid inhaling of spray mist or dust. Do not use or store near food or feed. Consumption of alcoholic beverages increases the toxic effects of thiram.

Statement of Practical Treatment

If swallowed: Harmful if swallowed, get medical attention.
If inhaled: May be harmful if inhaled, get medical attention. Avoid inhalation by using a respirator.
If on skin: Avoid contact with skin or clothing. Wear rubber gloves. Wash affected area thoroughly with soap and water. Wash hands and face thoroughly with soap and water after use and before eating or smoking.
If in eyes: Avoid contact with eyes. Wear protective eye covering. In case of contact with eyes, flush immediately with running water for 15 minutes and get medical attention if irritation persists.

Environmental Hazards

This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

Limited Warranty and Conditions of Sale*

KALO, INC. warrants this product conforms to its label description and is reasonably fit for use if used strictly in accordance with label directions subject to the inherent risks stated below. KALO MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, WHETHER OF FITNESS OR MERCHANTABILITY OR ANY OTHER MATTER RESPECTING THE PRODUCT. IN NO CASE SHALL KALO OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Directions for use are believed to be reliable. However, since weather, soil and plant conditions, presence of other materials or the manner of use or applications may adversely affect performance even when used in accordance with label directions, Buyer assumes all such risks. In any event KALO's and Seller's liability shall be limited to return of the purchase price. KALO and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Limited Warranty and Conditions of Sale, which may be varied only by agreement in writing signed by a duly authorized representative of KALO.

*These Conditions of Sale are subject to any applicable contrary governmental restrictions or law.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Avoid exposure to excessive heat and direct sunlight.
Pesticide Disposal: Pesticide, excess treated seed or rinseate that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.
Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Note to user: Do not use treated seed for food, feed or oil purposes.

MOLY-T™ is an easy-to-use soybean seed treatment formulated for planter box application. MOLY-T™ is formulated with a non-oil lubricant to help seed flow easily and evenly from the planter box. MOLY-T™ furnishes 1.0 ounce of Thiram per bushel to protect against seed-borne and soil-borne diseases, such as seedling blights, damping-off, and seed decay organisms. MOLY-T™ provides 0.2 ounce of molybdenum per acre for plant nutrition and as an aid to the valuable nitrogen fixation process of the soybean plant. Measuring scoop enclosed.

**For On-Farm Planter Box Application
Or For Use On Seed Prior To Placement In Planter Box.**

DO NOT USE ANY WATER. Apply MOLY-T™ as a planter box treatment at the rate of 3.8 ounces (3 level SCOOPS) per bushel of soybean seed. Plant soybeans at the rate of one (1) bushel per acre for proper application of molybdenum. Treat half the seed in the planter box with half the required MOLY-T™ and mix thoroughly with a stick or paddle until a uniform color is imparted to all seed. Add the remaining seed and cover with balance of MOLY-T™. Mix thoroughly as above. Plant as soon as possible. Keep container tightly closed when not in use.

KA-104