



EMERGENCY HANDLING: In case of contamination or decomposition do not reuse container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breath dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS. DANGER: Strong oxidizing agent. Use only clean, dry vessels. Mix only into water. Contamination with moisture, dirt, organic matter, or other chemicals (including other pool chemicals) or other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flammable or burning material, such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flames. Do not reuse empty container.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP (800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is designed to dissolve quickly and completely providing a steady source of available chlorine in swimming pools to control the growth of algae, kill bacteria and destroy organic contaminants.

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER:	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage.	

Manufactured By:
SUNCOAST CHEMICALS COMPANY
14690 62nd St. N. Clearwater, FL 33768
IN CASE OF EMERGENCY 1-800-255-3924

00820688





suncast[®]
chemicals co.

**STABILIZED GRANULAR
CHLORINATOR**

Active Ingredients	
SODIUM DICHLORO-S-TRIAZINETRIONE	
DIHYDRATE	99%
INERT INGREDIENTS	1%
TOTAL	100%
AVAILABLE CHLORINE	55.5%

net wt. 8 lbs.

EPA REG. 46043-11
EPA Est. No. 46043-FL-1

KEEP OUT OF REACH OF CHILDREN
DANGER SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON BACK PANEL.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE:

METHOD OF APPLICATION: Broadcast the product evenly over a wide area in the deepest part of the pool with water circulating.

PROTECTS AGAINST ODOR

CONTROLS BACTERIA AND ALGAE

ROUTINE CHLORINATION: Throughout the pool season, adjust pH to 7.2-7.6 with Suncoast pH Plus or Suncoast pH Minus. Follow label directions. Broadcast 3 oz. of this product per 10,000 gallons pool water every other day or as often as needed to maintain chlorine residual at 1-3 ppm. This quantity may vary depending on bather load, temperature and other conditions. Re-entry into treated pools is prohibited above levels of 3 ppm chlorine. As a preventative treatment, you should shock treat weekly to prevent pool problems which may occur when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rainstorms, when temperatures are high, in case of colored water, or if algae develops with resulting green color and stinky feeling.

SHOCK TREATMENT: Adjust pH to 7.2 to 7.4 with Suncoast pH Plus or Suncoast pH Minus. Follow label directions. Shock treat weekly with Suncoast Swimming Pool Chlorinating Shock to kill bacteria, control algae and organic material. As an alternative, add 18 oz. of this product per 10,000 gallons of pool water.

ALGAE CONTROL: If the sides or bottom develop algae spots, follow shock treatment directions above. Immediately after treatment, thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter. If necessary, repeat the treatment. Reentry into treated pool is prohibited above levels of 3 ppm of chlorine.

OPENING YOUR POOL: Adjust pH to 7.2 to 7.6 with Suncoast pH Plus or Suncoast pH Minus. Follow label directions. Shock treat following directions above. The next day stabilize your pool. Follow label directions. As an alternative, three shock treatment dosages with this product will raise your stabilizer level by approximately 20 ppm, which is the normal starting level of stabilizer.

WINTERIZING: While the water is still clear and clean, prepare for long periods of closure by gradually adding 36 ounces of this product per 10,000 gallons of water (to provide a dosage of 15 ppm free available chlorine). (Follow Method of Addition above). Run pump and filter until completely dispersed. Cover the pool with a plastic pool cover and prepare the heater, pump and filter components for winterizing by following manufacturer's directions.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH in the 7.2-7.8 range, total alkalinity in the 90-125 parts per million (ppm) range and calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Make necessary adjustments with the appropriate Suncoast pool care products.

TO DETERMINE YOUR POOL CAPACITY IN U.S. GALLONS, USE THE APPROPRIATE FORMULA BELOW: Use measurements in feet only.

RECTANGULAR: LENGTH X WIDTH X AVERAGE DEPTH X 7.5 = TOTAL GALLONS

ROUND: DIAMETER X DIAMETER X AVERAGE DEPTH X 5.9 = TOTAL GALLONS

OVAL: MAXIMUM LENGTH X MAXIMUM WIDTH X AVERAGE DEPTH X 5.9 = TOTAL GALLONS

FREEFORM: SURFACE AREA (SQ. FT) X AVERAGE DEPTH X 7.5 = TOTAL GALLONS

SPA AND HOT TUB USE: Each level teaspoon (0.17 ounces) of this product will provide approximately 1.4 ppm available chlorine in 500 gallons of water. Using an appropriate test kit, test and adjust the water to the following values: pH 7.2-7.8, total alkalinity 60-100 ppm, calcium hardness 200 ppm minimum. Maintain these conditions for proper spa and hot tub operation by frequent testing with a test kit. Do not allow cyanuric acid level to exceed 150 ppm. It is recommended that spas and hot tubs be drained every 30-90 days. More often under heavy use. Consult manufacturer's recommendations concerning the compatibility of chlorine sanitizers with their equipment. Some oils, lotions, fragrances and cleaners may cause foaming or cloudy water and may react with chlorine sanitizers to reduce their efficacy.

START-UP (FRESHLY FILLED)

1. Turn on the circulation system and ensure that it is operating properly.

2. Add 6 teaspoons of this product for each 500 gallons of water.

Check the free available chlorine (FAC) and, if below 4-5 ppm, repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.

REGULAR USE:

Turn on the circulation system and ensure that it is operating properly. Scatter approximately 3 teaspoons per 500 gallons of this product over the surface of water. Always use a clean dry spoon. Test for FAC and add additional product, if necessary, to attain 4-5 ppm FAC. Maintain 1-3 ppm FAC while the spa or hot tub is in use. After each use, shock treat with 9 teaspoons per 500 gallons water to control odors and algae. Repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.