

46043-11

1-14-2008

17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Washington, D.C. 20460

January 14, 2008

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Kathy Kollen
EPA Coordinator
Suncoast Chemicals Company
14480 62nd Street North
Clearwater, Florida 33760

Subject: Stabilized Granular Chlorinator
EPA Registration No. 46043-11
Application Date: December 17, 2007
Receipt Date: December 26, 2007

Dear Ms. Kollen:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- addition of three (3) alternate brand names:
 - “Pool Basics Stabilized Granular Chlorinator”
 - “Pool Mate Stabilized Granular Chlorinator”
 - “Pool Mate Stabilized Concentrated Chlorinating Granules”

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.


Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL	7510P	7510P					
URNAME	E. K. Berg	Henson					
DATE	1/14/08	1/14/08					

2/7

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number Suncoast Chemicals Company / 46043-11	2. EPA Product Manager Emily Mitchell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Suncoast Chemicals Company/ Stabilized Granular Chlorinator	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Suncoast Chemicals Company 14480 62nd Street North Clearwater, FL 33760 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Additional Name Brand: POOL BASICS STABILIZED GRANULAR CHLORINATOR; SPA CHOICE SPA SANITIZING GRANULES; and POOL MATE STABILIZED CONCENTRATED CHLORINATING GRANULES (see accompanying labels.)
 This notification is consistent with the provisions of PR Notice 98-10 & EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to wilfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> _____	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kathy Kollen	Title EPA Coordinator	Telephone No. (Include Area Code) (727) 531-8913
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title EPA Coordinator	_____ _____ _____
4. Typed Name Kathy Kollen	5. Date December 17, 2007	

PoolBasics®

SANITIZER



Stabilized Granular Chlorinator


Active Ingredient:	
Sodium Dichloro-s-Triazinetrione Dihydrate	99%
Inert Ingredients.....	1%
Total.....	100%
Available Chlorine	
	55.5%

KEEP OUT OF REACH OF CHILDREN
DANGER
 SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON BACK PANEL.

net contents 25 lbs

6.0523

PRODUCT VIEW DIE VIEW


 netlean die technology
 CUSTOMER: PO#
 SALES: JV ACROSS 1
 ADT# 33905Q TOOTH# 73 PITCH: 1/8
 DATE: 3-9-2005
 REVISION: 0 DRW.BY: IR

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS. DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter, or other chemicals (including other pool chemicals) or other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstable chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP (1-800-253-2687) for disposal instructions.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is designed to dissolve quickly and completely providing a steady source of available chlorine in swimming pools to control the growth of algae, kill bacteria and destroy organic contaminants.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE:

METHOD OF APPLICATION: Broadcast the product evenly over a wide area in the deepest part of the pool with water circulating.

ROUTINE CHLORINATION: Throughout the pool season, adjust pH to 7.2-7.6 with a pH increaser or a pH decreaser. Follow label directions. Broadcast 3 oz. of this product per 10,000 gallons pool water every other day or as often as needed to maintain chlorine residual at 1-3 ppm. This quantity may vary depending on bather load, temperature and other conditions. Re-entry into treated pools is prohibited above levels of 3 ppm chlorine. As a preventative treatment, you should shock treat weekly to prevent pool problems which may occur when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rainstorms, when temperatures are high, in case of colored water, or if algae develops with resulting green color and slimy feeling.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH in the 7.2-7.8 range, total alkalinity in the 90-125 parts per million (ppm) range and calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Make necessary adjustments with the appropriate pool care products.

SPA AND HOT TUB USE: Each level teaspoon (0.17 ounces) of this product will provide approximately 1.4 ppm available chlorine in 500 gallons of water. Using an appropriate test kit, test and adjust the water to the following values: pH 7.2-7.8, total alkalinity 60-100 ppm, calcium hardness 200 ppm minimum. Maintain these conditions for proper spa and hot tub operation by frequent testing with a test kit. Do not allow cyanuric acid level to exceed 150 ppm. It is recommended that spas and hot tubs be drained every 30-90 days. More often under heavy use. Consult manufacturer's recommendations concerning the compatibility of chlorine sanitizers with their equipment. Some oils, lotions, fragrances and cleaners may cause foaming or cloudy water and may react with chlorine sanitizers to reduce their efficiency.

START-UP (FRESHLY FILLED)

1. Turn on the circulation system and ensure that it is operating properly.
 2. Add 6 teaspoons of this product for each 500 gallons of water.
- Check the free available chlorine (FAC) and, if below 4-5 ppm, repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.

REGULAR USE:


Turn on the circulation system and ensure that it is operating properly. Scatter approximately 3 teaspoons per 500 gallons of this product over the surface of water. Always use a clean dry spoon. Test for FAC and add additional product, if necessary, to attain 4-5 ppm FAC. Maintain 1-3 ppm FAC while the spa or hot tub is in use. After each use, shock treat with 9 teaspoons per 500 gallons water to control odors and algae. Repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

EPA REG. 46043-11
EPA Est. No. 46043-FL-1

Manufactured By:
Suncoast Chemicals Company
14480 62nd St. N.
Clearwater, FL 33760

IN CASE OF EMERGENCY:
1-800-255-3924



6.0523

PRODUCT VIEW DIE VIEW

CUSTOMER: ADT # 339050

SALES: JV TOOTH# 73 PITCH# 1/8

metcon die technology DATE: 3-9-2005

AROUND 1 REVISION: 0 DRW.BY: IR

L/K

SPA CHOICE™



SPA SANITIZING GRANULES

Sanitizer For Spas

Active Ingredients

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE.....	99%
INERT INGREDIENTS.....	1%
TOTAL.....	100%

AVAILABLE CHLORINE.....55.5%

KEEP OUT OF REACH OF CHILDREN DANGER

See First Aid And Additional Precautions On Back Panel.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 46043-11
EPA Est. No. 46043-FL-1

Net Wt 2 lbs. (32 oz.)

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breath dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS. DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter, or other chemicals (including other pool chemicals) or other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP (800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is designed to dissolve quickly and completely providing a steady source of available chlorine to control the growth of algae, kill bacteria and destroy organic contaminants.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE:

METHOD OF APPLICATION: Broadcast the product evenly over a wide area in the deepest part of the spa with water circulating.

SPA AND HOT TUB USE: Each level teaspoon (0.17 ounces) of this product will provide approximately 1.4 ppm available chlorine in 500 gallons of water. Using an appropriate test kit, test and adjust the water to the following values: pH 7.2-7.8, total alkalinity 60-100 ppm, calcium hardness 200 ppm minimum. Maintain these conditions for proper spa and hot tub operation by frequent testing with a test kit. Do not allow cyanuric acid level to exceed 150 ppm. It is recommended that spas and hot tubs be drained every 30-90 days. More often under heavy use. Consult manufacturer's recommendations concerning the compatibility of chlorine sanitizers with their equipment. Some oils, lotions, fragrances and cleaners may cause foaming or cloudy water and may react with chlorine sanitizers to reduce their efficacy.


START-UP (FRESHLY FILLED)

1. Turn on the circulation system and ensure that it is operating properly.
2. Add 6 teaspoons of this product for each 500 gallons of water.

Check the free available chlorine (FAC) and, if below 4-5 ppm, repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.

REGULAR USE:


Turn on the circulation system and ensure that it is operating properly. Scatter approximately 3 teaspoons per 500 gallons of this product over the surface of water. Always use a clean dry spoon. Test for FAC and add additional product, if necessary, to attain 4-5 ppm FAC. Maintain 1-3 ppm FAC while the spa or hot tub is in use. After each use, shock treat with 9 teaspoons per 500 gallons water to control odors and algae. Repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine.



Manufactured By:
Suncoast Chemicals Company
14480 62nd St. N., Clearwater, FL 33760

45

10/20/07 10:00 AM 10/20/07 10:00 AM 10/20/07 10:00 AM



0000'6

6.0523

GEAR SIDE WEB DIRECTION

DIE VIEW
 PRODUCT VIEW
 CUSTOMER: PO# 3395Q
 SALES: ACROSS
 TOOTH: 73
 DATE: 3-3-2005
 REVISION: 0
 DRAWN BY: IR

American die technology

49-

