UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 10 2009

WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Kathy Kollen Suncoast Chemicals Company 14480 62nd Street North Clearwater, FL 33760

Subject:

Suncoast Stabilized Granular Chlorinator

EPA Registration Number: 46043-11 Application Dated: August 21, 2009 Receipt Dated: September 1, 2009

FILE COPY

Dear Ms. Kollen:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification:

Addition of marketing claims

General Comment:

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely.

Product Reviewer (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

Please read instructions on reverse before mpleting form.	Form Approx	`_OMB No. 2070-00	Print Form			
SEPA Environmental Protection Washington, DC 20460		Registration Amendment	OPP Identifier Number			
Application for Pesticide - Section I						
1. Company/Product Number Suncoast Chemicals Company/46043-11	2. EPA Product Menage Emily Mitchell	r 3	. Proposed Classification			
4. Company/Product (Name) Suncoast/Stabilized Granular Chlorinator	PM# 32		None Restricted			
5. Name and Address of Applicant (Include ZIP Code) Suncoast Chemicals Company 14480 62nd Street North Clearwater, FL 33760 Check if this is a new address		vith FIFRA Section 3(c)(3) a composition and labeling				
	Product Name Section - II					
Amendment - Explain below. Resubmission in response to Agency letter dated						
Notification of additional marketing claims.						
	Section - III	 				
Yes Yes No. per If	Yes No. per ackage wgt container	2. Type of Conta	al tic ss			
3. Location of Net Contents Information 4. Size(s) Retail C Label Container	ontainer 5.	Location of Label Dire On Label On Labeling ac	actions companying product			
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	Other _					
	ection - IV					
1. Contact Point (Complete items directly below for identification of	individual to be contacted, if n	ecessary, to process	this application.)			
Name Title		Telep	hone No. (Include Area Code)			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly felse or misleading statement may be punishable by fine or imprisonment or the statement of the st						
2. Signeture 3. Ti	tie Coordinator	ر ر در د در در د در در در	(C C C C C C C C C C C C C C C C C C C			
4. Typed Name 5. D	Bto		(((((((((((((((((((
Kathy Kollen Au	g 21, 2009		(((





August 25, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) USEPA 1200 Pennsylvania Avenue NW Washington, DC 20460

RE: Notification of Additional Marketing Claims 46043-11 Suncoast Stabilized Granular Chlorinator

Dear Sir or Madam:

Enclosed are the following documents to request the addition of marketing claims to our master label of Suncoast Stabilized Granular Chlorinator, 46043-11:

- 1. Application for Pesticide Notification
- 2. Certification Statement as per PR Notice 98-10
- 3. Two copies of the master label with additional marketing claims. One copy is highlighted with the revisions, for your convenience.

Thank you for your assistance.

Sincerely,

Kathy Kollen

EPA Coordinator

Enclosures

P.O. Box 6025 Clearwater, FL 33758 14480 62nd St. N. Clearwater, FL 33760 Phone: (727)531-8913 Fax: (727)536-8066

SUNCOAST® CHEMICALS CO. STABILIZED GRANULAR CHLORINATOR

Active ingredient:	
Sodium Dichloro-S-Triazinetrione Dihydrate	99%
Other Ingredients:	1%
TOTAL	100%
Available Chlorine55.5%	

KEEP OUT OF REACH OF CHILDREN DANGER

See [First Aid and] Additional Precautions on back panel.

Net	Wt.	

NOTIFICATION: Date Reviewed: 9/10/09 Reviewed By: 0 Tocapan

	FIRST AID		
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.		
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
IF SWALLOWED:	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
HOTLINE NUMBER			
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for			
emergency treatment information.			
NOTE TO PHYSICIAN:			
Probable mucosal damage may contraindicate the use of gastric lavage.			

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is designed to dissolve quickly and completely providing a steady source of available chlorine in swipping pools to control the growth of algae, kill bacteria and destroy organic contaminants.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE:

METHOD OF APPLICATION: Broadcast the product evenly over a wide area in the deepest part of the pool with water circulating.

ROUTINE CHLORINATION: Throughout the pool season, adjust pH to 7.2-7.6 with [Suncoast pH Plus] or [Suncoast pH Minus] {insert brand names}. Follow label directions. Broadcast 3 oz. of this product per

10,000 gallons pool water every other day or as often as needed to maintain chlorine residual at 2-4 ppm. This quantity may vary depending on bather load, temperature and other conditions. Re-entry into treated pools is prohibited above levels of 3 ppm chlorine. As a preventative treatment, you should shock treat weekly to prevent pool problems which may occur when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rain storms, when temperatures are high, in case of colored water, or if algae develops with resulting green color and slimy feeling.

SHOCK TREATMENT: Adjust pH to 7.2 to 7.4 with [Suncoast pH Plus] or [Suncoast pH Minus] {insert brand names}. Follow label directions. Shock treat weekly to kill bacteria, control algae and organic material. As an alternative, add 18 oz. of this product per 10,000 gallons of pool water.

ALGAE CONTROL: If the sides or bottom develop algae spots, follow shock treatment directions above. Immediately after treatment, thoroughly clean pool by scrubbing surfaces of algae growth, vacuum and cycle through filter. If necessary, repeat the treatment. Reentry into treated pool is prohibited above levels of 3 ppm chlorine.

OPENING YOUR POOL: Adjust pH to 7.2 to 7.6 with [Suncoast pH Plus] or [Suncoast pH Minus] (insert brand names). Follow label directions. Shock treat following directions above. The next day, stabilize your pool. Follow label directions. As an alternative, three shock treatment dosages with this product will raise your stabilizer level by approximately 20 ppm, which is the normal starting level of stabilizer.

WINTERIZING: While the water is still clear and clean, prepare for long periods of disuse by gradually adding 36 ounces of this product per 10,000 gallons of water (to provide a dosage of 15 ppm free available chlorine). Follow Method of Application above. Run pump and filter until completely dispersed. Cover the pool with a plastic pool cover and prepare the heater, pump and filter components for winterizing by following manufacturer's directions.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH in the 7.2-7.8 range, total alkalinity in the 90-125 parts per million (ppm) range and calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Make necessary adjustments with the appropriate [Suncoast] pool care products.

[To determine your pool's capacity in U.S. gallons, use the appropriate formula below: Use measurements in feet only.

RECTANGULAR: Length X Width X Average Depth X 7.5 = TOTAL GALLONS ROUND: Diameter X Diameter X Average Depth X 5.9 = TOTAL GALLONS OVAL: Maximum Length X Maximum Width X Average Depth X 5.9 = TOTAL GALLONS FREEFORM: Surface area (sq. ft.) X Average Depth X 7.5 = TOTAL GALLONS]

SPA AND HOT TUB USE: Each level teaspoon (0.17 ounces) of this product will provide approximately 1.4 ppm available chlorine in 500 gallons of water. Using an appropriate test kit, test and adjust the water to the following values: pH 7.2-7.8, total alkalinity 60-100 ppm, calcium hardness 200 ppm minimum. Maintain these conditions for proper spa and hot tub operation by frequent testing with a test kit. Do not allow cyanuric acid level to exceed 150 ppm. It is recommended that spas and hot tubs be drained every 30-90 days. More often under heavy use. Consult manufacturer's recommendations concerning the compatibility of chlorine sanitizers with their equipment. Some oils, lotions, fragrances and cleaners may cause foaming or cloudy water and may react with chlorine sanitizers to reduce their efficiency.

- 1. Turn on the circulation system and ensure that it is working properly.
- 2. Add 6 teaspoons of this product for each 500 gallons of water.

Check the free available chlorine (FAC) and, if below 4-5 ppm, repeat as needed. Re-entry into treated spas is prohibited above levels of 3 ppm or chlorine.

REGULAR USE: Turn on the circulation system and ensure that it is operating properity. Scatter approximately 3 teaspoons per 500 gallons of this product over the surface of water. Always use a clean dry spoon. Test for FAC and add additional product, if necessary, to attain 4-5 ppm FAC. Maintain 1-3.

ppm FAC while the spa or hot tub is in use. After each use, shock treat with 9 teaspoons per 500 gallons water to control odors and algae. Repeat as needed. Reentry into treated spas is prohibited above levels of 3 ppm of chlorine.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS:

DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only with water. Contamination with moisture, dirt, organic matter, or other chemicals (including other pool chemicals), or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARD

{For 50 pounds and less:} [This pesticide is toxic to fish and aquatic organisms.]

{For larger than 50 pounds:} [This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.]

STORAGE AND DISPOSAL:

STORAGE: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flames. Do not reuse or refill empty container. DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP (800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Marketing Claims}		
[Protects against odor]		c ((c
[Controls bacteria and algae]		ີເເເັ
[Fast dissolving]		ι
[Sanitizer]	či	
[Sanitizes pool water]	ر در در د در در در	
[Stabilized Chlorinator]	((.
[Stabilizer]	ς ς ε ις	c
[Controls algae]	60666	€.
[Kills bacteria and destroys organic contaminants]		(((((((((((((((((((
		ξ (; t (; ξ (t (; ξ

[Kills algae] [For all pool types]

[For use in vinyl-lined pools] [For use in vinyl-lined and fiberglass pools] [For use in vinyl-lined, colored plaster and fiberglass pools] [Eliminates swimmer contaminants] Eliminates bacteria and organic contaminants] [No Pre-Mixing Required] [Non-Clouding] / [Quick-dissolving] [Quick-dissolving stabilized chlorinating granules] [Dissolves quickly] [UV protected against the sun's harmful rays] [UV protected for extended chlorine life] [pH Neutral]

{Marketing Claims For Spas Only:}

[Maintains crystal clarity in spa and hot tub water] [Sanitizes and disinfects spa water] [Dissolves quickly with no residue] [Sanitizer for Spas]

EPA REG. 46043-11 EPA Est. No. 46043-FL-1

IN CASE OF EMERGENCY CALL 1-800-255-3924

Manufactured By: **SUNCOAST CHEMICALS COMPANY** 14480 62nd Street N. Clearwater, FL 33760