%043-20

-17=2:00

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

April 17, 2008

Kathy Kollen EPA Coordinator Suncoast Chemicals Company 14480 62nd Street North Clearwater, Florida 33760

Subject: TICA 1" Tablets EPA Registration No. 46043-20 Application Date: March 14, 2008 Receipt Date: April 2, 2008

Dear Ms. Kollen:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- Revision of label for 4lb. cartridge to move First Aid statement to side panel
- Addition of statement "See First Aid and Additional Precautions on side panel."

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,


Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

OFFICE OF

PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

CONCURRENCES								
YMBOL		15/0P						· · · ·
URNAME		Henson					*****	
ATE		4-17-08				**************************************		***********************





Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) USEPA 1200 Pennsylvania Avenue NW Washington, DC 20460

RE: #46043-20 Notification

Dear Ms. Henson and Ms. Mitchell:

Enclosed is a Notification form (with certification as per PR Notice 98-10) to advise you of a slight change in our Master Label for 46043-20, T.I.C.A. Tablets sub-label for the 4 lb. cartridge. We have revised the label to allow the placement of the First Aid box to appear on the side panels of the cartridge with an added notation on the front panel: "See First Aid and Additional Precautions on Side Panel."

A copy of the Master Label is enclosed with the change mentioned above.

Thank you for your assistance.

Sincerely,

Kathy Kollen EPA Coordinator

Enclosures

Tease read instructions on re	verse before compressing form.				·	orm App	
€EPA	United Stat Environmental Protei Washington, DC	ction Agen	су		egistrat mendm ther		OPP Identifier Number
	Applica	ation for P	esticide - Sec	tion I			
. Company/Product Number 46043-20	7		2. EPA Product Man Emily Mitchell	ager		3. P	roposed Classification
4. Company/Product (Name) Suncoast Chemicals Company / TICA 1" Tablets/sub label for 4 lb cartrid			PM# 32				
5. Name and Address of App Suncoast Chemicals Co 14480 62nd Street Nort Clearwater, FL 33760	ompany		(b)(i), my product i to:	s simila	or idention	al in c	h FIFRA Section 3(c)(3) omposition and labeling
			on - II				
X Notification - Explain Explanation: Use addition Notification of revision of Master This notification is consistent w confidential statement of formula	below. below. label page(s) if necessary. (For sec label to allow First Aid box to appear ith the provisions of PR Notice 98-10 of this product. I understand that it it	on side panel with & EPA regulations	n notation on front pane s at 40 CFR 152.46, an	er dated Applicatio lain below	n. v. irst Aid and <i>i</i>		
				ly make ar	ny faise state	ment to t	
		and 40 CFR 152.4		ly make ar	ny faise state	ment to t	he EPA. I further understand the
	and 14 of FIFRA.	Sectio	6, this product may be i	ly make ar n violation	ny false state of FIFRA an	ment to t d I may b	he EPA. I further understand the subject to enforcement action
1. Material This Product Will Child-Resistant Packaging Yes No * Cartification must	and 14 of FIFRA.	Water Sc Vater Sc	6, this product may be i on - III oluble Packaging es o No. per	ly make an n violation	ny faise state	ment to t d I may b onteined Metal Plastic Glass Paper	he EPA. I further understand the subject to enforcement action
1. Material This Product Will Child-Resistant Packaging Yes No Cartification must be submitted B. Location of Net Contents I	and 14 of FIFRA. Be Packaged In: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. Contained	Water Sc Vater Sc	6, this product may be i DN - III Pluble Packaging es o No. per container	ly make an n violation	ny false state of FIFRA an	onteine Metai Plastic Glass Paper Other (he EPA. I further understand the subject to enforcement action r
I. Material This Product Will Child-Resistant Packaging Yes No Certification must be submitted I. Location of Net Contents I Label	and 14 of FIFRA. Be Packaged in: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. containe nformation 4. Size(s) ontainer Affixed to Product Lit	Water Sc Water Sc Water Sc V N N N Sr Package	6, this product may be i DN - III Pluble Packaging es o No. per container	ly make an n violation 2 5. Locati [back-]	. Type of C	onteine Metai Plastic Glass Paper Other (he EPA. I further understand the subject to enforcement action r
Material This Product Will child-Resistant Packaging Yes No Certification must be submitted . Location of Net Contents I	and 14 of FIFRA. Be Packaged in: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. containe nformation 4. Size(s) ontainer Affixed to Product Lit	Sectic Sectic Water Sc y N ar If "Yes" Package Retail Containe	6, this product may be i Dn - III Stuble Packaging es o No. per container f Other	ly make an n violation 2 5. Locati [back-]	. Type of C	onteine Metai Plastic Glass Paper Other (he EPA. I further understand the subject to enforcement action r
A. Material This Product Will Child-Resistant Packaging Yes No Certification must be submitted . Location of Net Contents I Label Contents I	and 14 of FIFRA. Be Packaged in: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. containe nformation 4. Size(s) ontainer Affixed to Product Lit	And 40 CFR 152.4 Section Water So Water So Y N N ar Package Retail Containe hograph par glued anciled Section	6, this product may be i Dn - III Dluble Packaging es o No. per container r Other n - IV	y make an n violation 2 5. Locati [back-]	on of Labe	ment to t d may b onteiner Metal Plastic Glass Paper Other (1 Directi	he EPA. I further understand the subject to enforcement action specify) ons
	and 14 of FIFRA. Be Packaged In: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. Container Information 4. Size(s) ontainer Affixed to Product	And 40 CFR 152.4 Section Water So Water So Y N N ar Package Retail Containe hograph par glued anciled Section	6, this product may be i Dn - III Duble Packaging es o No. per container r I Other n - IV rel to be contacted, s	y make an n violation 2 5. Locati [back-]	ny false state of FIFRA an , Type of C , T	ment to t d may b onteined Metal Plastic Glass Paper Other () Directi Directi	he EPA. I further understand the subject to enforcement action specify) ons
	and 14 of FIFRA. Be Packaged in: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. Contained If "Yes" Affixed to Product If terms directly below for identifice Items directly below for identifice Certif nents I have made on this form ry knowlingly false or misleading	And 40 CFR 152.4 Section Water So Water So Water So Y N N N Section And All attachmonic Section N N N N N N N N N N N N N	6, this product may be i Dn - III Pluble Packaging es o Wgt No. per container r n - IV r rdinator set to be contacted, i r	iy make an n violation 2 5. Locati back if necess i, accurat	on of Labe	ment to t d may b onteiner Metal Plastic Glass Paper Other (1 Directi Directi	he EPA. I further understand the subject to enforcement action specify) ons explication./ e No. (Include Area Code)
	and 14 of FIFRA. Be Packaged In: Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. container Information 4. Size(s) ontainer Affixed to Product Lit Packaging Ver identific items directly below for identific Certiff nents I have made on this form in y knowlingily false or misleading aw.	And 40 CFR 152.4 Section Water So Water So Water So Y N ar Package Retail Containe hograph per glued ancied Section ation of individu Title EPA Coo fication and all attachme statement may 3. Title	6, this product may be i Dn - III Pluble Packaging es o No. per container i r Other in - IV real to be contacted, i r rdinator	iy make an n violation 2 5. Locati back if necess i, accurat	on of Labe	ment to t d may b onteined Metal Plastic Glass Paper Other (1 Directi Directi elephon (727).	he EPA. I further understand the subject to enforcement action Specify) ons explication./ e No. (Include Area Code) 531-8910 6. Date Application Received

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

ere a care

SUNCOAST 4 POUND CHLORINATING CARTRIDGE FOR FLOATERS AND FEEDERS

T.I.C.A TABLETS

(Trichloroisocyanurate)

[FRONT PANEL]

Active Ingredient:	
Trichloro-s-triazinetrione and related	
Isocyanurates99.0	%
Other	
Ingredients1.0	1%
*Available Chlorine90%	

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

NET WEIGHT: 4 POUNDS

[SIDE PANELS]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPEDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volumes of water if necessary.

FIRST AID:

IF SWALLOWED: Call a poison control center or

doctor immediately for treatment advice. Have

person sip a glass of water if able to swallow. Do

not induce vomiting unless told to do so by a

poison control center or doctor. Do not give

IF ON SKIN: Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-

20 minutes. Call a poison control center or doctor

IF INHALED: Move person to fresh air. If person is

not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth.

Call a poison control center or doctor for further

IF IN EYES: Hold eve open and rinse slowly and

gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes,

then continue rinsing eye. Call a poison control

HOTLINE NUMBER:

1-800-255-3924 Have the product container or label with you when

calling a poison control center or doctor, or going

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the

for treatment.

center or doctor for treatment advice.

anything by mouth to an unconscious person.

for treatment advice.

treatment advice

use of gastric lavage.

4 POUND CHLORINATING CARTRIDGE FOR FLOATERS AND FEEDERS

Protects against bacteria and algae. Stabilized for extended chlorine life. Slow dissolving. Total solubility. The tablets in this cartridge will provide effective chlorine residual of 1 to 1.5 parts per million (ppm) in 10,000 gallons of water for 9 weeks under normal conditions. Refillable.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Use with Floater or Feeder made by E-Z Chlor, Guardex, Anthony and CPC. In a pool with no visible sign of algae, follow these instructions.

START UP

- 1. Bring chlorine level to 1-1.5 ppm. Follow the instructions below for your feeding device.
- 2. The day after the chlorine residual reaches 1-1.5 ppm, add Stabilizer/Conditioner to stabilize your pool. Follow label directions.
- 3. Adjust pH to the Ideal range 7,2-7.6

FOR USE IN DISPOSABLE FLOATERS

- 1. Cut off the air vent that sticks out at top of cartridge.
- 2. Punch a hole through the lowest indentation on each side of the cartridge and insert into the floater. Do not punch holes in the bottom. If more chlorination is needed, punch as many holes as needed on each side starting at the lowest indentation and working up until the pool's free chlorine residual reaches 1-1.5 ppm.

FOR USE IN E-Z CHLOR FEEDER

- 1. Punch all indentations on the bottom of the cartridge (or cut off three water vent areas that stick out the side near the bottom of the cartridge.) Two cartridges may be needed for a pool of 30,000 gallons or larger.
- 2. Do not cut off the air vent at the top of the package. 3
- Make sure that the screw lid is on tight.
- Punch a hole through the lowest indentation on each side of the cartridge,
- 5. Insert the cartridge into feeder. If more chlorination is needed, punch more holes on each side of the cartridge starting at the lowest indentation and working up until the free available chlorine residual remains within the range of 1-1.5 ppm.

Clearwater, FL 33765 IN CASE OF EMERGENCY: 1 (800) 255-3924

- FOR USE IN GUARDEX FEEDER 1. Cut off air vent that sticks out mar the 'op of the cartridge.
- 2. Cut off the three water vents that stick out the side near the bottom of the cartridge. Two cartridges may be needed for a pool of 30,000 gallons or larger.
- 3. Insert the cartridge in the feeder, adjusting the cartridge height until the free available residue? remains within the range of 1-1.5 ppm.

TO REFILL CARTRIDGE

- 1. Remove absorbent packet before reuse. Not required for pool care.
- 2. Fill empty cartridge with T.I.C.A 1 Inch Tablets.

DANGER - Use only 1 Inch Tablets.

	ATE POOL CAPACITY*
SHAPE OF POOL	GAL. OF WATER

RectangularAve	. Depth x Ave, Length x Ave, Width x 7.5
Circular	. Diameter x Diameter x Ave. Depth x 7.5

Irregular.....Consult Pool Builder

NOTE: Reentry into treated pools is prohibited above levels of 3 ppm chlorine.

Heavy bather usage or the use of oils or lotions may increase the chlorine demand of the pool resulting in the need for more frequent checks on chlorine residual.

STORAGE AND UISHOSAL: Do not contaminate water, food or reed by storage or disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool wellventilated area away from heat or open flame. In case of decomposition, isolate container, if ponsib's, and flood with large amounts of water to dissuive all material before discarding.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or under abnormal use conditions, or under conditions not reasonably foreseeable to the Seller, and Buyer assumes the risk of any such use. Seller disclaims all other warranties, implied or expressed, including any warranty of FITNESS OF MERCHANTABILITY

EPA Reg. No. 46043-20 EPA Est. No. 46043-FL-1

Manufactured By: SUNCOAST CHEMICALS COMPANY 14480 62nd St. North