



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

March 24, 2022

Erika Hartman  
Authorized Representative  
Suncoast Chemicals Company  
6835 150<sup>th</sup> Avenue North  
Clearwater, FL 33760

Subject: Notification per PRN 98-10 – Minor label changes  
Product Name: COMPLETE 4-IN-1 MULTI-PURPOSE SANITIZER  
EPA Registration Number: 46043-30  
Received Date: 05/15/2020  
Action Case Number: 00218851

Dear Ms. Hartman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.

If you have any questions, you may contact Melanie Bolden at (202)566-0674 or via email at [Bolden.Melanie@epa.gov](mailto:Bolden.Melanie@epa.gov).

Sincerely,

A handwritten signature in blue ink that reads "Melanie Bolden for".

Demson Fuller, Product Manager 32  
Antimicrobials Division (7510P)  
Regulatory Management Branch I  
Office of Pesticide Programs

{All text in brackets [xxx] is optional and may or may not be included on a final label.}  
{All text in braces {xxx} is administrative and will not appear on final label.}

**COMPLETE 4-IN-ONE MULTI-PURPOSE SANITIZER**  
**{Formerly Value Chlor}**

**NOTIFICATION**

46043-40

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/24/2022

ACTIVE INGREDIENT: Trichloro-s-triazinetriene.....94.05%  
OTHER INGREDIENTS: .....5.95%  
TOTAL INGREDIENTS:.....100.00%  
(Available Chlorine 84.65%)

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

See [back] [side] panel for [First Aid and] additional precautionary statements

**NET WEIGHT:** \_\_\_\_\_

**{Note to Reviewer: In accordance with 40 CFR 156.68(d), first aid statements corresponding to the primary eye, skin, inhalation and oral route(s) of exposure may appear on a panel other than the front panel, with an accompanying referral statement on the front panel to the full list of prescribed first aid and precautionary statements.}**

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.
<b>IF ON SKIN OR CLOTHING:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>IF INHALED:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>IF SWALLOWED:</b>	Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
<b>HOTLINE NUMBER:</b>	
Have the product container or label with you when calling a poison control center [(1-800-222-1222)] or doctor, or going for treatment. In case of emergency, call 1-800-255-3924.	
<b>NOTE TO PHYSICIAN</b>	
Probable mucosal damage may contraindicate the use of gastric lavage.	

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** DANGER: Corrosive: Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. May be fatal if inhaled. Do not breathe dust or fumes. Irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Wear coveralls worn over long-sleeved shirt and pants, socks, chemicals resistant gloves and chemical resistant footwear. Wash thoroughly with soap and water

after handling and before eating, drinking, chewing gum, using tobacco or using restroom. Remove and wash contaminated clothing before reuse.

***{Directions to be used for pool sanitization with 1 inch tablets}***

**POOL SANITIZATION WITH 1 INCH TABLETS**

For use in feeders or floaters – kills bacteria and controls algae, clarifies, prevents metal staining and corrosion, and reduces scale formation.

**IMPORTANT NOTES:**

1. Shock your pool every week and also after heavy rain or heavy use to help keep your pool water properly maintained.
2. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss. Adjust cleaning and chemical maintenance accordingly.
3. Use this product in an automatic feeder or floater designed for this product.
4. Do not add other chemicals into the feeder or floater where this product is in use as a fire or explosion may occur.
5. To avoid damage to pool surface or materials do not allow product to come in direct contact with these materials. Do not throw tablets directly into the pool.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

**BEFORE YOU BEGIN:**

1. Ensure all pool equipment is working properly. Adjust stabilizer levels to 40-100 ppm with [{{brand name}}] stabilizer. Follow Manufacturer's Directions for Use.
2. Test the water's pH, alkalinity, and calcium hardness and adjust to the correct level. Adjust pH to 7.4-7.6. [Adjust alkalinity to 80-130 ppm. Adjust calcium hardness to 250-400 ppm for plaster and fiberglass pools and 200-300 ppm for vinyl pools.] Be sure to follow label directions when using other products as outlined in directions for this product.
3. Check the free available chlorine level and adjust to 2-4 ppm by adding [a granular chlorinating product] [{{insert EPA Registered brand name chlorinating product}}]. Follow Manufacturer's Directions for Use.

**START-UP/INITIAL TREATMENT:**

1. If water is cloudy or green, superchlorinate pool with appropriate shock product until pool is clear.
2. Add 16 ounces of this product (approximately 23 tablets) per 10,000 gallons of pool water to feeder or floater and then test for the free available chlorine level (allow water to circulate at least 4 hours before testing). Adjust the feeder or floater following manufacturer's instructions to establish a free available chlorine level between 2-4 ppm.
3. When free available chlorine level is adjusted to 2-4 ppm, add [{{EPA Registered brand name}}] algaecide. Follow Manufacturer's Directions for Use.

**ROUTINE MAINTENANCE:**

Add 16 ounces of this product per 10,000 gallons of pool water per week, or as often as needed, to the feeder or floater to maintain a constant free available chlorine level of 2-4 ppm. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss so check the floater or feeder often and refill as needed.

***{Directions to be used for pool sanitization with 3 inch tablets}***

**POOL SANITIZATION WITH 3 INCH TABLETS**

For use in feeders or floaters – kills bacteria and controls algae, clarifies, prevents metal staining and corrosion, and reduces scale formation.

**IMPORTANT NOTES:**

1. Shock your pool every week and also after heavy rain or heavy use to help keep your pool water properly maintained.
2. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss. Adjust cleaning and chemical maintenance accordingly.
3. Use this product in an automatic feeder or floater designed for this product.
4. Do not add other chemicals into the feeder or floater where this product is in use as a fire or explosion may occur.
5. To avoid damage to pool surface or materials do not allow product to come in direct contact with these materials. Do not throw tablets directly into the pool.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

**BEFORE YOU BEGIN:**

1. Ensure all pool equipment is working properly. Adjust stabilizer levels to 40-100 ppm with *{brand name}* stabilizer. Follow Manufacturer's Directions for Use.
2. Test the water's pH, alkalinity, and calcium hardness and adjust to the correct level. Adjust pH to 7.4-7.6. [Adjust alkalinity to 80-130 ppm. Adjust calcium hardness to 250-400 ppm for plaster and fiberglass pools and 200-300 ppm for vinyl pools.] Be sure to follow label directions when using other products as outlined in directions for this product.
3. Check the free available chlorine level and adjust to 2-4 ppm by adding [a granular chlorinating product] *{insert EPA Registered brand name chlorinating product}*. Follow Manufacturer's Directions for Use.

**START-UP/INITIAL TREATMENT:**

1. If water is cloudy or green, superchlorinate pool with appropriate shock product until pool is clear.
2. Add 16 ounces of this product (two tablets) per 10,000 gallons of pool water to feeder or floater and then test for the free available chlorine level (allow water to circulate at least 4 hours before testing). Adjust the feeder or floater following manufacturer's instructions to establish a free available chlorine level between 2-4 ppm.
3. When free available chlorine level is adjusted to 2-4 ppm, add *{EPA Registered brand name}* algicide. Follow Manufacturer's Directions for Use.

**ROUTINE MAINTENANCE:**

Add 16 ounces of this product per 10,000 gallons of pool water per week, or as often as needed, to the feeder or floater to maintain a constant free available chlorine level of 2-4 ppm. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss so check the floater or feeder often and refill as needed.

***{Directions to be used for pool sanitization with sticks}***

**POOL SANITIZATION WITH STICKS**

For use in feeders or floaters – kills bacteria and controls algae, clarifies, prevents metal staining and corrosion, and reduces scale formation.

**IMPORTANT NOTES:**

1. Shock your pool every week and also after heavy rain or heavy use to help keep your pool water properly maintained.
2. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss. Adjust cleaning and chemical maintenance accordingly.
3. Use this product in an automatic feeder or floater designed for this product.
4. Do not add other chemicals into the feeder or floater where this product is in use as a fire or explosion may occur.
5. To avoid damage to pool surface or materials do not allow product to come in direct contact with these materials. Do not throw sticks directly into the pool.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

**BEFORE YOU BEGIN:**

1. Ensure all pool equipment is working properly. Adjust stabilizer levels to 40-100 ppm with [{{brand name}}] stabilizer. Follow Manufacturer's Directions for Use.
2. Test the water's pH, alkalinity, and calcium hardness and adjust to the correct level. Adjust pH to 7.4-7.6. [Adjust alkalinity to 80-130 ppm. Adjust calcium hardness to 250-400 ppm for plaster and fiberglass pools and 200-300 ppm for vinyl pools.] Be sure to follow label directions when using other products as outlined in directions for this product.
3. Check the free available chlorine level and adjust to 2-4 ppm by adding [a granular chlorinating product] [{{insert EPA Registered brand name chlorinating product}}]. Follow Manufacturer's Directions for Use.

**START-UP/INITIAL TREATMENT:**

1. If water is cloudy or green, superchlorinate pool with appropriate shock product until pool is clear.
2. Add 16 ounces of this product (two sticks) per 10,000 gallons of pool water to feeder or floater and then test for the free available chlorine level (allow water to circulate at least 4 hours before testing). Adjust the feeder or floater following manufacturer's instructions to establish a free available chlorine level between 2-4 ppm.
3. When free available chlorine level is adjusted to 2-4 ppm, add [{{EPA Registered brand name}}] algaecide. Follow Manufacturer's Directions for Use.

**ROUTINE MAINTENANCE:**

Add 16 ounces of this product per 10,000 gallons of pool water per week, or as often as needed, to the feeder or floater to maintain a constant free available chlorine level of 2-4 ppm. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss so check the floater or feeder often and refill as needed.

***{Directions to be used for disposable pool floater sanitization}***

**POOL SANITIZATION WITH DISPOSABLE FLOATER**

This disposable floating dispenser sanitizes the water and then tips on its side when empty. The sanitizer kills bacteria and controls algae, clarifies, prevents metal staining and corrosion, and reduces scale formation.

**IMPORTANT NOTES:**

1. When using other products, as outlined in directions of this product, always follow label direction for those products.

2. Shock your pool every week and also after heavy rain or heavy use to help keep your pool water properly maintained.
3. Sunlight, rainfall, temperature, number of swimmers, and frequency of pool use affect the rate of chlorine residual loss. Adjust cleaning and chemical maintenance accordingly.
4. During shock treatment remove floater from pool. Place floater in an empty, clean, dry, plastic container. Place back in pool when the process is completed.
5. Do not completely submerge floater or allow holes to become clogged. This could trap excess amount of chlorine gas possibly resulting in a violent explosion.
6. Do not attempt to refill this product.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

**BEFORE YOU BEGIN:**

1. Ensure all pool equipment is working properly Adjust stabilizer levels to 40-100 ppm with [{{brand name}}] stabilizer. Follow Manufacturer's Directions for Use.
2. Test the water's pH, alkalinity, and calcium hardness and adjust to the correct level. Adjust pH to 7.4-7.6. [Adjust alkalinity to 80-130 ppm. Adjust calcium hardness to 250-400 ppm for plaster and fiberglass pools and 200-300 ppm for vinyl pools.] Be sure to follow label directions when using other products as outlined in directions for this product.
3. Check the free available chlorine level and adjust to 2-4 ppm by adding [a granular chlorinating product] [{{insert EPA Registered brand name chlorinating product}}]. Follow Manufacturer's Directions for Use.

**START-UP/INITIAL TREATMENT:**

1. If water is cloudy or green, superchlorinate pool with appropriate shock product until pool is clear.
2. Floater is marked in five thousand gallon increments representing 5,000 to 40,000 gallons. To use, cut off all feeder nubs on both sides of cartridge up to and including the one corresponding to your pool's size. If pool is between sizes marked, open the next higher nubs. Use a sharp knife and cut in direction away from your body and limbs. Make certain holes are wide open to allow water to flow through freely.
3. Place floater with open holes in center of the pool. (Fig. A) After 24 hours check residual chlorine level with a test kit. If residual chlorine level is below 2.0 ppm cut off one additional nub until chlorine stabilizes at 2-4 ppm. If the residual chlorine is too high, seal one set of holes with waterproof tape.
4. When ready for replacement, this product will float on its side.




FIG. A

*{For all products}*

**Re-entry into treated swimming pools is prohibited when free available chlorine levels are above 3 ppm due to risk of bodily injury.**

**STORAGE AND DISPOSAL:** Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Rinse thoroughly before recycling or placing in trash.

**PHYSICAL OR CHEMICAL HAZARDS:** CONTAINS A STRONG OXIDIZING AGENT. Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood area with large volumes of water.

*{Environmental hazards statement for end-use products in containers of less than 50 pounds (solid, dry weight).}*

**[ENVIRONMENTAL HAZARDS** This pesticide is toxic to fish and aquatic organisms.]

*{Environmental hazards statement for end-use products in containers equal to or greater than 50 pounds (solid, dry weight).}*

**[ENVIRONMENTAL HAZARDS** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

[NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.]

**[MANUFACTURED BY**  
Suncoast Chemicals Company  
6385 150<sup>th</sup> Ave. N.  
Clearwater, FL 33760]

**EPA Reg. No. 46043-30**  
**EPA Est. No. 46043-FL-1**

**{OPTIONAL MARKETING STATEMENTS}**

**{Optional marketing statements that may be used with pool sanitization with any of the product forms on this label including: 1-inch tablets, 3-inch tablets or sticks.}**

[Slow-Dissolving Sanitizer]  
[Kills Bacteria]  
[Controls Bacteria and Algae]  
[Controls Algae]  
[Algae Control]  
[Kills Bacteria and Controls Algae]  
[With built in scale preventative]  
[With built in sunlight protector.]  
[With built in corrosion preventative]  
[With built-in metal stain inhibitor, scale preventative and sunlight protector]  
[Helps prevent corrosion & metal staining]  
[Stain Inhibitor]  
[Reduces Scale Formation]  
[Descaler]  
[Clarifies]  
[Built in Clarifier]  
[Clarifier]  
[Sanitize]  
[Sanitizer]

[Slow-Dissolving Sanitizer for Routine Use in Automatic Feeders or Floaters]  
[For use in Automatic Feeders or Floaters]

[Slow Dissolving Stabilized 3" Tabs]  
[Built in Clarifier, Stain Inhibitor and Sunlight Protector]  
[Metal Stain Preventative]  
[Corrosion and Scale Preventative]  
[Algae Preventative]

[Slow Dissolving Stabilized 1" Tabs]  
[Slow Dissolving Stabilized Sticks]  
[For Use in All Swimming Pools]

[1" Slow Dissolving Multi-Purpose Tabs]  
[3" Slow Dissolving Multi-Purpose Tabs]



*{For Sealed One-Time Use Floating Chlorinator only}*

Easy-To-Use Single Application  
No Contact With Chemicals  
Discard Container After Use