

DIASOL AG 500

For control of certain insects on fruits, vegetables,
nuts, field crops, ornamentals and turf

This product must not be used on golf courses and sod farms

FOR AGRICULTURAL AND COMMERCIAL USE ONLY

ACTIVE INGREDIENT:

Diazinon [O,O-Diethyl O-(2-Isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]

48%

INERT INGREDIENTS:

52%

TOTAL 100%

Contains 4 lbs. diazinon per gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled — Remove victim to fresh air and apply artificial respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas immediately with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately.

Note to Physician — Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for precautionary statement

2/4

WARRANTY STATEMENT

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Dist. By: Pesticide Advisory Service
37 Midvale Road
Hartsdale, New York 10530

EPA Reg. No. 46077-3


EPA Est. No. 11678-IS-01

Net Content 5 gallons

RQ Diazinon

ORM-A

UN 2783



BEST AVAILABLE COPY

3/21

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food. Do not use on humans or permit children to go onto treated areas until spray has completely dried.

Keep out of reach of domestic animals. Do not contaminate feed or use on household pets or livestock. Do not permit pets to go onto sprayed grass until spray has completely dried.


ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of lakes, streams, ponds, hot marshes and estuaries (except for effluence from treated watercress beds). Do not apply to water that will be used for recreational purposes and human and livestock consumption. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. This product must not be used in areas where impact on threatened endangered species is likely. Contact your State Fish and Game Agency for information pertaining to areas having threatened endangered species. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried. Protective clothing means, at least, a hat or other suitable head covering, long-sleeved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be in a language customarily understood by the workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by the workers.

Written warnings must include the following information: Signal Word: WARNING AREA treated with diazinon on (date of application). Do not enter without appropriate protective clothing until sprays have dried. (Insert State Department of Agriculture reentry interval if more restrictive). In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to diazinon and describe his condition. For further information see the Precautionary Statements and Statement of Practical Treatment.

NOTE: The California Department of Agriculture has set a 5-day reentry for Diazol on citrus, grapes, peaches, and nectarines. Five days should elapse between the time of application and the time a worker may enter the field to engage in any activity requiring substantial contact with treated foliage. When a mixture of two or more organic phosphate pesticides is applied, the interval shall be prolonged by adding to the longest application interval an additional 50% of that interval.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal. Store in a dry place.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state or local authorities.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

In case of minor spills, follow all precautions indicated above and clean up immediately. Sweep up and dispose of wastes and broken or empty containers in a landfill approved for pesticide use.

