

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 46109-b	DATE OF ISSUANCE 27 FEB 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT SC-6670	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<input type="checkbox"/> South Coast Chemical, Inc. 2310 W. Cape Cod Way Santa Ana, CA 92703		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:		
1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 46109-b."		
b. Any reference to "general use" classification must be removed from this labeling. "General Use" as a classification is no longer deemed valid by the Agency, even when products are not subject to restricted use as in the case of SC-6670. If a product is classified for restricted use, this classification certifies individuals that the chemical may be applied only by or under the direct supervision of a certified applicator. The absence of a restricted use classification clearly implies that the aforementioned restriction does not apply to a particular pesticide or its uses. A second classification for general use is thereby unnecessary and should not appear on this labeling.		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE		Signature of Approving Official <i>James H. Brubaker</i> for JOHN H. LEE
SIGNATURE OF APPROVING OFFICIAL		
		DATE

3 Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

James H. Banks

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

RD/DIS:JOB-51506:J.Lee:CBI-09:Kim:Kendrick:898-1270:2/15/85:Del.2/25/85

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

SC 6670

ACTIVE INGREDIENT:

2-(Thiocyanomethylthio)benzothiazole 30%

INERT INGREDIENTS 70%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Causes skin irritation. This product may cause allergic skin reactions. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT: *If in eyes,* flush with plenty of water. Get medical attention. *If on skin,* wash with plenty of soap and water. Get medical attention. *If swallowed,* drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not use in offshore or estuarine drilling operations. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

ACCEPTED
with COMMENTS
by EPA Letter Office

Manufactured by:

South Coast Chemical, Inc. FEB 27 1985
2310 W. Cape Cod Way
Santa Ana, CA 92703

EPA REG. NO.

EPA EST. NO.

NET CONTENTS

46109-6

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

COOLING TOWERS: SC 6670
Apply SC 6670 to cooling tower wood against soft or surface rot and internal or dry rot by spraying or painting a dispersion containing 0.5 to 0.7% SC 6670 in water onto the clean wood surfaces. The amount applied should provide 1.25 lb. of SC 6670 per 1000 ft.² of wood. Wood rot can also be inhibited by periodic shock doses of SC 6670 to the recirculating cooling water at the tower basin or cold water bleedoff. Provide 1.25 lb. of SC 6670 per 1000 gal. of water. Subsequent bleedoff should be stopped for 4 to 6 hr. after treatment. The treatment should be repeated every four months.

COOLING WATER: SC 6670
To control bacteria, and fungi in industrial recirculating cooling water systems, when begun, the system should be cleaned thoroughly to remove biological slimes, and other deposits. System should then be drained, and treated with an initial dose of 0.6 to 3.7 fl. oz. of SC 6670 per 1000 gal. water in the system. Subsequent treatments of 0.6 to 3.7 fl. oz. per 1000 gal. should be made every 1 to 5 days, depending on the extent and severity of microbiological fouling.

DRILLING FLUIDS: To inhibit bacterial and fungal degradation of the fluid in the drilling of wells, SC 6670 is incorporated into the fluid at concentrations of 0.05 to 0.25% based on the total wet weight of the fluid.

PETROLEUM SECONDARY RECOVERY: SC 6670
To control sulfate-reducing bacteria, slime-forming bacteria and fungi in injection wells, SC 6670 should be added to the water system at a concentration of 0.6 to 3.7 fl. oz. per 1000 gal. of water. Treatment should be made continuously or intermittently by means of a metering pump before or after injection pumps and injection well headers. Continuous treatment is not necessary unless the system is noticeably fouled, add 0.6 to 3.7 fl. oz. SC 6670 per 1000 gal. of water.

Intermittent or Slug Method: When system is not fouled, SC 6670 should be added to the water at a concentration of 0.6 to 3.7 fl. oz. per 1000 gal. of water. When system is fouled, add 0.6 to 3.7 fl. oz. SC 6670 per 1000 gal. of water.

CUTTING FLUIDS: SC 6670
To inhibit bacterial and fungal degradation of water-based and water-soluble or emulsifiable cutting fluids used in metalworking operations, it should be added to the cutting fluid at a concentration of 0.6 to 3.7 fl. oz. per 1000 gal. of fluid. SC 6670 can be added to the concentrate before dilution at a rate of 1 to 1250 parts per million (ppm) to the required concentration in the diluted fluid.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Do not expose to extreme temperatures. Do not store in high humidity. Drums should be opened in well ventilated areas. Leaking or damaged drums should be opened in well ventilated areas. Leaking or damaged drums should be opened in well ventilated areas. Spills should be absorbed in sawdust or other suitable material and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of pesticide wastes is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Control Agency or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or disposal, or puncture and dispose of in a sanitary landfill, or by other procedures approved by local authorities.

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 46199-C."
 - b. Any reference to "general use" classification must be removed from this labeling. "General Use" as a classification is no longer deemed valid by the Agency even when products are not subject to restricted use as in the case of SG-6670. If a product is classified for restricted use, this classification notifies individuals that the chemical may be applied only by or under the direct supervision of a certified applicator. The absence of a restricted use classification clearly implies that the aforementioned restriction does not apply to a particular pesticide or its uses. A second classification for general use is thereby unnecessary and should not appear on this labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

James H. Banks
for

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

RD/DIS:JOB-51506:J.Lee:CBI-09:Kim:Kendrick:898-1270:2/15/85:Del.2/25/85

		CONCURRENCES					
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

SC 6670

BEST AVAILABLE COPY

ACTIVE INGREDIENT:

2-(Thiocyanomethylthio)benzothiazole 30%

INERT INGREDIENTS 70%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Causes skin irritation. This product may cause allergic skin reactions. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT: *If in eyes,* flush with plenty of water. Get medical attention. *If on skin,* wash with plenty of soap and water. Get medical attention. *If swallowed,* drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not use in offshore or estuarine drilling operations. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

ACCEPTED
with COMMENTS
by EPA List Date

Manufactured by:

South Coast Chemical, Inc. FEB 27 1985

2310 W. Cape Cod Way

Santa Ana, CA 92703

EPA REG. NO.

EPA EST. NO.

NET CONTENTS

46109-6

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

COOLING TOWERS: SC 6670

cooling tower wood against soft or surface rot and internal staining or painting a dispersion containing 0.5 to 0.7% SC 6670 in water onto the clean wood surfaces. The amount applied should be 1.25 lb. of SC 6670 per 1000 ft² of surface.

Wood rot can also be inhibited by periodic shock doses of SC 6670 to the recirculating cooling water at the tower basin or condenser. Provide 1.25 lb. of SC 6670 per 1000 gal. of water. Shock bleedoff should be stopped for 4 to 6 hr. after treatment. Repeat every four months.

COOLING WATER: SC 6670

Control bacteria, and fungi in industrial recirculating cooling water. When biological slimes, and other deposits. System should then be cleaned with water, and treated with an initial dose of 0.6 to 3.7 fl. oz. of SC 6670 per 1000 gal. water in the system. Subsequent treatments should be made every 1 to 5 days, depending on the extent and severity of microbiological fouling.

DRILLING FLUIDS: To inhibit bacterial and fungal degradation of drilling fluids. SC 6670 is incorporated into drilling fluids at concentrations of 0.05 to 0.25% based on the total wet weight of the fluid.

PETROLEUM SECONDARY RECOVERY: SC 6670 is used to control sulfate-reducing bacteria, slime-forming bacteria and fungi in micellar floods, water disposal systems, and other oil-field water disposal systems. SC 6670 should be added to the water at a rate of 0.6 to 3.7 fl. oz. per 1000 gal. of water.

Control microbial growth in water. SC 6670 should be added to the water at a rate of 0.6 to 3.7 fl. oz. per 1000 gal. of water. When system is noticeably fouled, add 0.6 to 3.7 fl. oz. of SC 6670 per 1000 gal. of water continuously until desired degree of control is achieved.

INTERMITTENT OR SLUG METHOD: When system is fouled, add 0.6 to 3.7 fl. oz. of SC 6670 per 1000 gal. of water to 8 hr per day and 1 to 4 times per week, or as needed to maintain control.

CUTTING FLUIDS: SC 6670

Control bacterial and fungal degradation of water-based and water-soluble or emulsified cutting fluids in metalworking operations. It should be added to the cutting fluid at a rate of 0.6 to 3.7 fl. oz. per million parts per million of water.

SC 6670 can be added to the concentrate before dilution at a rate of 125 to 1250 times the required concentration in the diluted fluid.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Do not expose to extreme temperature. High drums should be opened in well ventilated areas. Leaking drums should be opened in well ventilated areas. Leaking drums should be opened in well ventilated areas. Spills should be absorbed in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Do not discharge into waterways. Do not use as a soil amendment. Do not use as a fertilizer. Do not use as a soil conditioner. Do not use as a soil amendment. Do not use as a fertilizer. Do not use as a soil conditioner.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by other procedures approved by local authorities.