PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZIN[®] AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes lungs and mucous membranes.

distributed by Halifax Aquatech Pools (904) 257-1722

140 East Mason Avenue Daytona Beach, Florid's 32014

EPA REG. NO 46131-1 EPA ESI 46131-FL-1 NET CONTENTS: 2.5 GALLONS

DATE PACKAGED:

NOT FOR USE AFTER:



CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin colution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

ACCEPTED
2 SEP 1981
46131-1
Share DE THE REPORTE CONTREPS
FOR TOOR THE PORTON ALGISTER

9%

91%

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a rinconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATIC. For a new pool or for spring start-up, superchlorinate with pint (16 flu ozs.) of sodium hypochlorite solution for eac gallons of water. This dosage is equivalent to 5 ppm av chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
B) Add manually or by a feeder device, sodium hypoc solution at a rate to maintain an available chlorine resision 6 to 1.0 ppm. One nalf pint (8 fluilozs.) of sodium hypoc solution for each 6000 gallons of water will-provide available chlorine by weight. Frequency of additionantain 0.6 to 1.0 ppm available chlorine will dependent and of number swimmers. Bae lest kit to certain the pH and chlorine residual are insthe proper-rised.

NOTE: This product degrades with age. Use a ch'orine test increase dosage as necessary, to obtain the fouried le available chlorine.

STORAGE AND DISPOSAL: Do Not contaminate Water, Food by storage or disposal of cleaning of equipment. STORAGE: Store in a cool, dry area away from direct sunlight

PESTICIDE DISPOSAL: In case of spill, flood area with large of titles of water. Product or rinsate that cannot be used, should be uted with water, and disposed of in a sanitary sewer.

CONTAINER DISPOSAL: Rinse empty container thoroughly w water and either return to manufacturer or discard by placing in trash collection, or burying in an approved land fill.

ENTS STIC ANIMALS

itation or chemical ay be fatat if swatyes, on skin or on bber gloves when ing. Vacate poorly return until odors

toxic to fish, keep ifluent, cannot, be ic waters unless a intact the regional

ONG OXIDIZIN directions Mixing trine, etc., or with bals will release to the membranes 722

51 46131-FL-1



CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE INERT INGREDIENTS: KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get inedical attention. If swallowed, drink large quantities of milk, or getatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

•	
j	ACCEPTED
	2 SEP 1981
	46131-1
1	NDEP THE FEE DAY OF CTICLE
Ĺ	FOR THE TO POISON DEDISTER

9%

91%

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal taw to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu ozs.) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight

FOR POOL MAINTENANCE:

- A) Adjust pool water pH to 76 72 range and maintain.
- B) Add manually or by a feeder device, sodium hypoblior: no solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu loss) of sodium hypoblicite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend or temperature and of number swimmers. Use fest kit to mare certain the pH and chlorine residual are write proper ranne.

NOTE: This product degrades with age. Use a chlorine testikit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Do Not contaminate Water, Food or Feed by storage or disposal of cleaning of equipment, STORAGE: Store in a cool offy area away from direct sunlight.

STORAGE: Store in a cool lifty area away from direct sunlight. PESTICIDE DISPOSAL: in case of such, flood area with large quantities of water. Product or rinsate that cannot be used, should be directed with water, and disposed of in a sanitary sewer.

CONTAINER DISPOSAL. Rinse empty container thorcughly with water and either return to manufacturer or discard by placing. It trash collection, or burying in an approved land fill.



1