


Reg # 46149-1

PM-10

192

NOLO™ - BB  
CONCENTRATE

*Nosema locustae* Biological Insecticide  
FOR FORMULATING USE ONLY



ACTIVE INGREDIENT	
<i>Nosema locustae</i> Canning*	0.10%
INERT INGREDIENT	
Distilled water	99.90%
	100.00%

\* Contains at least one billion viable spores per gram

KEEP OUT OF REACH OF CHILDREN (12 point type required)  
CAUTION (18 point type required)

READ ALL DIRECTIONS BEFORE USING  
PRECAUCION AL USUARIO

Si usted no lee ingles, no use este producto hasta que la etiqueta le  
haya sido explicada ampliamente.

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION (12 point type size) - Harmful if inhaled. Avoid breathing  
dust. Avoid contact with eyes or clothing. Wash hands and clothing  
after use. Avoid contamination of feed and food.

#### Statement of Practical Treatment

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with  
plenty of soap and water.  
IF IN EYES - Flush with plenty of water. Get medical attention if  
irritation develops.  
IN INHALED - Remove to fresh air. Get medical attention if respiratory  
irritation occurs.

#### Environmental Hazards

Do not apply directly to water, to areas where surface water is present  
or to intertidal areas below the mean high water mark. Do not  
contaminate water by disposal of equipment wash waters.

Net Contents: \_\_\_\_\_  
Date formulated: \_\_\_\_\_

Manufactured in the USA by:  
M&R Durango, Inc.  
6565 Hwy. 172  
Ignacio, CO 81137 USA  
Telephone: 303/259-3521

EPA Registration Number 46149-1  
EPA Establishment Number 46149-CO-001  
Lot Number: \_\_\_\_\_

M-2C

## NOLO™ - BB CONCENTRATE

NOLO™ - BB contains a microsporidial parasite of grasshoppers. It infects the fat bodies of most species of grasshoppers and some species of crickets. Mortality is greatest to young grasshoppers.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Instructions for Formulating

NOLO™ - BB Concentrate is to be used with appropriate baits, carriers, stickers, etc., in the manufacture of insecticides.

Warm gently to liquify and mix well before sampling and use.

Mix with sticking agent (for example: hydroxymethyl cellulose 0.2% w/v and apply to bait (such as flaked wheat bran) at the rate of  $1 \times 10^9$  spores per 454 grams of bait.

Please note that the reformulator or repackager of this product is responsible for all regulatory matters associated with the formulation, repackaging and/or use of this product.

---

### STORAGE AND DISPOSAL

GENERAL: Do not contaminate potable water, food or feed by storage or disposal.

STORAGE: Store frozen until use. Optimum storage temperature -20°C.

PESTICIDE DISPOSAL: Improper disposal of unused pesticide, spray mixture, or rinsate is a violation of Federal law. Pesticide, spray mixture, or rinsate that cannot be used according to label directions must be disposed of according to Federal, state, or local procedures. For guidance in proper disposal methods, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill.

---

### LIMITATION OF WARRANTY

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of the product and accepts the product on that condition.