

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swall lowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gluves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish keep out of lakes streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protect or Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZIN' AGENT: Mix only with water according to label directions. Mixing this product with gross fifth such as feces, or nellections with ammonia, acids detergents or other chemicals will release hazardous gases irritating to eyes. Jungs and much immembranes

distributed by The Boat House (SDL Corp. (305) 729-6160. 472 Port Malabar Plaza

Paim Bay, Fior da 32905

EPA HEC. NO. 46

46187-1

дид Т NO 46187 FL 1

NET CONTENTS 25 GALLONS

DATE PACKAGED NOT FOR USE AFTER HOUSE

CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE INERT INGREDIENTS:

9% 91%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water if in eyes flush with water for at least 15 minutes. Get medical attention, if swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get proint medical attention.

DIRECTIONS GENERAL CLAS

It is a violation of federal law to inconsistent with its labeling.

DIRECTIONS FOR SWIMMING For a new pool or for spring start a pint (16 flu. ozs.) of sodium hypogallons of water. This dosage is chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 - 7
 Add manually or by a feeder solution at a rate to maintain a 0.6 to 1.0 ppm. One half pint (8.1 solution for each 6000 gallon available chlorine by weight maintain 0.6 to 1.0 ppm availatemperature and of number secertain the pH and chlorine research.

NOTE: This product degrades with increase dosage as necessary, it available chlorine.

STORAGE AND DISPOSAL. Do Noby storage or disposal of cleaning of STORAGE: Store in a cool, dry area PESTICIDE DISPOSAL: In case of titles of water, Product or rinsate thauted with water, and disposed of in CONTAINER DISPOSAL: Rinse en water and either return to manufact trush collection, or burying in an application.

CEPTED

301 1581

6/87-/
FRITAN WETHERE
THE ACT OF THE

DNARY STATEMENTS INS AND DOMESTIC ANIMALS

cause severe skin irritation or chemical uses eye damage. May be fatal if swall ibors. Do not get in eyes, on skin or on in face shield and rubber gloves when ish hands after handling. Vacate poorly as possible. Do not return until odors


RDS This pesticide is toxic to fish, keep philds. Treated effluent cannot be eams, ponds or public waters unless a red. For guidance, contact the regional ail Protection Agency.

CAL HAZARDS: STRONG OXIDIZIN' er according to tabel directions. Mixing with such as feces, urine, etc. or with ints or other chemicals will release to eyes lungs and mucour membranes.

use (SDL Corp.) (305) 729-6160 abar Plaza orida 32905

EPA EST NO 46187-FL-1

ITENTS 25 GALLONS



CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE INERT INGREDIENTS:

9% 91%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water if in eyes, flush with water for at least 15 minutes. Get medical altention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION. For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu lozsl) of sodium hypochlorite solution for each 2500 galkins of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 76 - 72 range and maintain

B) Add manually or by a feeder device, sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu lozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and of number swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL. Do Not contaminate Water, Food or Feed by storage or disposal of cleaning of equipment.

STORAGE. Store in a coof, dry area away from direct sunlight, PESTICIDE DISPOSAL. In case of scill, floord area with large quantities of water, Product or closate that cannot rie used, should be disuted in thiwater, and disposed of in a sanitary sewer.

CONTAINER DISPOSAL. Rinse empty, container their ughly with water and either return to manufacturer or discard by placing in trash collection, or burying in an approved land Git.