

Reg # 46260-19  
PM 12 P. 1/5

# 7320 Jobe's Spikes

FRONT PANEL

Professional Formula to Protect Ornamental Plants in Interiorscapes  
(SPECIALLY DESIGNED FOR USE WITH SUPPLEMENTAL FERTILIZATION SYSTEMS)

1% Carbosuran Insecticide  
WITH FERTILIZER 4-14-13-20

CAUTION: (SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS) KEEP OUT OF REACH OF CHILDREN

Active Ingredient (by Weight):

Carbosuran: [2,3-dihydro-2,7-dimethyl-7-benzofuranyl methylcarbamate] ..... 1.0%

Total Inert Ingredients ..... 99.01%  
100.01%

Guaranteed Fertilizer Analysis:

Calcium*	.....	2.00%
Sulfur*	.....	1.50%
Iron*	.....	1.43%
Manganese*	.....	0.33%
Zinc*	.....	0.15%
Copper*	.....	0.01%

\*Derived from Calcium Sulfate, Iron Oxide, Iron Sulfate, Manganese Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Oxide and Copper Sulfate. \*The Calcium, Sulfur, Iron, Manganese, Zinc and Copper provide 1.4% occluded slow release Calcium, 0.7% occluded slow release Sulfur, 0.8% occluded slow release Iron, 0.3% occluded slow release Manganese, 0.1% occluded slow release Zinc and 0.01% occluded slow release Copper.

Chlorine not more than ..... 0.50%

International Spike, Inc  
817 East Third Street  
Lexington, Ky. 40505  
Pat Nos. 3,892,552; 4,348,218; and Des. 236,149  
EPA (SI 46260-KY-01) EPA Reg No. 46260-00

Jobe's® is a Registered Trademark of International Spike, Inc.  
Contents: 1500 6-gram Spikes      Net Wt. - 19 lbs. 13 oz.

ACCEPTED  
FEB 2 1987

BEST AVAILABLE COPY





LEFT PANEL

1% Carbofuran Insecticide  
WITH FERTILIZER

Professional Formula to Protect Ornamental Plants in Interiorscapes  
(SPECIALLY DESIGNED FOR USE WITH SUPPLEMENTAL FERTILIZATION SYSTEMS)

**CAUTION** KEEP OUT OF REACH OF CHILDREN

AVISO:

PRECAUCION AL USUARIO: Si usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada amplimente.

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash hands thoroughly with soap and water after handling. Do not use on or around bearing fruit trees or vegetable plants.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting. If on skin, wash affected areas with soap and water. If in eyes, flush with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: This product contains a carbamate which is a cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARD: This product is toxic to fish, wildlife and birds. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

BEST AVAILABLE COPY



RIGHT PANEL

1% Carbofuran Insecticide  
WITH FERTILIZER

Professional Formula to Protect Ornamental Plants in Interiorscapes  
(SPECIALLY DESIGNED FOR USE WITH SUPPLEMENTAL FERTILIZATION SYSTEMS)

**CAUTION** (SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS) KEEP OUT OF REACH OF CHILDREN


CONDITIONS OF SALE

THE DIRECTIONS ON THIS LABEL FOR USE OF THIS PRODUCT ARE BASED ON RESEARCH AND FIELD TRIALS ON THE PLANTS LISTED ON THE LABEL. NO CLAIMS ARE MADE OR IMPLIED FOR PLANTS OR PESTS NOT LISTED ON THIS LABEL. DUE TO THE LARGE NUMBER OF SPECIES AND VARIETIES OF ORNAMENTAL AND NURSERY PLANTS, IT IS IMPOSSIBLE FOR THE MANUFACTURER TO TEST THIS PRODUCT ON ALL PLANTS UNDER ALL POSSIBLE GROWING CONDITIONS. TO DETERMINE SUITABILITY AND SAFETY FOR A PARTICULAR USE, THE PROFESSIONAL USER SHOULD TEST A SMALL NUMBER OF PLANTS OF EACH VARIETY FOR PHYTOXICITY AND EFFECTIVENESS PRIOR TO WIDESPREAD USE.

FURTHER IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS OF CROP INJURY, INSUFFICIENT EFFECTIVENESS OR OTHER UNINTENTIONAL CONSEQUENCES WHICH COULD RESULT FROM FACTORS WHICH ARE BEYOND THE CONTROL OF THE MANUFACTURER, INCLUDING BUT NOT LIMITED TO WEATHER CONDITIONS, PRESENCE OF OTHER PESTICIDES OR GROWTH REGULATORS, RESISTANCE DEVELOPMENT OR MANNER OF USE AND/OR HANDLING CONTRARY TO LABEL INSTRUCTIONS.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER.

BEST AVAILABLE COPY





7330

1% Carbofuran Insecticide

WITH FERTILIZER 414-7330

PROFESSIONAL FORMULA TO PROTECT ORNAMENTAL PLANTS IN INTERIORSCAPES

CAUTION:(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)KEEP OUT OF REACH OF CHILDREN

GENERAL INFORMATION:

Jobe's Spikes with 1% Carbofuran Insecticide are an effective way to control common pests on interiorscape plants. Jobe's unique patented slow-release formulation provides systemic disease control for 6 to 8 weeks. Soil moisture gradually dissolves the spike, releasing a systemic insecticide which enters the plant through the roots and is translocated to all parts of the plant.

PROTECTS AGAINST STEM AND FOLIAR DAMAGE CAUSED BY:

Aphids, Mites and Scale.

FLOWERING PLANTS:

For example Chrysanthemum and Poinsettia.

FOILAGE PLANTS AND SHRUBS:

For example Ficus, Palm Species, Pothos, Schefflera and Spathiphyllum.

BEST AVAILABLE COPY

BACK PANEL CONTINUED

**DIRECTIONS:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read the entire label. **FAILURE TO FOLLOW DIRECTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, INSUFFICIENT PEST CONTROL OR PERSONAL INJURY HAZARD AS NOTED IN THE PRECAUTIONARY STATEMENTS ON THE SIDE PANEL.**

**FOR BEST RESULTS INSERT NEW SPIKES EVERY SIX TO EIGHT WEEKS** depending on irrigation schedule. Wear gloves. Irrigate immediately after application. Soil moisture gradually and safely releases insecticide to the plant's roots.

**STORAGE AND DISPOSAL:** Store only in original container in a cool, dry place. Do not reuse original container. Securely wrap original container in several layers of newspaper and discard in trash. Do not store in living areas of the home.

**For Bedded Interiorscape Plants:** Push each spike under the soil and into the moisture zone on opposite sides of the plant 6" to 8" from the stem.

**For Containerized Interiorscape Plants:** Push each spike under the soil and into the moisture zone on opposite sides of the plant close to the edge of container.

**IF CONTAINER SIZE IS:**

- 1-Gallon or 6-inch
- 2-Gallon or 8-inch
- 3-Gallon or 10-inch
- 5-Gallon

**SPIKE SIZE:**

6 gram

**DOSAGE:**

- One Spike
- Two Spikes
- Three Spikes
- Five Spikes

BEST AVAILABLE COPY

