FRONT PANEL

Jobe'S. Spikes 0,1% Subdue. Fungicide

For Commercially Grown Ornamental Plants

ACCEPTED

JUN 1 3 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 46260-26

Keep Out of Reach of Children

CAUTION (SEE BACK PAR 1 FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

Active ingredient (by \text{Wt.}):	
Metalaxyl: N-(2,6 dimethylphenyl)-N-(methoxyacetyl)	
	1 %
Inert Ingredients. 99.	9 <u>%</u> 0%
Guaranteed Fertilizer Analysis:	
Total Nitrogen (N)	12%
12% Ammoniacal Nitrogen	
Available Phosphoric Acid (P ₂ 0 ₅)	82
Soluble Potash (K ₂ 0)	8%
Derived from Ammonium Sulfate, Ureaform, Diammonium Phosphate, and Potass Sulfate. The Nitrogen, Phosphorus, and Potassium materials in this product provoccluded slow release Nitrogen (N), $\%$ occluded slow release Available Phosph (P $_2$ 0 $_5$), and $\%$ occluded slow release Soluble Potash ($\%$ 20).	′ide %
Chiorine not more than	0.5%
	• • • • •
	,s
Telephone Collegia (a. 1900) F. 1900 F	A .5 (8)

International Spike, Inc.
Pat. Nos. 3,892,552; 4,348,218; and Des. 236,149
817 E. Third Street
Lexington, Kentucky 40505
EPA EST. 46260-KY-01
EPA Reg. No. 46260-26

Jobe'S® is a Registered Trademark of International Spike, Inc.

^{*}Subdue • is a Registered Trademark of Ciba Geigy Corporation



Jobe'S. Spikes

Subdue_® Fungicide

For Commercially Grown Ornamental Plants

Keep Out of Reach of Children

CAUTION (SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

AVISO:

PRECAUCION AL USARIO: Si usted no puede leer o entendar ingles, no use este producto hasta que la etiqueta le haya sido explicada amplimente.

40



Jobe'Se Spikes

Subdue_® Fungicide

For Commercially Grown Ornamental Plants

Keep Out of Reach of Children

CAUTION (SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

CONDITIONS OF SALE

THE DIRECTIONS ON THIS LABEL FOR USE OF THIS PRODUCT ARE BASED ON RESEARCH AND FIELD TRIALS ON THE PLANTS LISTED ON THE LABEL. NO CLAIMS ARE MADE OR IMPLIED FOR PLANTS OR PESTS NOT LISTED ON THIS LABEL. DUE TO THE LARGE NUMBER OF SPECIES AND VARIETIES OF ORNAMENTAL AND NURSERY PLANTS, IT IS IMPOSSIBLE FOR THE MANUFACTURER TO TEST THIS PRODUCT ON ALL PLANTS UNDER ALL POSSIBLE GROWING CONDITIONS. TO DETERMINE SUITABILITY AND SAFETY FOR A PARTICULAR USE, THE PROFESSIONAL USER SHOULD TEST A SMALL NUMBER OF PLANTS OF EACH VARIETY FOR PHYTOTOXICITY AND EFFECTIVENESS PRIOR TO WIDESPREAD USE.

FURTHER, IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS OF CROP INJURY, INSUFFICIENT EFFECTIVENESS, OR OTHER UNINTENTIONAL CONSEQUENCES WHICH COULD RESULT FROM FACTORS WHICH ARE BEYOND THE CONTROL OF THE MANUFACTURER, INCLUDING BUT NOT LIMITED TO WEATHER CONDITIONS, PRESENCE OF OTHER PESTICIDES OR GROWTH REGULATORS, RESISTANCE DEVELOPMENT, OR MANNER OF USE AND/OR HANDLING CONTRARY TO LABEL INSTRUCTIONS. ALL SUCH RISKS ARE ASSUMED BY THE BUYER.

Jobe'S. Spikes

Subdue_® Fungicide

For Commercially Grown Ornamental Plants

Keep Out of Reach of Children

CAUTION

GENERAL INFORMATION:

Jobe's Spikes with Subdue Fungicide are an effective way to control Phythium and Phytophthora fungi on nursery, greenhouse, interiorscape, and landscape plants while providing continuous feeding. Jobe's unique patented slow-release formulation provides systemic disease control and nutrition for up to sixty days. Soil moisture gradually dissolves the spike, releasing a powerful systemic fungicide as well as a special balance of primary nutrients. The fungicide and nutrients enter the plant through the roots, and are translocated to all parts of the plant to feed and protect.

PROTECTS AGAINST ROOT AND STEM DISEASES CAUSED BY PYTHIUM OR PHYTOPHTHORA FUNGI on the following ornamental plants:

Foliage Plants:

Aglaonema, Aphelandra, Dieffenbachia, Peperomia, Philodendron,*Pothos, Schefflera, and Zygocactus.

Bedding Plants and Flowers:

African Violet, Ageratum, Aster, Begonia, Caladium, Carnation, Chrysanthemum, Coleus, Shasta Daisy, Delphinium, Geranium, Gloxinia, Impatiens,*Easter Lily, Marigold, Pansy, Petunia, Phlox, Pinks, Poinsettia, Primrose, Rose, Salvia, Snapdragon, Verbena, Vinca, and Zinnia.

Woody Ornamentals:

Acuba Japonica, Arborvitae, *Azalea, Boxwood, Ceanothus, Cotoneasier, bogwood, English Ivy, Ilex, <u>Juniperus</u> spp., Photinia, <u>Pieris Japonica</u>, <u>Pinus</u> spp., Pittosporum, Rhododendron, White Cedar, White Pine, and Yew."

* Certain varieties of Azalea, Pothos, and Easter Lily have shown growth inhibition or phytotoxibily to high dosages of Subdue metalaxyl fungicide. For these plants, follow directions for "Sensitive Plants". Do not apply to Euonymus.

BACK PANEL (continued)

<u>DIRECTIONS:</u> It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read Entire Label. <u>FAILURE TO FOLLOW DIRECTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, INSUFFICIENT DISEASE CONTROL, OR PERSONAL INJURY HAZARD AS NOTED IN THE PRECAUTIONARY STATEMENTS BELOW.</u>

FOR BEST RESULTS INSERT NEW SPIKES EVERY SIX TO EIGHT WEEKS depending on irrigation schedule. Wear protective gloves when handling this product. Irrigate immediately after application. Water in the soil gradually and safely releases fungicide and nutrients to the plant's roots.

For Field-Grown Nursery and Landscape Plants:

<u>6-gram apikes</u>: Push each spike 1/2 inch under the soil on opposite sides of the plant 6" to 8" from the stem. Use one spike per square foot of growing area.

<u>50-gram spikes</u>: Using plastic caps, drive each spike 1/2 inch under the soil on opposite sides of the plant 8 to 12 inches from the stem. Use one spike per foot of shrub foliage diameter.

<u>150-gram spikes</u>: Using plastic caps, drive each spike 1/2 inch under the soil on opposite sides of the plant about 12 to 18 inches from the stem. Use one spike per inch of tree trunk diameter.

<u>For Containerized Nursery, Greenhouse, and Interiorscape Plants:</u> Using plastic caps, drive each spikes 1/2 inch under the soil on opposite sides of the plant halfway between root mass and edge of container, but no closer than 12 inches to trunk.

IF CONTAINER SIZE IS : 4-inch 6-inch	SPIKE SIZE: 3-GRAM	SENSITIVE PLANTS*; One Spike One Spike	<u>NURMAL PLANTS:</u> One Spike Two Spikes
1-gallon or 6-inch	6-GRAM	One Spike	One Spike
2-gallon or 8-inch		One Spike	Two Spikes
3-gallon or 10-inch		Two Spikes	Three Spikes
5-gallon		Three Spikes	Five Spikes
5-gallon	50-GRAM		One Spike
7-gallon		One Spike	One Spike
10-gallon		Two Spikes	Two Spikes
Over 10-gallon		One Spike per Foot of Shrub Foliage Diameter	
10-gallon	150-GRAM		One Spike
20-gallon		One Spike	Two Spikes
Over 20-gallon		One Spike per Inch of Tree Trunk Diameter	

Certain varieties of Azalea, Pothos, and Easter Lily have demonstrated shown growth inhibition or phytotoxicity to high dosages of Subdue metalaxyl fungicide. Do not apply to Euonymus.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or 'clothing. Wear protective gloves when handling this product. Wash hands thoroughly with soap and water after handling. Do not use on or around bearing fruit trees or vegetable plants.

Statement of Practical Treatment: If swallowed call a Physician or Poison Control Center immediately. Orink one or two glasses of water and induce vomiting. If on skin wash affected areas with soap and water. If in eyes flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARD: This product is toxic to fish, wiidlife, and birds. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL: Store only in original container in a cool, dry place. Do not reuse original container. Securely wrap original container in several layers of newspaper and discard in trash. Do not store in living areas of the home.