

FINE SPRING BACTERIOSTATIC WATER FILTER  
Under Sink Unit, Model US-1

ACTIVE INGREDIENT:  
Metallic Silver: ..... 1.05  
INERT INGREDIENT: ..... 98.95

KEEP OUT OF REACH OF CHILDREN  
CAUTION

EPA REG. NO. 46379-2  
EPA EST. NO. 46379-A7-1

DISPOSAL: Wrap spent filter in newspaper and discard with trash.

CONTENTS: One Bacteriostatic Water Filter.

For additional information and directions, see enclosed circular and information and installation instructions.

This filter is only to be used in conjunction with municipally treated tap water in the home.

FINE SPRING BACTERIOSTATIC WATER FILTERS, INC.  
MESA, ARIZONA 85201

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JAN 18 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
46379-2

# INFORMATION AND INSTALLATION INSTRUCTIONS ON FINE SPRING BACTERIOSTATIC WATER FILTER, Under Sink Unit, Model US-1

## DIRECTIONS FOR USE General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Once a unit has been installed as per instructions, it should be maintenance free and no filter cartridges to replace.

This unit has a capacity of up to 3,000 gallons. It is capable of treating 3.0 gallons of cold tap water daily for a period of 36 months. Towards the end of the 36 months (3 years), you will notice a diminishing water flow. This will indicate the filter is nearing the end of its useful life.

### Installation

Remove aerator from faucet. Screw on diverter attachment. If the adaptor supplied does not fit, different sizes are available at hardware stores. The diverter valve button allows you to select filtered water or regular tap water. Run water through the filter for 20 minutes after installation, to activate.

Every six months, remove bottom plug and run water through filter to flush.

### Instructions for Under-the-Sink Model Installation

Follow these simple instructions to install permanent Fine Spring water filtering system

1. Locate a convenient position on the back of the sink for permanent faucet location. Before you drill, check under the sink to make sure the hoses will reach all connections.
2. After determining the position is okay, drill a 1/2 inch hole through the sink. Use a hard tipped glass bit for porcelain and a regular metal bit for stainless steel.
3. Set the FAUCET ASSEMBLY in the hole as shown in ILLUSTRATION 1, then tighten NUT A on the threaded extension to secure faucet assembly to sink.
4. Place ADAPTOR B on the threaded extension and tighten. Make sure the small copper flange is located inside the adaptor. If not, the connection will leak.
5. Place ADAPTOR C on the end of Adaptor B. Make sure the copper eyelet is positioned inside Adaptor C. Insert one end of OUTLET HOSE into the adaptor and tighten. Be careful not to over tighten. The hose will fit into the adaptor approximately 1/2 inch.
6. Mount FINE SPRING FILTER CARTRIDGE to wall or wood framing under the sink within reach of the faucet and the cold water line. Install other end of OUTLET HOSE to the Cartridge and tighten fitting, making sure plastic eyelet is properly positioned. Make sure the hose is attached to the outlet side of the filter cartridge.



7. Place CLAMP-VALVE on the cold water copper line as shown in FIGURE 2 and tighten the clamp nut. Do not turn T-Handle yet. Make sure INLET HOSE D will reach the inlet side of the filter.
8. Install INLET HOSE D on the Filter/Cartridge and secure with fitting as in step 6 above.
9. Tighten VALVE-CLAMP ADAPTOR E on the Valve Clamp. Make sure the plastic washer is positioned inside to prevent leaks. Insert Inlet Hose into ADAPTOR F and tighten on Valve Clamp Adaptor E. Make sure copper flange is properly located inside the adaptor. Check to see that all connections are correct.
10. Now turn T Handle on the Clamp-Valve all the way in. A small metal pin will penetrate the copper water line. The Clamp Valve is self sealing - there should be no leaks, since a rubber gasket located inside the clamp will automatically seal the puncture. Back off T-Handle until water begins to flow through faucet. Hold faucet lever down while adjusting T-Handle to obtain natural, smooth water flow. Don't allow water to gush through filter, as this is not desirable for maximum filtration. Check for leaks, and enjoy Fine Spring pure water.

FIGURE 1  
FAUCET ASSEMBLY





FIGURE 2  
CLAMP-VALVE  
(Shown From Above)



This unit should be used with cold water only. The flow rate has been preset at the factory not to exceed 1/2 gallon per minute.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JAN 18 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

46379-2

<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (HH-567)</b> <b>WASHINGTON, D.C. 20460</b>	<b>EPA REGISTRATION NO.</b>	<b>DATE OF ISSUANCE</b>
<b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide  and Rodenticide Act, as amended)</i>	<b>TERM OF ISSUANCE</b> JAN 18 1983	
<b>NAME OF PESTICIDE PRODUCT</b>		
<b>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</b>  <div style="border: 1px solid black; height: 100px; width: 100%;"></div>		
<b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
<b>SIGNATURE OF APPROVING OFFICIAL</b>	<b>DATE</b>	

- c. Add to "Portifier" in the pictorial representation of this unit.
- d. Change "system" to "unit" in the sentence "Follow these simple instructions to install...."
- e. The complete product name should be used wherever reference is made to the name.
- f. There should be a statement on the labeling to indicate that only cold water should be run through this unit.
- g. The company's address must be included on the label.
- h. The EPA Establishment Number must be included on the label where it is indicated. You should contact the EPA Regional Office located in San Francisco, CA., for the appropriate EPA Establishment No. An application form is enclosed for your convenience.

Submit the requested information and revised labeling incorporating the comments indicated above.

This product may not be lawfully distributed in commerce until it is registered.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

John B. Lee  
Product Manager (31)  
Pesticide Branch  
Registration Division (16-717c)