

18 1990

~~310/5306310~~
171

Mr. Thomas A. Miller
Virbac, Inc.
2507 Gravel Drive
Fort Worth, TX 76118-6904

Dear Mr. Miller:

Subject: Final Revised Labeling
DuoCide L.A.
EPA Registration No. 46473-5
Your Letter Dated November 9, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. As indicated in item 6 of Notice of Registration, add the following statement to the directions for use:

Wear rubber gloves or mitt when applying the product.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under 3 months of age.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on Skin: Remove contaminated clothing and wash affected areas with soap and water.

If in Eyes: Flush eyes with plenty of water. Call a physician immediately.

Lot No. on bottom of container.



DuoCide® L. A.

Residual Insecticidal Flea & Tick Spray
for Dogs and Cats

with PYRETHRIN AND PERMETHRIN

ACTIVE INGREDIENTS: Pyrethrins, 0.112%. Permethrin [(3-Phenoxyphenyl) methyl (±) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate], 0.100%. Related compound, 0.008%, N-Octylcycloheptene dicarboximide, 0.03%.

INERT INGREDIENTS: 98.780%

cis trans isomer ratio Min. 35% (±) cis
Max. 65% (±) trans

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

Mfd. for ALLERDERM, Inc. subsidiary of Virbac, Inc.
Fort Worth, TX 76118

Net Contents: 16 FL. OZ. (473 ml)

EPA REG. NO. 46473-5 EPA EST. NO. 2382-IN-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this or any other pesticide on sick, old or debilitated pets.

SHAKE WELL BEFORE USING

This product will kill fleas up to 14 days and ticks up to 7 days on dogs and cats.

To operate, hold container upright and spray the animal from a distance of 8-12 inches. Point nozzle toward animal and start spraying at the tail, moving the container rapidly and making sure the animal's entire body is covered with spray including the legs and under the body. On long haired animals, rub the hand against the lay of the hair, spraying into the ruffled hair directly behind the hand so the spray will penetrate to the skin. The spray should wet ticks thoroughly. Do not spray in face, eyes or on genitalia. May be sprayed on a brush and applied to the coat and face. Repeat as needed. For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat and open flame.

DISPOSAL: Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.

ACCEPTED
with COMMENTS
in EPA Label Code:

DEC 18 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No. 46473-5