



Super
K-Gro

Tomato &
Vegetable
Insect Spray

READY
TO
USE

*Kills Aphids, Tomato Fruit-
worms, Mexican Bean Beetles,
Cucumber Beetles and Other
Listed Insects.

*Provides Rapid kill of Insects!

Active Ingredients:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
Petroleum Distillate	0.08%
Inert Ingredients	99.70%

*Equivalent to 0.16% (butylcarbityl) (6-propyl-
piperonyl) ether and 0.04% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS 40 FL. OZS.

BEST DOCUMENT AVAILABLE

MYTHIC
OF THE
IN THE

JUN 22 1961

46515-8

a
ect
t
ngs
nts.
nts,
s,
tles,
and



3
e

SUPER K-GRO TOMATO & VEGETABLE INSECT SPRAY

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SUPER K-GRO TOMATO & VEGETABLE INSECT SPRAY is designed to provide rapid insect kill without leaving objectionable residues on treated plants.

TO APPLY: Shake bottle well before use. Adjust nozzle to deliver a fine mist (turn nozzle tip clockwise for mist and counter-clockwise for spray stream). Hold sprayer 12 - 15 inches from plant and spray to thoroughly cover both upper and lower foliage surfaces. Apply when insects or their damage appear and repeat as necessary. Reapply after rain. For best results, spray early in the morning when air is still and temperatures are cool. Regular light sprayings at 2 - 3 day intervals are generally more effective than single heavy treatments.

USE ON THE FOLLOWING VEGETABLES: Tomatoes, Beans, Peppers, Lettuce, Asparagus, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplants, Mustard Greens, Kale, Collards, Turnips, Potatoes, Radishes, Spinach and Corn.

KILLS THE FOLLOWING INSECTS: Aphids, Leafhoppers, Japanese Beetles, White Flies, Mexican Bean Beetles, Cucumber Beetles, Imported Cabbageworms, Harlequin Bugs, Cabbageworms, Tomato Fruitworms, Stink Bugs, Diamondback Moth Larvae, Flea Beetles, Webworms, Potato Beetles, Colorado Potato Beetles, Fireworms, Cabbage Looper, and Corn Earworms.

NOTE: For Corn Earworms, set nozzle to stream and spray into corn silk, make 3 to 4 applications at 2 - 3 day intervals.

STORAGE & DISPOSAL

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN, wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTE: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

MANUFACTURED IN U.S.A. FOR K-MART CORPORATION, TROY, MICHIGAN 48084

REGISTERED AND MANUFACTURED BY CELEX CORPORATION, PLYMOUTH, MICHIGAN 48170

EPA Est. No. 46515-MI-1

EPA Reg. No. 46515-

