

PLI 23 46515-16
pg 2 of 4

SUPER K-GRO
VEGETATION KILLER
FORMULA II

**READY
TO USE**

NO MORE EDGING, CLIPPING OR WHIPPING GRASS AND WEEDS.

KEEPS GRASS FROM CREEPING INTO UNWANTED AREAS.

**TOP KILLS: GRASSES AND WEEDS ON CONTACT.
USE AROUND SHRUBS, TREES, DRIVEWAYS, SIDEWALKS,
PATIOS AND FENCES.**

WILL NOT STERILIZE SOIL

ACCEPTED
JUL 18 1990
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg No. 46515-16

ACTIVE INGREDIENT:	
Diquat Dibromide [6,7-dihydrodiprido (1,2-a:2',1'-c) pyrazinedium dibromide].....	0.23%
INERT INGREDIENTS:	99.77%
TOTAL:	<u>100.00%</u>

Contains 0.01 lbs. Diquat Cation per gal.
0.02 lbs. Salt per gal.

Keep Out Of Reach Of Children

WARNING

See back panel for additional precautionary statements.
Read entire label.

NET CONTENTS 1 PT. 8 FL. OZ.

VEGETATION KILLER FORMULA II

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Keep out of reach of children. Do not get on skin. Repeated contact with skin or contact with open cuts or sores may increase the hazard associated with this product. May be fatal if swallowed, inhaled or absorbed through skin. May cause eye and skin irritation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not breathe vapors or spray mist. Do not allow spray to contaminate food, feed or water supplies. Keep children and domestic animals off treated areas until spray has thoroughly dried.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of milk, egg whites or gelatin solution. If these are unavailable, drink 1 or 2 glasses of water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with plenty of water. Call a physician if irritation develops.

IF INHALED: Remove victim to fresh air. If appropriate, give artificial respiration. Get medical attention.

NOTE TO PHYSICIAN: Emergency information - call 1-800/858-7378.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply when weather conditions favor drift from treated areas.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

p. 3

SUPER K-GRO VEGETATION KILLER, FORMULA II is a Ready-To-Use, non-selective herbicide that top kills grasses and weeds on contact. This product becomes quickly inactivated on contact with soil and will not sterilize the soil when used as directed. It will not stain paved or graveled areas. Apply as directed to control unwanted vegetation around shrubs, trees, buildings, patios, in brick and gravel walks and next to fences, driveways, sidewalks and curbs.

HOW TO USE (1 Pt. 8 oz.): Adjust the nozzle to desired spray pattern and thoroughly cover unwanted vegetation. For top killing vegetation around shrubs, trees and buildings, hold the sprayer 2 to 6 inches from the area to be treated. Be sure that all undesirable vegetation is thoroughly covered.

HOW TO USE (1 Gallon): Shake well before using. Remove cap from applicator top and be certain that applicator top is firmly on jug. Invert jug and adjust stream of product by changing the angle and height at which the bottle is held. For edging around fences, lawns and sidewalks and top killing vegetation around shrubs, trees and buildings, hold the container 2 to 6 inches from the area to be treated depending upon the desired width of the spray pattern. For controlling weeds in unconfined areas such as gravel walks and driveways or patios, apply 1 gallon to 200 square feet. Holding the jug about waist high and away from the body to avoid contact with skin and clothing, walk slowly making sure that all undesirable vegetation is thoroughly covered. For spot treating, handle the jug so that the spray hits only the area to be treated.

SUPER K-GRO VEGETATION KILLER, FORMULA II may be applied anytime during the year when weeds are actively growing. For best results, apply during warm, sunny weather. Wilting will occur in 1 to 3 days and complete browning of vegetation in 5 to 7 days. Some hard to control weeds may require more than one application.

IMPORTANT: Apply when air is calm to avoid spray contacting desirable vegetation, green bark, broken bark, buds, or leaves of desirable plants as damage may result. Do not track spray from treated areas to untreated areas. Do not apply product around plants to be used for food or feed.

STORAGE & DISPOSAL

STORAGE: Protect from freezing. Store in original container preferably in a locked storage area inaccessible to children. To prevent cross-contamination, do not store near pesticides, fertilizers, seeds, food or feed.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

P2.4.04

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**MADE IN THE U.S.A. FOR KMART CORPORATION,
TROY, MICHIGAN 48084**

**REGISTERED AND MANUFACTURED BY CELEX CORPORATION,
PLYMOUTH, MICHIGAN 48170**

EPA Est. No. 46515-MI-1

EPA Reg. No. 46515-16