Reg # 46515-16

194

JUN 1 2 1995

Joyce B. Pazianos Pazianos Associates 1338 G Street, S.E. Washington, D.C. 20003

Dear Ms. Pazianos:

SUBJECT: Label Amendment

Super K gro Vegetation Killer Formula II

EPA Registration No. 46515-16

Your Application Dated October 5, 1994 Requesting

Minor Label Changes

The labeling referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable with the following provisions:

On the front panel of the labeling, remove the phrase, "Kills in 24 Hours". This statement contradicts language in the "How to Use" section of the label.

A stamped copy is enclosed for your records. Please submit (one) final printed copy for the above mentioned label before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

•

CONCURRENCES									
SYMBOL	•	7505C							
SURNAME	•	DMorgan							
DATE	•	Jun 12, 1995							
EPA Form 1320-1 (12-70)								OFFICIAL FIL	E COPY

ACCEPTED with COMMENTS In FPA Letter Dated JUN 1 2 1995

FRONT PANEL

SUPER K-GRO® VEGETATION KILLER FORMULA II

Under the Federal Insecticide, Fundicide, and Rodenticide Act so amended, for the pesticide Mered under EPA Reg. No.

[READY TO USE] [KILLS IN 24 [HOURS] [HRS];

INO MORE EDGING, CLIPPING OR WHIPPING GRASS AND WEEDS.] [KEEPS GRASS FROM CREEPING INTO UNWANTED AREAS.] [TOP KILLS: GRASSES AND WEEDS ON CONTACT.] [USE AROUND SHRUBS, TREES, DRIVEWAYS, SIDEWALKS, PATIOS AND FENCES.] **IWILL NOT STERILIZE SOILI**

ACTIVE INGREDIENT:

Diquat Dibromide (6,7-dihydrodipyrido(1,2-a:2',1'-c) pyrazinediium dibromide) 0.23% INERT INGREDIENTS: 99.77% ITOTAL: 100.00%1

Contains 0.01 lbs. Diquat Cation per gal., 0.02 lbs. Salt per gal.

Keep Out Of Reach Of Children CAUTION

See back panel for additional precautionary statements.

Read entire label.

Net Contents 1 Pt. 8 fl.oz. [(709 ml)] / 1 Gallon [(3.78 L)]

BACK PANEL

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ AND FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Repeated contact with skin or contact with open cuts or sores may increase the hazard associated with this product. Keep children and pets off treated areas until spray mist has completely dried.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

If on Skin: Remove contaminated clothing. Wash affected areas with soap and water. If in Eves: Flush eyes with plenty of water. Get medical attention if irritation persists.

Other: 313/459-4200 Emergency: 800/858-7378

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FOR USE AROUND THE HOME ONLY.

[SUPER K-GRO VEGETATION KILLER FORMULA II] [This product] is a Ready-To-Use, non-selective herbicide that top kills grasses and weeds on contact. This product becomes quickly inactivated on contact with soil and will not sterilize the soil when used as directed. It will not stain paved or graveled areas. Apply as directed to control unwanted vegetation around shrubs, trees, buildings, patios, in brick and gravel walks and next to fences, driveways, sidewalks and curbs.

Optional language for spray-top bottles:

[HOW TO USE: Adjust the nozzle to desired spray pattern and thoroughly cover unwanted vegetation. For top killing vegetation around shrubs, trees and buildings, hold the sprayer 2 to 6 inches from the area to be treated. Be sure that all undesirable vegetation is thoroughly covered.]

Optional language for applicator-top bottles:

thow to USE: Shake well before using. Remove cap from applicator top and be certain that applicator top is firmly on jug. Invert jug and adjust stream of product by changing the angle and height at which the bottle is held. For edging around fences, lawns and sidewalks, and top killing vegetation around shrubs, trees and buildings, hold the container 2 to 6 inches from the area to be treated depending upon the desired width of the spray pattern. For controlling weeds in unconfined areas such as gravel walks and driveways or patios, apply 1 gallon to 200 square feet. Holding the jug about waist high and away from the body to avoid contact with skin and clothing, walk slowly making sure that all undesirable vegetation is thoroughly covered. For spot treating, handle the jug so that the spray hits only the area to be treated.

[SUPER K-GRO VEGETATION KILLER FORMULA II] [This product] may be applied anytime during the year when weeds are actively growing. For best results, apply during warm, sunny weather. Wilting will occur in 1 to 3 days and complete browning of vegetation in 5 to 7 days. Some hard to control weeds may require more than one application.

IMPORTANT: Apply when air is calm to avoid spray contacting desirable vegetation, green bark, broken bark, buds, or leaves of desirable plants as damage may result. Do not track spray from treated areas to untreated areas. Do not apply product around plants to be used for food or feed.

STORAGE & DISPOSAL

Storage: Protect from freezing. Store in original container preferably in a locked storage area inaccessible to children. To prevent cross-contamination, do not store near pesticides, fertilizers, seeds, food or feed.

Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Made in the U.S.A. for K Mart Corporation, Troy, Michigan 48084 reg. & mfg. by Celex Corp., [377 Amelia,] Plymouth, Michigan 48170

EPA Est. No. 46515-MI-1

EPA Reg., No., 46515-16

Optional directions for container with separate sprayer attached in a bag (directions go on sprayer bag):

[TRIGGER SPRAYER

DIRECTIONS FOR USE

- 1. Remove sprayer from bag.
- 2. Unscrew cap from bottle and remove foil seal.
- 3. Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- 4. Open spray nozzle approximately one full turn.
- 5. TO PRIME With sprayer directed at the target area, operate trigger until spray begins (approximately 10-15 times).
- 6. Adjust the sprayer nozzle for desired spray pattern.

STORAGE

- 1. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.
- 2. To prevent clogging of trigger, remove hose from sprayer and pump clean water through the hose and trigger.]