US ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRA NO.	DATE OF ISSUANCE	
OFFICE OF PESTICIDES PROGRAMS	46515-17		
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480	TERM OF ISSUANCE		
	Until Reregistered		
NOTICE OF PESTICIDE: REGISTRATION	Super K-Gro Fruit	c Vegetable	J • •.
(Under the Federal Insecticide, Fungicide,	Insect Control	a vegetable	'
and Rodenticide Act, as amended)	Tilbect control		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)			
г [.]	٦		
Celex Corporation	•		Ļ
443 Amelia Street		[61]	1
Plymouth, MI 48170		/ 8 '	
		• •	
L	J)
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number	to use of the label in commerce.	ith this registration must be In any correspondence on this	
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby l	Registered/Reregistered under	
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is return	ed herewith.	ł
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any nar Act is not to be construed as giving the registrant a right to by others. This product is conditionally required.	n, may at any time sdspend or can me in connection with the registra exclusive use of the name or to	cel the registration of a pest- tion of a product under this its use if it has been covered	
section 3(c)(7)(A) provided that you: 1. Submit/cite all data required of your product under FIFRA section 3(for registration/rerect)	gistration	
registrants of similar products to sub-	mit such data.	!	
2. Make the labeling changes lis for shipment:	ted helow before you r	elease the product	
a. Add the phrase "EPA Regis	tration No. 46515-17."	_	
the change the Physical or the	enical Hanards acadime	nt to rexercely	gen
and the second second	m Item aparks, and he	ated southern and	18%
3. Provide the chemical identity 4. We assume it was a sypose	of Kloarol Alimbatic	ot 1	
B. Submit five (5) copies of you	r final printed labeli	ng before you	, ,
release the product for shipment. Ref			Ţ
description of final printed labeling.		V- V	
•		1	l
			1
			1
ATTACHMENT IS APPLICABLE			
SIGNATURE OF APPROVING OFFICIAL		IDATE	1
PORTON AND THE PROPERTY OF FRANCE	•	\	ł
PA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION	MAY BE USED UNTIL SUPPLY IS	EXHAUSTED.	į.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

5. Aldrough ne do not object to retaining the X-Most.

To a distribution number and be obtained. It is a soft of the product of the companies of the soft of the product of the companies and for not distribute the product of the soft of the purple of the soft of th

SUPER K-GROR

FRUIT & VEGETABLE INSECT CONTROL

Controls Many Insects on Fruit Trees and Vegetables as listed on this label

ACTIVE INGREDIENT:	Ву	Wt.
Diazinon: {0,0 Diethyl 0-(2-isopropyl-6-methyl -4-pyrimidinyl) phosphorothioatel	•	25 %
*INERT INCREDIENTS	٠ _	<u>75%</u>
TOTAL	. 1	100%
*Contains xylene range armatic solvent		

Keep out of reach of children

WARNING

See back panel for additional precautionary statements. Read entire label.

NET CONTENTS 16 F1. Oz. (1 Pint) 0.473 Liter

	•	•.•.	
ACCEPTED with COMMENTS in EPA Letter Dated:	-	•	**************************************
NOV 91987		*	*****
Ender the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the penticide managed under EPA Rog. Mr.	•		

495

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL

DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Do not get in eyes, as this product may cause eye injury. Wear eye protection when mixing. Avoid breathing vapor mist. Spray mist harmful if inhaled. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed. Food utensils should not be used for food purposes after use with pesticides. Do not use on household pets or humans. Keep children and domestic animals off treated areas until spray has thoroughly dried. Keep out of reach of children and domestic animals.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Never give anything by mouth to an unconscious of convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration, if indicated.

7 . SKIN: Wash affected areas with soap and water. Remove and launder minated clothing before reuse.

IF IN EYES: Immediately flush eyes with plenty of water and contact a physician.

NOTE TO PHYSICIAN: This product contains a light petroleum solvent and may present an aspiration problem. Diazinon is an organophosphorus cholinesterase inhibitor. Atropine is antidotal; 2-PAM may also be given in conjunction with atropine, but should never be used alone.

Emergency Information - Call 1-800/858-7378.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on ":" treated areas may be killed. Keep out of lakes, ponds, or streams. Bo not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target areas. This product is highly toxic to bees exposed to direct treatment or to residues remaining on treated areas. Do not apply when bees are actively visiting crop. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near open flame.

me.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Note: 2 Tablespoons = 1 fl. oz.; 3 teaspoons = 1 Tablespoon (Tbs.)

HOW TO USE: Shake well before using. Mixes readily with water and may be used in most types of sprayers. To use with Super K-Gro^Rhose-end sprayer, carefully read the complete directions that are on the hose-end sprayer jar. Add the amount of concentrate specified for each gallon of diluted spray required. Next, fill the hose-end sprayer jar with water to the appropriate level as marked on the side of the hose-end sprayer jar. Apply during cool, calm and dry periods of the day, when trees and plants are not under hot, direct rays of the sun, and rain is not expected within 24 hours. Use 2 tsp. (1/3 fl. oz.) per gal. of water. Begin spraying after blooming or when pests first appear and repeat at 7-10 day intervals, as necessary. Spray plant thoroughly, especially upper and lower leaf surfaces. Do not treat food crops grown in the greenhouse. Do not feed treated vines to livestock. For Codling Moths on Apple Trees, 4-6 sprays are required. Light russeting may occur on some varieties of Apples, such as Golden Delicious.

Note: Numbers in () indicate days required between last application and harvest. Wash fruits and vegetables thoroughly before using.

FRUITS & NUTS - For use on; Strawberries(5), Figs(5), Blueberries(7), Canberries(7), Apricots(10), Cherries(10), Grapes(10), Nectarines(10), Plums(10), Prunes(10), Apples(14), Pears(14), Grapefruit(21), Lemons(21), Oranges(21), Peaches(21). For Almonds, Filberts, Walnuts, and Pecans, do not apply after husks crack or open. To control; Aphids, Apple Maggots, Blueberry Maggots, Cherry Fruit Flies, Cherry Fruitworms (Maggots), Citrus Thrips, Codling Moths, Cranberry Fruitworm, Dried Fruit Beetles, Fruit Tree Leaf Rollers, Casebearers, Pear Psylla, Raspberry Sawflies, Raspberry Fruitworms, Scale Crawlers, Strawberry Leafroller, Tentiform Leafminers, Thrips, Vinegar Flies, Walnut Caterpillars.

VEGETABLES - For use on; Tomatoes(1), Peas(1), Sweet Corn(1), Cantaloupes(3), Muskmelons(3), Watermelons(3), Winter Squash(3), Broccoli(5), Peppers(5), Cauliflower(5), Beans(7), Cabbage(7), Cucumber(7), Summer Squash(7), Carrots(10), Celery(10), Lettuce(10), Spinach(10), Onions(10), Radishes(10), Turnips(10), Potatoes(35). To control; Aphids, Armyworms, Colorado Potato Beetles, Cucumber Beetles, Diamond Back Moths (larvae), Dipterous Leafminers, Flea Beatles, Grasshoppers, Mexican Bean Beetles, Mites, Onion Thrips, Thrips, Vinegar Flies and Whiteflies.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area inaccessible to children. Store in cool, dry place. Do not store near heat or open flame, Do not store diluted spray.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

MANUFACTURED for K-Mart Corporation, Troy, MI 48084

REGISTERED AND MANUFACTURED BY Celex Corporation, Plymouth, MI 43170

'EPA Reg. No. 46515-

EPA Est. No. 46515-MI-1